

# **CSEC® Industrial Technology**

**Building Technology**

**Electrical and Electronic  
Technology**

**Mechanical Engineering  
Technology**

**SYLLABUS  
SPECIMEN PAPER  
MARK SCHEME  
SUBJECT REPORTS**

Macmillan Education  
4 Crinan Street, London, N1 9XW  
A division of Macmillan Publishers Limited  
Companies and representatives throughout the world

[www.macmillan-caribbean.com](http://www.macmillan-caribbean.com)

ISBN 978-0-230-48239-5

© Caribbean Examinations Council (CXC®) 2015  
[www.cxc.org](http://www.cxc.org)  
[www.cxc-store.com](http://www.cxc-store.com)

The author has asserted their right to be identified as the author of this work in accordance with the Copyright, Design and Patents Act 1988.

First published 2014

This revised version published 2015

Permission to copy

The material in this book is copyright. However, the publisher grants permission for copies to be made without fee. Individuals may make copies for their own use or for use by classes of which they are in charge; institutions may make copies for use within and by the staff and students of that institution. For copying in any other circumstances, prior permission in writing must be obtained from Macmillan Publishers Limited. Under no circumstances may the material in this book be used, in part or in its entirety, for commercial gain. It must not be sold in any format.

Designed by Macmillan Publishers Limited  
Cover design by Macmillan Publishers Limited and Red Giraffe

## **CSEC Industrial Technology Free Resources**

### **LIST OF CONTENTS**

CSEC® Industrial Technology Syllabus Extract	5
CSEC® Industrial Technology Syllabuses	6

### **CSEC® Industrial Technology Specimen Papers:**

Paper 01 Specimen Paper	248
Paper 02 Option A (Electrical and Electronic Technology) Specimen Paper	230
Paper 02 Option B (Mechanical Engineering Technology) Specimen Paper	244
Paper 02 Option C (Building and Furniture Technology) Specimen Paper	259

### **CSEC® Industrial Technology Specimen Paper Mark Schemes:**

Paper 01 SP Mark Scheme	228
Paper 02 Option A (Electrical and Electronic Technology) SP Mark Scheme	236
Paper 02 Option B (Mechanical Engineering Technology) SP Mark Scheme	251
Paper 02 Option C (Building and Furniture Technology) SP Mark Scheme	266

### **CSEC® Industrial Technology: Building Technology Subject Reports:**

Option 1 May/June 2010 Subject Report	280
Option 2 May/June 2010 Subject Report	302
Option 1 May/June 2011 Subject Report	325
Option 1 May/June 2013 Subject Report	344

Construction May/June 2013 Subject Report	361
---	-----

Option 1 May/June 2014 Subject Report	380
---------------------------------------	-----

Construction May/June 2014 Subject Report	403
---	-----

**CSEC® Industrial Technology: Mechanical Engineering Subject Reports:**

2005 Subject Report	423
---------------------	-----

2006 Subject Report	432
---------------------	-----

2007 Subject Report	441
---------------------	-----

2008 Subject Report	451
---------------------	-----

2009 Subject Report	459
---------------------	-----

2010 Subject Report	469
---------------------	-----

2011 Subject Report	479
---------------------	-----

2014 Subject Report	488
---------------------	-----



# **Industrial Technology**

The Industrial Technology syllabuses is a qualitative response by the Caribbean Examinations Council to the Technical and Vocational Education and Training (TVET) needs which are relevant to manufacturing and industrialisation in the Caribbean Region. The cognitive, psychomotor and affective outcomes aimed for in the syllabuses are geared at equipping students with a solid technical foundation for life-long learning and to enable the students to matriculate seamlessly into entry level occupations in a wide variety of careers and post-secondary institutions.

In this new approach, the CSEC technical subjects will comprise successful completion of relevant Level 1 CVQ Units and a portfolio. Candidates who successfully complete the CSEC examinations in the Industrial Technology programmes will be awarded; the CSEC Technical Proficiency Certificate and recognition of competencies for the aligned CVQ Units.

The Industrial Technology syllabuses comprise one Compulsory Core and three Options, organised in sections.

## **THE CORE**

The core provides a flexible foundation for more detailed study aimed for in the three options. It is a combination of knowledge, skills and attitudes, pivotal to the programmes of study in Industrial Technology. The Core is, therefore, mandatory for all students. Teachers are required to integrate the competencies and processes in the core discipline with those of the respective options. The Core is made up of the following Sections.

- Section 1: Fundamentals of Industry.
- Section 2: Design Principles and Processes.
- Section 3: Information Communications and Graphic Technologies.

## **OPTIONS**

Each option provides the foundation competencies relevant to industrial transformation and development in the Caribbean. The options are listed below.

- Section 1: Electrical and Electronic Technology.
- Section 2: Mechanical Engineering Technology.
- Section 3: Building and Furniture Technology.

Candidates will complete the core and at least one option for certification. Institutions may also enter candidates for more than one option. In this case, candidates will only be assessed once in the Core.



# **CARIBBEAN EXAMINATIONS COUNCIL**

**Caribbean Secondary Education Certificate  
CSEC®**

## **INDUSTRIAL TECHNOLOGY SYLLABUSES**

**Effective for examinations from May–June 2017**



Published by the Caribbean Examinations Council

© 2015, Caribbean Examinations Council

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form, or by any means electronic, photocopying, recording or otherwise without prior permission of the author or publisher.

Correspondence related to the syllabus should be addressed to:

The Pro-Registrar  
Caribbean Examinations Council  
Caenwood Centre  
37 Arnold Road, Kingston 5, Jamaica, W.I.

Telephone: (876) 630-5200  
Facsimile Number: (876) 967-4972  
E-mail address: [cxcwzo@exc.org](mailto:cxcwzo@exc.org)  
Website: [www.exc.org](http://www.exc.org)

Copyright © 2015, by Caribbean Examinations Council  
Prince Road, Pine Plantation Road, St Michael BB11091

# Contents

RATIONALE .....	1
AIMS .....	2
ORGANISATION OF THE SYLLABUS .....	2
SUGGESTED TEACHING AND LEARNING APPROACHES .....	3
SUGGESTED TIMETABLE ALLOCATION .....	3
CERTIFICATION .....	3
FORMAT OF THE EXAMINATIONS .....	5
REGULATIONS FOR PRIVATE CANDIDATES .....	7
REGULATIONS FOR RESIT CANDIDATES .....	7
<b>CORE</b>	
<i>Section 1 – Fundamentals of Industry</i> .....	8
<i>Section 2 – Design Principles and Processes</i> .....	17
<i>Section 3 – Information Communications Technology</i> .....	20
<b>OPTIONS</b>	
Option A – Electrical and Electronic Technology	
Section 1 – Electrical Principles and Measurements .....	23
Section 2 – Electrical and Electronic Drafting .....	35
Section 3 – Electrical Power and Machines .....	38
Section 4 – Electrical Installation .....	43
Section 5 – Fundamentals of Electronics .....	52
Workshop Laboratory Facilities .....	61
Resources .....	70
Appendix I – Guidelines for Integrating the Competency Based Education Training and Assessment Approach .....	72
Appendix II – Integration of CVQ Units for the SBA .....	81
Appendix III – Portfolio Development .....	87
Option B – Mechanical Engineering Technology	
Section 1 – Materials, Hand tools and Processes .....	89

<i>Section 2 – Graphic Communication and Design .....</i>	<i>97</i>
<i>Section 3 – Production Engineering.....</i>	<i>101</i>
<i>Section 4 – Metal Art Work.....</i>	<i>115</i>
<i>Workshop Laboratory Facilities .....</i>	<i>117</i>
<i>Resources.....</i>	<i>122</i>
<i>Resources.....</i>	<i>124</i>
<i>Appendix I – Guidelines for Integrating the Competency Based Education</i>	
<i>Training and Assessment Approach.....</i>	<i>127</i>
<i>Appendix II – Integration of CVQ Units for the SBA.....</i>	<i>135</i>
<i>Appendix III – Portfolio Development.....</i>	<i>141</i>

### *Option C - Building and Furniture Technology*

<i>Section 1 – The Natural and Built Environment .....</i>	<i>143</i>
<i>Section 2 – Site Work Operations.....</i>	<i>147</i>
<i>Section 3 – Basic Architectural Drawings.....</i>	<i>151</i>
<i>Section 4 – Timber Technology .....</i>	<i>154</i>
<i>Section 5 – Building Technology.....</i>	<i>158</i>
<i>Section 6 – Furniture Technology.....</i>	<i>173</i>
<i>Workshop Laboratory Facilities .....</i>	<i>180</i>
<i>Resources.....</i>	<i>184</i>
<i>Appendix I – Guidelines for Integrating the Competency Based Education</i>	
<i>Training and Assessment Approach.....</i>	<i>188</i>
<i>Appendix II – Integration of CVQ Units for the SBA.....</i>	<i>196</i>
<i>Appendix III – Portfolio Development.....</i>	<i>202</i>

This document CXC 13/T/SYLL 15 replaces the syllabus CXC 13/T/SYLL 00 issued in 2000.

Please note that the syllabus has been revised and amendments are indicated by italics.

First Published in 1977

Revised in 1981

Revised in 1985

Revised in 1992

Revised in 2000

Revised in 2015

# Syllabuses for Examinations in Industrial Technology Programmes

## ◆ RATIONALE

*The economic development and competitive edge of the region are inextricably linked to the application of technology in the manufacture and utilisation of goods and services. These considerations make it an imperative for the region to understand, develop and effectively apply competencies that directly impact the quality of our lives. The Industrial Technology syllabuses is a qualitative response by the Caribbean Examinations Council to the Technical and Vocational Education and Training (TVET) needs which are relevant to manufacturing and industrialisation in the Caribbean Region. The cognitive, psychomotor and affective outcomes aimed for in the syllabuses are geared at equipping students with a solid technical foundation for life-long learning and to enable the students to matriculate seamlessly into entry level occupations in a wide variety of careers and post-secondary institutions. Candidates may pursue career paths to include some of the professions in Engineering (Robotics, Fabrication and Civil), Designing (Spatial and Structural), and Education.*

*The changing nature of work and higher level skills requirements globally create a need for agreed regional standards in Competency Based Education Training and Assessment (CBETA). CBETA arose out of the need to improve occupational standards to meet the needs of industrial and economic changes. The School-Based Assessment (SBA) component of the Industrial Technology Syllabus will employ the principles of CBETA, through the integration of the Caribbean Vocational Qualification (CVQ) into the SBA. This integration is aimed at making knowledge, skills and attitudes more practical. A solid educational background (academic and technical) will be achieved through practical and project-based learning, designing and entrepreneurial processes. In this new approach, the CSEC technical subjects will facilitate the successful completion of relevant Level 1 CVQ Units of Competence. Candidates who successfully complete the CSEC examinations in the Industrial Technology will be awarded; the CSEC Technical Proficiency Certificate and where applicable recognition of competencies for the aligned CVQ Units.*

*The broad-range of interdisciplinary competencies aimed for in the Industrial Technology syllabuses will contribute to the development of the attributes of the Ideal Caribbean Person, as documented in the 2000 Caribbean Education Strategy. This person is one who is emotionally secure with a high level of self-confidence and self-esteem; is aware of the importance of living in harmony with the environment; demonstrates multiple literacies, independence and critical thinking; values and displays the creative imagination in its various manifestations and nurtures its development in the economic and entrepreneurial spheres in all areas of life.*

*In addition to the attributes listed above, the syllabuses will contribute to the development of all the UNESCO Pillars of Learning. These are learning to know, learning to do, learning to be, learning to live together and learning to transform oneself and society.*

## ◆ AIMS

*The syllabuses aim to:*

1. *acquire knowledge of both traditional and new materials, systems, and processes related to industry;*
2. *provide the students with an opportunity to understand the interrelationships among technologies, equipment, processes, materials and systems related to industry;*
3. *develop competencies in the application of manufacturing standards, processes, equipment, materials and tools for entry level employment (government, private sector and self) and life-long learning;*
4. *develop competencies through the processes of design management and communication, production and evaluation associated with construction and the manufacturing industries; and,*
5. *develop innovative and creative minds equipped for our knowledge and technology driven society.*

## ◆ ORGANISATION OF THE SYLLABUSES

*The Industrial Technology Syllabuses comprise one Compulsory Core and three Options, organised in sections.*

### **THE CORE**

*The Core provides a flexible foundation for more detailed study aimed for in the three options. It is a combination of knowledge, skills and attitudes, pivotal to the programmes of study in Industrial Technology. The Core is, therefore, mandatory for all students. Teachers are required to integrate the competencies and processes in the Core with those of the respective Options. The Core is made up of the following Sections.*

*Section 1: Fundamentals of Industry.*

*Section 2: Design Principles and Processes.*

*Section 3: Information Communication and Graphic Technologies.*

### **OPTIONS**

*Each Option provides the foundation competencies relevant to industrial transformation and development in the Caribbean. The Options are listed below.*

*Option A: Electrical and Electronic Technology.*

*Option B: Mechanical Engineering Technology.*

*Option C: Building and Furniture Technology.*

*Candidates will complete the Core and at least **one** Option for certification. Institutions may also enter candidates for more than one Option. In this case, candidates will only be assessed once in the Core.*



## ◆ SUGGESTED TEACHING AND LEARNING APPROACHES

*To facilitate students' attainment of the objectives, teachers/facilitators are encouraged to engage students in the teaching and learning activities listed below.*

- 1. Utilise resource persons from industry, subject specialists and practitioners to make presentations and perform demonstrations for students.*
- 2. Establish partnerships with industries, other institutions and National Training Agencies to benefit from their expertise and resources (institutional and industry).*
- 3. Demonstrate essential concepts using experiments, prototypes and instruments. Make use of video presentations where applicable and Internet-based simulations.*
- 4. Utilise internal staff to assist students through team teaching.*
- 5. Encourage team-based research, presentation and assessment.*
- 6. Encourage students' participation in the development of the Quality Control Standards; this activity is a partnership between the teachers and the students. Teachers and students are, therefore, encouraged to determine the key components of quality and ensure that set standards are maintained.*
- 7. Arrange for the exposure of students to the world of work through job placement, work experience, job shadowing and apprenticeship. This will ensure that students keep abreast with current industrial processes and resources.*

## ◆ SUGGESTED TIMETABLE ALLOCATION

It is recommended that a minimum of six 40-minute periods per week, over two academic years or the equivalent be allocated to the syllabus. Single periods are not recommended.

### **ALLIED SUBJECTS**

*Students should be encouraged to include the following subjects in their programme of study: English A, Information Technology, Environmental Science, Mathematics, Technical Drawing, Physics or Chemistry.*

## ◆ CERTIFICATION

*This syllabus will be assessed for the awards of both the Technical Proficiency and where applicable for recognition of CVQ competencies. Candidates will complete the Core and at least one Option for certification. Institutions may also enter candidates for more than one Option. In this case, candidates will only be assessed once in the Core. Candidate's performance will be indicated on the certificate by an overall numerical grade on a six-point scale as well as a letter grade for each of three profile dimensions, namely, Knowledge and Comprehension, Use of Knowledge and Practical Ability.*

*The School-Based Assessment component for this syllabus is aligned to selected units within the regional qualification of the Caribbean Vocational Qualification (CVQ). Through this integration, once all requirements for issuing the CVQ are met, every student with acceptable grades will receive a Statement of Competence to recognise their competencies in selected units (as detailed in Appendix 1) from the Level 1 Caribbean Vocational Qualification (CVQ) in:*

- *General Construction (CCBCG10102);*
- *Furniture Making (CCLMF10103);*
- *Electrical Installation (CCMEM11002); or,*
- *Metal Work Engineering (CCMEM10302).*

*The decisions to award competencies will be based on the quality and relevance of the pieces of evidence presented for the occupational area.*

## ◆ DEFINITION OF PROFILE DIMENSIONS

*In the examinations, items and questions will be classified according to the kinds of cognitive, affective and psychomotor competencies outlined in the following profile dimensions:*

- (a) *Knowledge and Comprehension;*
- (b) *Use of Knowledge; and,*
- (c) *Practical Ability.*

### **Knowledge and Comprehension (KC)**

<i>Knowledge</i>	The ability to identify, remember, and grasp the meaning of basic facts, concepts, principles, theories, technology and processes already learnt.
<i>Comprehension</i>	The ability to: <ul style="list-style-type: none"> <li>(a) understand basic <i>facts, concepts, principles, theories, processes</i> and construct meanings from them in contextualised and authentic situations; and,</li> <li>(b) explain, think, interpret, create, estimate meanings, and, use knowledge in contextualised and authentic situations.</li> </ul>

### **Use of Knowledge (UK)**

<i>Application</i>	The ability to: <ul style="list-style-type: none"> <li>(a) <i>apply technical and non-technical knowledge, processes, methods, skills and technology to carry out a procedure and to perform a task or produce to the expected performance standards;</i></li> <li>(b) <i>execute, construct, implement, compute and solve problems in contextualised and authentic situations;</i></li> </ul>
--------------------	--

- (c) *receive, respond to, organise and value instruction in given or unfamiliar situations; and,*
- (d) *co-operate and value team work activities.*

#### **Analysis**

*The ability to:*

- (a) *identify and recognise the component parts of a whole and interpret the relationships between those parts;*
- (b) *make qualitative assessments and judgments based on criteria and standards; and,*
- (c) *compare, extrapolate, infer and distinguish between component parts and draw conclusions.*

#### **Synthesis**

*The ability to:*

- (a) *design, innovate, and integrate resources, to create a service or product; and,*
- (b) *make proposals for solving problems.*

#### **Evaluation**

*The ability to review, assess, investigate, contrast and make reasoned judgements and recommendations based on criteria and standards.*

#### **Practical Ability (PA)**

*The ability to:*

- (a) *use facts, concepts, principles, technology, formulae, theories, and processes to produce designs, drawings and make products to given performance standards;*
- (b) *demonstrate manipulative skills using equipment, tools, materials, processes, technology and other resources;*
- (c) *design and create new ideas, products and services based on performance standards;*
- (d) *demonstrate craftsmanship, creativity and communication skills based on performance standards; and,*
- (e) *respond to one's environment applying all the senses.*

## **◆ FORMAT OF THE EXAMINATIONS**

*Certification for the Industrial Technology syllabuses will be based on two written Papers; Paper 01 and Paper 02 for the External Assessment and Paper 03 which is the School-based Assessment comprising the SBA Portfolio.*

## External Assessment

**Paper 01**  
(1 ¼ hours) This paper will consist of 60 multiple-choice items covering all Sections of the Core. Fundamentals of Industry, Design Principles and Processes and Information Communications Technology. Knowledge and Comprehension (KC) and Use of Knowledge (UK) will be tested in the ratio of 1:2.

The Paper will be worth 60 marks (1 mark for each item and will represent 20 per cent of the total score).

**Paper 02**  
(2 hours) This paper will consist of five compulsory structured response questions. Each Option (Electrical and Electronic Technology Mechanical Engineering Technology and Building and Furniture Technology) will have its own paper.

Each question on this paper for **all** three Options will be worth 18 marks. The marks are distributed across questions and profiles as indicated below:

Knowledge and Comprehension (KC)	- 6 marks;
Use of Knowledge (UK)	- 6 marks; and,
Practical Ability (PA)	- 6 marks.

This paper will represent 30 per cent of the total score.

**School-Based Assessment (SBA)** The School-Based Assessment (Appendix 1), Paper 03, will consist of assignments displayed in the School Based Assessment Portfolio. The School-Based Assessment Portfolio will account for 50 marks distributed across the three profile dimensions (Knowledge and Comprehension, Use of Knowledge and Practical Ability). Appendix 2 provides a list of possible units for integration along with an exemplar.

## **WEIGHTING OF INDUSTRIAL TECHNOLOGY PAPERS**

The percentage weightings of the examination components for the Electrical and Electronic Technology, Mechanical Engineering Technology and Building and Furniture Technology Options are:

### **EXTERNAL EXAMINATION**

	<b>External Examination</b>				
<b>PROFILES</b>	<b>Paper 01 20%</b>	<b>Paper 02 30%</b>	<b>Paper 03 (SBA PORTFOLIO) 50%</b>	<b>TOTAL</b>	<b>%</b>
Knowledge and Comprehension	20	30	10	60	20
Use of Knowledge	40	30	20	90	30
Practical Ability	-	30	120	150	50
<b>TOTAL</b>	<b>60</b>	<b>90</b>	<b>150</b>	<b>300</b>	<b>100</b>

## ◆ **REGULATIONS FOR PRIVATE CANDIDATES**

Candidates who do not attend school full-time may undertake the course as a private candidate. A private candidate is one not entered through a school or other approved educational institution.

Such a candidate must observe the following guidelines:

- (i) complete *all the components of the examination*;
- (ii) identify a teacher/tutor from a registered institution (school/technical institute/community college) who will assess and approve the candidate's submission for the School-Based Assessment component of the syllabus; and,
- (iii) submit to the Council on registration for the subject the name, school, and territory of the identified teacher/tutor.

## ◆ **REGULATIONS FOR RESIT CANDIDATES**

*Resit candidates must rewrite Papers 01 and 02 of the examination for the year in which they re-register. However, resit candidates who have earned a moderated score of 50 per cent or more of the maximum score for the School-Based Assessment component may elect not to repeat this component, provided they rewrite the examination no later than two years immediately following their first attempt.*

*Resit candidates who have obtained a moderated score of less than 50 per cent of the maximum score for the School-Based Assessment component must repeat the component at any subsequent sitting. Resit candidates may enter through schools, recognised educational institutions or the Local Registrar's Office.*

## ◆ **CORE**

### **SECTION 1: FUNDAMENTALS OF INDUSTRY**

#### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

- 1. understand the organisation of an industry with special focus on the manufacturing and construction industries;*
- 2. apply a working knowledge of codes and regulations governing the manufacturing and construction industries;*
- 3. demonstrate an awareness of careers in the construction and manufacturing industries and the contributions made by people who work in them; and,*
- 4. demonstrate skills in the application of workshop and worksite safety, health and maintenance practices through occupational safety and health management systems.*

#### **SPECIFIC OBJECTIVES**

*The students should be able to:*

- 1. discuss the sectors and their roles within the construction and manufacturing industries;*
- 2. create a basic organisational structure of the construction and manufacturing industries;*
- 3. discuss the types of occupation levels and their functions in the construction and manufacturing industries;*
- 4. analyse career paths and the requisite qualifications in the construction and manufacturing industries;*
- 5. discuss codes and standards governing industrial processes, designs, materials and environmental practices;*
- 6. practise occupational health, safety and welfare standards in the construction and manufacturing industries; and,*
- 7. discuss the impact of industries on the social and economic well-being of Caribbean countries.*

## **SECTION 1: FUNDAMENTALS OF INDUSTRY (cont'd)**

### **CONTENT**

#### **1. Sectors and their roles**

- (a) *Definitions of:*
  - (i) *an industry:*
    - *a construction;*
    - *a manufacturing; and,*
    - *an electrical and electronic.*
- (b) *The construction sectors:*
  - (i) *residential;*
  - (ii) *industrial;*
  - (iii) *commercial; and,*
  - (v) *civic.*
- (c) *The roles of the following in the manufacturing sectors:*
  - (i) *engineering design;*
  - (ii) *industrial production; and,*
  - (iii) *industrial maintenance.*

#### **2. Organisational structure**

- (a) *Organisational chart of personnel (managers, workers, tasks and relationships):*
  - (i) *top-down structure;*
  - (ii) *flat structure; and,*
  - (iii) *matrix.*

## **SECTION 1: FUNDAMENTALS OF INDUSTRY (cont'd)**

### **3. Occupational levels and their functions**

- (a) *Semi-skilled.*
- (b) *Skilled.*
- (c) *Technician supervisory.*
- (d) *Technologist/Master Craftsman.*
- (e) *Professional.*

### **4. Career paths and qualifications**

- (a) *Construction industries:*
  - (i) *craftsmen /tradesmen - carpenters, electricians, electronics technicians, masons, plumbers, furniture makers, woodcrafters, upholsterers, painters; welders, machine operators and fitters;*
  - (i) *technical workers - technicians, technologists, finishing technicians; drafting and design technicians; and,*
  - (ii) *professional workers - electrical, mechanical, construction structural, civil and building service engineers, architects, quantity surveyors, construction project managers, planners.*
- (b) *Fundamentals of entrepreneurship:*
  - (i) *explaining the term “entrepreneurship”:*
    - *meaning and importance; and,*
    - *risk and success characteristics.*
  - (ii) *principles of entrepreneurship:*
    - *goal setting (short, medium, long term and decision making skills);*
    - *business plans;*
    - *success factors (marketing and promotion, customer satisfaction, competitiveness, leadership, management of production and efficiency, quality control);*



## **SECTION 1: FUNDAMENTALS OF INDUSTRY (cont'd)**

- *government legislation;*
  - *lending institutions;*
  - *benefits; and,*
  - *risks.*
- (c) *Identifying entrepreneurship opportunities in the construction and manufacturing industries.*
- (d) *Self-employment opportunities in electrical and electronics, metalwork engineering, building construction and furniture productions.*

### **5. Codes and standards**

#### **5.1 Occupational Health and Safety Standards**

- (a) *Industry health and safety regulations:*
- (i) *legal responsibilities of employers; and,*
  - (ii) *general duties of employees.*
- (b) *Environmental safety practices.*
- (c) *Safety and maintenance standards.*
- (e) *Health and wellness standards.*
- (e) *Standards for fire prevention and response.*
- (f) *Basic First Aid standards.*
- (g) *Basic emergency response standards.*

#### **5.2 Electrical installation and electronics standards**

- (a) *Local and regional standards.*
- (b) *International standards:*
- (i) *IEEE (Institute of Electrical and Electronics Engineers) standards; and,*
  - (ii) *NEC (National Electrical Code) standards.*

## **SECTION 1: FUNDAMENTALS OF INDUSTRY (cont'd)**

- (c) *Safety standards against hazards:*
  - (i) *electrical equipment;*
  - (ii) *electrical material (wires);*
  - (iii) *communication lines;*
  - (iv) *installation in buildings; and,*
  - (v) *semi-conductor materials and devices.*

### **5.3 Engineering production**

- (a) *ASME (American Society of Mechanical Engineers) Codes.*
- (b) *WTO (World Training Organisation) codes.*
- (c) *ISO (International Standards Organisation).*

*Relating to:*

- (i) *components;*
- (ii) *processes, systems, equipment, material; and,*
- (iii) *ethics in engineering practices.*

### **5.4 Building Construction**

*Standards (international and regional – ASNI-American National Standards Institute, BSI, ISO and CUBIC) relating to:*

- (a) *building designs, plans, contracts and construction;*
- (b) *building materials, finishing materials, systems and processes;*
- (c) *building construction and natural disasters; and,*
- (d) *furniture design, materials and construction.*

## **SECTION 1: FUNDAMENTALS OF INDUSTRY (cont'd)**

### **6. Occupational health, safety and welfare standards**

- (a) *Practising safety standards for workshop and worksite:*
  - (i) *inventory of materials, tools and equipment;*
  - (ii) *workshop/worksite layout diagrams;*
  - (iii) *listing of danger/hazard points;*
  - (iv) *preparing and posting safety signs and symbols in relevant areas of a workshop/worksite;*
  - (v) *marking out safety lanes;*
  - (vi) *using safety manuals for workshop and worksite tools and equipment;*
  - (vii) *using equipment guards and stop switches safely;*
  - (viii) *using the principles of ergonomics (machines, work stations, materials); and,*
  - (ix) *selecting and using Personal Protective Equipment - clothing, glasses, goggles, helmets, footwear, ear muffs and plugs, respirators, back brace.*
- (b) *Environmental safety practices:*
  - (i) *types of industry, workshop and worksite wastes;*
  - (ii) *waste disposal methods; and,*
  - (iii) *recycling methods.*
- (c) *Safety and maintenance standards:*

Using equipment, tools and materials associated with electrical installation, electronics, building construction and metal work engineering:

  - (i) *rules and operating procedures for safe use of power, hand, and portable machine tools;*
  - (ii) *safety rules for using and storing materials, tools and equipment;*

## **SECTION 1: FUNDAMENTALS OF INDUSTRY (cont'd)**

- (iii) *labelled drawings and sketches showing safety features and safe use of equipment and tools;*
  - (iv) *maintaining workshop, worksite, equipment, materials and tools;*
    - *Types of maintenance in workshop/worksite activities (preventative, predictive, break down);*
    - *inspecting and analysing defects (vibration, wear and tear) in tools and machines;*
    - *using testing, measuring and safety devices;*
    - *developing and using maintenance schedules, checklists and duty roster; and,*
    - *using manufacturers' manuals (tools and machines).*
  - (v) *carrying out risk assessments - use of a trained person (safety warden) with staff and students using safety inspection checklists, safety reports (strengths, weaknesses) and schedule of activities to address weaknesses.*
- (d) *Standards for fire prevention and response:*
- (i) *rules for fire prevention in the workshop and on a worksite;*
  - (ii) *types of fires - class A, class B, class C, class D;*
  - (iii) *rules for handling the different types of fires;*
  - (iv) *types of fire fighting equipment and their storage - fire extinguishers, fire hydrants, fire alarms, hoses, fire blankets (asbestos-free); and*
  - (v) *fire extinguishers.*
- (e) *Health and wellness standards:*
- (i) *observing personal hygiene and appearance standards;*
  - (ii) *practising wellness/fitness programme;*
  - (iii) *practising human relationship skills; and,*
  - (iv) *managing interpersonal conflicts.*

## **SECTION 1: FUNDAMENTALS OF INDUSTRY (cont'd)**

- (f) *Basic First Aid standards:*
  - (i) *definitions - first aid, first aider;*
  - (ii) *first Aid kit station;*
  - (iii) *treating of minor burns, electric shocks, wounds and bleeding, abrasions, injuries to bone ( strains, sprains);*
  - (iv) *practising recovery position and mouth-to-mouth resuscitation;*
  - (v) *procedures for reporting an accident and getting assistance; and,*
  - (vi) *preparing an accident report (use of standard accident report forms).*
- (g) *Basic emergency response standards.*
- (h) *Getting professional help when an accident occurs:*
  - (i) *listing of emergency numbers (police, fire services, hospital, ambulance, Red Cross, the defence force);*
  - (ii) *assessing and controlling hazardous substances – spillages and leakages of chemicals and other hazardous substances;*
  - (iii) *responding to evacuation alarm sounds;*
  - (iv) *using evacuation route maps, gathering points and bulletin boards;*
  - (v) *performing emergency procedures for fires and natural disasters (hurricanes, earthquakes, floods, tsunami, volcanoes); and,*
  - (vi) *maintaining accountability systems in emergency operations.*
- (i) *Types of workshop hazards:*

*Types of workshop, worksite accidents and preventative procedures – falls and slippages, strains, injuries caused by falling objects, improper use of machines, tools and equipment, inhalation of toxic fumes.*

## **SECTION 1: FUNDAMENTALS OF INDUSTRY (cont'd)**

### **7.     *Impact of industries on the Caribbean***

(a)     *Trade Blocks:*

- (i)     CARICOM;
- (ii)    CSME; and,
- (iii)   CARIFORUM.

(b)     *Entrepreneurial opportunities that lead to self-employment:*

- (i)     *productivity and wealth creation;*
- (ii)    *career and employment opportunities;*
- (iii)   *personal advancement; and,*
- (iv)    *entrepreneurial opportunities that lead to self-employment.*

## **SECTION 2: DESIGN PRINCIPLES AND PROCESSES**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *understand the design principles and processes used in the development and modification of industry goods and services; and,*
2. *apply the design principles and processes used in industries.*

### **SPECIFIC OBJECTIVES**

*The students should be able to:*

1. *explain the design principles;*
2. *explain the design elements;*
3. *discuss the design processes;*
4. *explain the factors that determine the appropriateness of a design; and,*
5. *use the principles, processes and elements of design.*

### **CONTENT**

#### **1. The Design Principles**

- (a) *Line, direction and style.*
- (b) *Shape and size.*
- (c) *Colour.*
- (d) *Texture.*
- (e) *Space.*
- (f) *Form.*

#### **2. The Design Elements**

- (a) *Line:*
  - (i) *weights; and,*
  - (ii) *line types.*

## **SECTION 2: DESIGN PRINCIPLES AND PROCESSES (*cont'd*)**

- (b) *Colour.*
- (c) *Shades.*
- (d) *Hatching.*

### **3. *The Design Process***

- (a) *Identifying the problem.*
- (b) Critical analysis of a problem.
- (c) Generating alternative solutions.
- (d) Selecting the best solution.
- (e) Communication of the design ideas.
- (f) Development of working drawings.
- (g) Manufacture of the prototype/model (functions, ergonomics, material, construction, economy, aesthetics, virtual).
- (h) Testing and evaluation of the product.
- (i) Codes and conventions (ISO and BS – British Standards).

### **4. *Factors that determine the appropriateness of a design***

- (a) *Aesthetics.*
- (b) *Functionality.*
- (c) *Economics.*
- (d) *Environnement – resource conservation, environmental pollution.*
- (e) *Ergonomics.*
- (f) *Suitability of material.*
- (g) *Innovation.*
- (h) *Decoration.*
- (i) *Anthropometrics.*
- (j) *Selection of material.*



## **SECTION 2: DESIGN PRINCIPLES AND PROCESSES (*cont'd*)**

### **5. *Use the principles, elements and processes of design***

- (a) *Using sketches (manual or computer-aided) to design a simple product in the areas of:*
  - (i) *Electrical and Electronic Technology;*
  - (ii) *Building and Furniture Technologies; and,*
  - (iii) *Mechanical Engineering Technology.*
  
- (b) *Analysing a simple manufactured product in the areas of:*
  - (i) *Electrical and Electronic Technology;*
  - (ii) *Building Technology;*
  - (iii) *Mechanical Engineering Technology; and,*
  - (iv) *Preparing the analysis report:*
    - *findings (appropriateness of the design); and,*
    - *recommendations.*

## **SECTION 3: INFORMATION COMMUNICATION AND GRAPHIC TECHNOLOGIES**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *understand the uses of multimedia computer systems in industry;*
2. *understand the operating principles of a multimedia computer system; and,*
3. *apply basic communication graphics and design software.*

### **SPECIFIC OBJECTIVES**

*The students should be able to:*

1. *discuss the uses of computers in industry;*
2. *describe the operating principles of a computer;*
3. *use communication devices to access and exchange information;*
4. *describe the basic principles of graphic communication;*
5. *perform simple tasks using design softwares; and,*
6. *describe modern trends in engineering technologies.*

### **CONTENT**

#### **1. Uses of computers in industry**

- (i) Word processing.
- (ii) Accounting/financial applications.
- (iii) Human resource applications.
- (iv) Material/inventory management.
- (v) Process control.
- (vi) Robotics.
- (vii) Research and development.
- (viii) Metrology.

### **SECTION 3: INFORMATION COMMUNICATION AND GRAPHIC TECHNOLOGIES (cont'd)**

#### **2. Using the operating principles of a computer**

- (a) *Projects to include:*
  - (i) storing, organising, retrieving and communicating information;
  - (ii) using software for creating, editing and publishing multimedia projects;
  - (iii) applying spread sheet development procedures – Writing formulae, using functions, enhancing spread sheet, creating charts, printing basic spread sheets and charts;
  - (iv) using productivity, application and presentation tools – scanners, digital cameras, camcorders, projectors, microphones, printers; and,
  - (v) using storage devices – hard drives, USB drives, compact disc, digital video disc.

#### **3. Using communication devices to access and exchange information**

- (a) *Networks:*
  - (i) Intranet (LAN);
  - (ii) Extranet (WAN); and,
  - (iii) Internet.
- (b) *Communication:*
  - (i) Fibre;
  - (ii) WIFI;
  - (iii) GPRS; and,
  - (iv) Dial-up Connection.
- (c) *Devices:*
  - (i) personal computers (PCs);
  - (ii) mini computers;
  - (iii) smart phones/tablets; and,
  - (iv) cell phones.

### **SECTION 3: INFORMATION COMMUNICATION AND GRAPHIC TECHNOLOGIES (cont'd)**

#### **4. Applying graphics communication techniques**

*Using computer based graphical techniques:*

- (a) preparing pictorial drawings using CAD;*
- (b) isometric, Oblique, Perspective;*
- (c) preparing orthographic drawings using CAD; and,*
- (d) explaining the importance of the basic principles of CAM.*

#### **5. Performing simple tasks using design soft wares**

- (a) Media:*
  - (i) sound;*
  - (ii) pictures;*
  - (iii) video;*
  - (iv) animations; and,*
  - (v) text.*
- (b) Software:*

*Multimedia.*
- (c) Developing presentations for example:*
  - (i) PowerPoint;*
  - (ii) Prezi; and,*
  - (iii) Harvard graphics.*

#### **6. Modern trends in Engineering technologies**

- (a) Computer numerical control machines.*
- (b) Computer aided manufacturing.*
- (c) Computer integrated manufacturing.*
- (d) Virtual manufacturing.*

◆ **INDUSTRIAL TECHNOLOGY SYLLABUS**

***OPTION A: ELECTRICAL AND ELECTRONIC TECHNOLOGY***

## **OPTION A: ELECTRICAL AND ELECTRONIC TECHNOLOGY**

### **SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS**

#### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

- 1. apply knowledge of the units and theories associated with electrical principles and measurements;*
- 2. demonstrate safety practices in the application of electrical theories; and,*
- 3. apply the theories and concepts of related calculations and experimentations.*

#### **SPECIFIC OBJECTIVES**

The students should be able to:

- 1. discuss the structure of an atom;*
- 2. explain the electronic theory of current flow;*
- 3. analyse the principles of static electricity;*
- 4. outline the basic laws of electromagnetism;*
- 5. explain terminologies relating to electrical measurement and quantities;*
- 6. use electrical measuring instruments safely;*
- 7. verify the principle of Ohm's law from project data;*
- 8. apply the principles of resistance in determining electrical values;*
- 9. discuss the functions of various types of circuit devices;*
- 10. use the operating principles of AC and DC circuits;*
- 11. outline the operating principles of basic circuit configurations;*
- 12. calculate basic energy bills; and,*
- 13. describe the operating principles of electricity generating devices.*

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

### CONTENT

#### 1. *The structure of an atom*

- (a) *Diagrammatic representation of an atom.*
- (b) *Parts of the atom and their functions.*
- (c) *Nucleus and valence shells.*
- (d) *Differentiating between positively and negatively charged atoms:*
  - (i) *electron loss; and,*
  - (ii) *electron gain.*

#### 2. *The electronic theory of current flow*

- (a) *Definition of electricity.*
- (b) *Current flow.*
- (c) *Electron flow.*
- (d) *Effects of electricity:*
  - (i) *heating;*
  - (ii) *lighting;*
  - (iii) *chemical;*
  - (iv) *magnetic; and,*
  - (v) *use simple projects to demonstrate the operating principles of each effect safely.*
- (e) *Sources of Electromotive Force (emf) and the resistance of the circuit.*
- (f) *Difference between emf and potential difference (p.d).*

#### 3. *Principles of static electricity*

- (a) *Effects of friction on an object:*
  - (i) *built up of excess electrons; and,*
  - (ii) *storage of electric charge.*

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (*cont'd*)

(b) *Basic rules for an electric charge:*

(i) *like charges repel; and,*

(ii) *unlike charges attract.*

### 4. **Basic laws of electromagnetism**

(a) The Molecular theory of magnetism.

(b) Laws of magnetism.

(c) Types of magnetic materials and their uses:

(i) *ferromagnetic materials (soft and hard magnetic materials); and,*

(ii) *diamagnetic materials.*

(d) Using diagrams/sketches to show:

(i) *the Magnetic effects of electric current;*

(ii) *the Corkscrew rule;*

(iii) *the direction of magnetic field around a current carrying conductor;*

(iv) *restricting the effects of magnetic field produced by electric currents; and,*

(v) *plotting the direction of the magnetic field around a current carrying conduct and solenoid.*

(e) Winding a coil for simple electro magnets:

(i) *guidelines and procedures for a single conductor and an iron core;*

(ii) *noting the magnetic effects of the conductor and the iron core; and,*

(iii) *analysing the process of inducing a voltage across a coil.*

(f) Determining the direction of the magnetic field around a single conductor and solenoid:

(i) *Guidelines; and,*

(ii) *Conventional current and electron flow.*



## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

- (g) *Analysing the relationship between a current carrying conductor and the magnetic field surrounding the conductor:*
  - (i) *left hand rule for electromagnetism;*
  - (ii) *analysing the application of Faraday's and Lenz' laws and motor and generator action;*
  - (iii) *properties of electromagnetic induction;*
  - (iv) *relationship of an electric current and the magnetic field surrounding the current;*
  - (v) *the motor action between two magnetic fields; and,*
  - (vi) *factors that affect induced current in a conductor within a magnetic field.*
- (h) *Determining the direction of force between two current-carrying conductors in parallel:*
  - (i) *magnetic field established by current;*
  - (ii) *magnetic circuit diagrams showing the current direction and flux direction in a magnetic field; and,*
  - (iii) *related calculations.*
- (i) *Performing calculations to determine flux density and energy stored in a magnetic field:*
  - (i) *magnetic motive force (MMF);*
  - (ii) *magnetic flux density; and,*
  - (iii) *magnetic circuit diagrams showing the current direction and flux direction in a magnetic field.*

### 5. **Electrical measurement and quantities**

- (a) *The SI Units:*
  - (i) *coulomb;*
  - (ii) *ampere;*
  - (iii) *period;*

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (*cont'd*)

- (iv) electromotive force (emf);
- (v) power;
- (vi) current;
- (vii) energy;
- (viii) resistance;
- (ix) potential difference;
- (x) capacitance;
- (xi) inductance; and,
- (xii) frequency.

### 6. ***Measuring instruments***

- (a) Features, functions and safe guidelines for using:
  - (i) multimeters;
  - (ii) moving coils; and,
  - (iii) digital meters.
- (b) Instruments to measure the properties of a circuit:
  - (i) volt-ohm meter;
  - (ii) digital volt-ohm meter;
  - (iii) oscilloscopes (identifying wave form patterns, measuring voltage and frequencies);
  - (iv) signal generators (supplying various waveforms to circuits); and,
  - (v) identifying factors that affect the sensitivity of instruments (damping and meter movement).
- (c) Linear and non-linear scales when using instruments:
  - (i) uses of linear and non-linear scales;
  - (ii) constructing and using linear and non-linear scales;

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

- (iii) range extensions;
- (iv) calculating series and shunt resistance for scale extensions; and,
- (v) series and shunts multimeter and switching arrangements.

### 7. **The principle of Ohm's law**

- (a) *Ohm's law as a relationship among voltage (p.d), resistance and power.*
- (b) *Plotting a graph between voltage (V) and current (I) and resistance (R) in a direct current circuit.*
- (c) *Constructing a simple electric circuit comprising ammeter, voltmeter, load and power supply.*
- (d) *Using Ohm's laws to:*
  - (i) *analyse the circuits in (b) and (c); and,*
  - (ii) *manipulate the formulae to solve algebraic equations for V, I and R using circuit diagrams and the triangle of Ohm's Law.*

### 8. **The principles of resistance**

- (a) *Definition of resistance.*
- (b) *Types of resistors:*
  - (i) *carbon film;*
  - (ii) *metal film;*
  - (iii) *wire wound;*
  - (iv) *SMD;*
  - (v) *VDR; and,*
  - (vi) *LDR.*
- (c) *Identifying resistor values from colour code for carbon resistors.*
- (d) *Drawing and connecting total resistance in series, parallel and series/parallel.*
- (e) *Calculating total resistance in series, parallel and series-parallel circuits.*

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

- (f) *Calculating total conductance of resistance in parallel.*
- (g) Using circuit diagrams to show current flows.
- (h) Calculating resistivity values:
  - (i) defining resistivity;
  - (ii) calculating conductor resistance for changes in length and cross-sectional area;
  - (iii) known factors (value, area, length); and,
  - (iv) equivalent resistance of series resistance.
- (i) Temperature coefficient of resistance:
  - (i) *change in material resistance produced by change in temperature:*
    - positive temperature coefficient;
    - negative temperature coefficient; and,
    - zero temperature coefficients.
  - (ii) identifying materials with positive, negative and zero temperature coefficients; and,
  - (iii) solving problems involving resistivity and temperature co-efficient of resistance.

### 9. **Circuit devices**

- (a) *Functions and features of:*
  - (i) protective devices (*fuses, circuit breakers*);
  - (ii) control devices (*switches, relays, starters, motors control and starters*); and,
  - (iii) variable resistors.

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

### 10. AC and DC Circuits

- (a) Flow of electricity in different materials:
  - (i) conductors; and,
  - (ii) insulators.
- (b) *Differences between AC and DC current with reference to:*
  - (i) sine wave;
  - (ii) cycle;
  - (iii) frequency;
  - (iv) period;
  - (v) amplitude;
  - (vi) average value;
  - (vii) r.m.s value;
  - (viii) phase; and,
  - (ix) applications.
- (c) Sources of AC and DC current:
  - (i) *electromagnetic generators;*
  - (ii) *electromagnetic alternators; and,*
  - (iii) *sketches showing e.m.f. sine wave, wave form, maximum, minimum and r.m.s. and average values.*
- (d) *Analysing the basic components of a simple circuit:*
  - (i) source of e.m.f.;
  - (ii) load and conductor;
  - (iii) control and protection (*switches and safety devices*);
  - (iv) diagrams and sketches;

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

- (v) connecting controls in electric circuits; and,
  - (vi) rheostats and potentiometers.
- (e) *Analysing the effects of reactive components:*
- Capacitor in AC and DC circuits:*
- (i) *uses;*
  - (ii) *values and colour codes;*
  - (iii) *reactive power;*
  - (iv) *quantity of charge;*
  - (v) *dielectric strength;*
  - (vi) *using Farad formulae;*
  - (vii) *constructing a simple capacitor (sketches and diagrams); and,*
  - (viii) *connecting capacitors in electrical circuit.*
- Inductance in AC and DC circuits:*
- (i) *self-inductance;*
  - (ii) *mutual inductance;*
  - (iii) *true power;*
  - (iv) *calculating inductance; and,*
  - (v) *connecting inductors in electrical circuits:*
    - *phasor and vector diagrams; and,*
    - *sketches and diagrams.*
  - (vi) *time constant and Lenz's laws.*

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

### 11. Basic circuit configurations (series and parallel circuits):

- (a) *Definitions:*
  - (i) *series circuit; and,*
  - (ii) *parallel circuit.*
- (b) *Characteristics of the operations of series and parallel circuits:*
  - (i) *power distribution rules; and,*
  - (ii) *relationship of current, voltage and resistance.*
- (c) *Verifying the operations of series and parallel circuits:*
  - (i) *connecting filament lamps in series and parallel circuits;*
  - (ii) *characteristics of the operations of series and parallel circuits;*
  - (iii) *using instruments to measure the properties of the circuits; and,*
  - (iv) *identifying the relationship of current, voltage and resistance.*
- (d) *Analysing the current and voltage relationships in series and parallel circuits:*
  - (i) *circuits (RL, RC and RCL);*
  - (ii) *phases;*
  - (iii) *current flow;*
  - (iv) *reactance (inductive, capacitance);*
  - (v) *impedance;*
  - (vi) *power factor;*
  - (vii) *apparent power; and,*
  - (viii) *active power.*
- (e) *Calculating total capacitance in series and parallel connected capacitance.*
- (f) *Calculating total inductance in series and parallel connected inductance.*

## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

### 12. *Energy bills*

- (a) Reading a kwh meter:
  - (i) procedures for reading analogue and digital meters; and,
  - (ii) units of measurement for power and energy.
- (b) Calculating energy bills (flat and block rates).

### 13. *Electricity generating devices*

- (a) Types of electricity generating devices:
  - (i) primary cells; and,
  - (ii) secondary cells.
- (b) *Differences between primary and secondary cells:*
  - (i) *parts of the cells and their functions;*
  - (ii) *operating principles;*
  - (iii) *labelled sketches and diagrams of Leclanché, Mercury, Nickel Cadmium cells;*
  - (iv) *polarisation and local action; and,*
  - (v) *charging and discharging devices and their operating principles.*
- (c) Conduct simple experiments demonstrating the conversion of chemical energy to electrical energy:
  - (i) direct conversion from chemical to electrical energy in primary cells;
  - (ii) conversion of electrical to chemical energy in secondary cells; and,
  - (iii) uses of the energy converted from cells.



## SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENTS (cont'd)

- (d) Installing cells in series and parallel as a source of power:
  - (i) *schematic diagrams of cells connected in series and parallel; and,*
  - (ii) calculating voltage of cells connected in series and parallel - cell e.m., internal resistance, internal voltage, terminal p.d.
- (e) Charging and maintaining secondary cells:
  - (i) *guidelines and safety practices* for lead-acid and alkaline cells;
  - (ii) charging methods and levels;
  - (iii) charging calculations;
  - (iv) discharging and charging characteristics;
  - (v) *using* the hydrometer and high rate discharge testers; and,
  - (vi) *preparing* electrolyte.

## SECTION 2: ELECTRICAL AND ELECTRONIC DRAFTING

### GENERAL OBJECTIVES

*On completion of this Section, students should:*

1. *produce electrical and electronic drawings using the principles of computer-aided design and manual methods;*
2. *understand basic electronic signs and symbols; and,*
3. *display proficiency in the reading and interpretation of electrical and electronic plans, diagrams and representations.*

### SPECIFIC OBJECTIVES

*The students should be able to:*

1. *discuss the types of electrical and electronic drawings;*
2. *analyse various types of electrical plans and connection diagrams;*
3. *read and interpret plans for domestic and commercial circuits;*
4. *prepare simple electrical wiring diagrams and plans to engineering standards;*
5. *prepare schematic diagrams to engineering standards;*
6. *prepare flow and block diagrams to engineering standards; and,*
7. *explain electrical drawings to a construction team.*

### CONTENT

#### **1. and 7. Electrical and electronic drawings**

- (a) *Types:*
  - (i) *electrical wiring diagrams; and,*
  - (ii) *schematic diagrams.*
- (b) *Uses, characteristics and sketches of each type.*
- (c) *Sketching block, flow and circuit diagrams.*
- (d) *Graphical standards and symbols for electrical and schematic diagrams.*

## SECTION 2: ELECTRICAL AND ELECTRONIC DRAFTING (cont'd)

### 2. *Electrical plans and connection diagrams*

- (a) *Components, connections and symbols of electrical plans:*
  - (i) plot plans;
  - (ii) residential and commercial;
  - (iii) internal distribution systems;
  - (iv) electrical distributions systems; and,
  - (v) signalling circuits.
- (b) *Components and connecting points in connection diagrams:*
  - (i) point to point diagrams;
  - (ii) base line diagrams;
  - (iii) high way diagrams; and,
  - (iv) lineless diagrams.

### 3. *Plans for domestic and commercial circuits*

- (a) Lines and symbols.
- (b) *Circuit routes and isolation points.*
- (c) *Wiring layout.*
- (d) *Specification of plans, circuit and sub-circuits.*
- (e) *Calculating loads.*
- (f) *Computing dimensions and outlet positions from plans:*
  - (i) length of circuits;
  - (ii) position of switches; and,
  - (iii) determining quantity and cost of materials from plans (cable, flexible cords, and accessories).

## SECTION 2: ELECTRICAL AND ELECTRONIC DRAFTING (cont'd)

### 4. *Electrical wiring diagrams and plans*

- (a) Guidelines *and techniques* for line work and notations:
  - (i) one-line diagram; and,
  - (ii) principles of operation of one-line diagram (symbols, type of distribution system, signalling circuits).
- (b) Converting one-line to three-line diagram and vice versa.
- (c) Designing and drawing basic electrical plans.

### 5. *Schematic diagrams*

- (a) Principles of operation of schematic diagrams.
- (b) *Drafting principles (references symbols position, sequence, symmetry and balance, line work specification).*
- (c) *Guidelines for simple wiring diagrams converted to schematic diagrams and vice versa.*
- (d) *Circuit connections.*

### 6. *Block and flow diagrams*

- (a) *Operating principles for block and flow diagrams.*
- (b) *Drafting principles, codes and regulations for:*
  - (i) *block diagrams for common large and small electronic systems - stages of a radio and television receiver/transmitter, stages of a computer;*
  - (ii) *flow diagrams showing the process of flow for electrical energy (heat, light, sound) in small appliances or battery operated gadgets; and,*
  - (iii) *symbols and sequencing of arrangements.*

## **SECTION 3: ELECTRICAL POWER AND MACHINES**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *understand the principles of electrical power generation and production;*
2. *demonstrate proficiency in the use of electrical machines;*
3. *apply the theories and methods of calculation and experimentations to analyse and solve power and machine problems; and,*
4. *appreciate the importance of workshop and worksite safety and maintenance standards.*

### **SPECIFIC OBJECTIVES**

The students should be able to:

1. *differentiate among apparent power, true power and power factor;*
2. *discuss the basic sources of electrical generation and production;*
3. *explain the principal sources and conversion of primary energy used for the generation of electricity in the region;*
4. *compare the different types of a.c and d.c. electrical machines;*
5. *connect d.c. and single and three phase a.c. motors to supply mains;*
6. *maintain generators;*
7. *compare different types of transformers; and,*
8. *install and maintain a low voltage transformer.*

### **CONTENT**

#### **1. Apparent power, true power and power factor**

(a) *Differences:*

- (i) *functions;*
- (ii) *mathematical relationships and units; and,*
- (iii) *engineering relationships.*

### **SECTION 3: ELECTRICAL POWER AND MACHINES (cont'd)**

#### **2. Basic sources of electrical generation and production**

- (a) Sources:
  - (i) friction;
  - (ii) pressure;
  - (iii) heat;
  - (iv) light;
  - (v) chemical action; and,
  - (vi) electromagnetic induction.
- (b) Functions and characteristics of each source.
- (c) Advantages and disadvantages of each source.

#### **3. Principal sources of primary energy**

*Non-renewable energy sources:*

Fossil fuel – oil, coal, natural gas, *mineral fuel (uranium)*.

- (a) Renewable energy sources:
  - (i) solar;
  - (ii) wind;
  - (iii) tidal; and,
  - (iv) geothermal.
- (b) Production processes in:
  - (i) an oil refinery;
  - (ii) fossil fuel power plant;
  - (iii) wind farm;
  - (iv) photovoltaic system; and,
  - (v) nuclear power plant.

### **SECTION 3: ELECTRICAL POWER AND MACHINES (cont'd)**

- (c) *Primary energy and the Law of Thermodynamics.*
- (d) *Methods of converting primary energy to electrical energy:*

*Processes in:*

- (i) *steam-driven generators;*
- (ii) *internal combustion engine-driven generators; and,*
- (iii) *hydro-driven generators.*

#### **4. AC and DC electrical machines**

- (a) *Types:*
  - (i) *generators;*
  - (ii) *motors; and,*
  - (iii) *transformers.*
- (b) *Parts and their functions.*
- (c) *Construction features and operating principles.*
- (d) *Codes and regulations.*
- (e) *Service and maintenance procedures.*
- (f) *Generator and motor related calculations: Power, synchronous speed, percentage slip (Lenz's law), induced e.m.f., turns, voltage and current ratios of transformers, power transformer efficiency.*

#### **5. DC and single and three phase AC motors**

- (a) *Shunt, series and compound machines.*
- (b) *Relays and contactors.*
- (c) *Features:*
  - (i) *control circuits - push button station, relays, limit switch, fuses, manual contactor and motor starters, stop and start devices, output power, input power, efficiency and losses, commutator, speed control; and,*

### **SECTION 3: ELECTRICAL POWER AND MACHINES (*cont'd*)**

- (ii) circuit diagrams.
- (d) Installation, testing and dismantling procedures.
- (e) Reversing the direction of rotation for AC and DC motors:
  - (i) guidelines and circuit diagrams and safety procedures; and,
  - (ii) starters for single and three phase motors.

#### **6. AC generator**

- (a) *Installation* tools, equipment, materials, guidelines and safety procedures.
- (b) Alternators: voltage fall and rise.
- (c) Terminal voltage.
- (d) Back e.m.f.
- (e) *Using checklists for measuring the standard of the completed work including:*
  - (i) alternators;
  - (ii) voltage fall and rise; and,
  - (iii) terminal voltage.

#### **7. Types of transformers**

- (a) Types:
  - (i) low voltage;
  - (ii) single-phase;
  - (iii) three-phase; and,
  - (iv) current and voltage.
- (b) Uses.
- (c) Characteristics.



### **SECTION 3: ELECTRICAL POWER AND MACHINES (*cont'd*)**

- (d) Construction features and components.
- (e) Operating principles.
- (f) Calculations associated with transformers:
  - (i) calculating the turns, voltage and current ratios; and,
  - (ii) calculating power transformer efficiency (transformer losses, iron and copper losses, hysteresis, eddy current and copper).
- (g) Cooling methods:
  - (i) air;
  - (ii) water; and,
  - (iii) gas.

#### **8. *Low voltage transformer***

- (a) *Installation tools, equipment, materials, guidelines and safety procedures.*
- (b) *Checklists for measuring the standard of the completed work.*

## **SECTION 4: ELECTRICAL INSTALLATION**

### **GENERAL OBJECTIVES**

On completion of this Section, students should:

1. understand the codes and regulations governing electrical wiring systems;
2. demonstrate skills in the installation of wiring systems for domestic and industry purposes;
3. understand the operating principles of lighting, cooling and heating systems;
4. demonstrate with accuracy the use of calculations and experimentations to solve related problems; and,
5. comply with safety and maintenance standards.

### **SPECIFIC OBJECTIVES**

The students should be able to:

1. *explain codes and regulations governing wiring systems;*
2. *explain terminologies associated with wiring systems;*
3. *distinguish between domestic and industrial installation;*
4. *explain the different categorises of electrical materials and their uses;*
5. *discuss the functions of basic wiring systems;*
6. *discuss the functions of basic electrical terminators;*
7. *conduct basic tests on wiring systems;*
8. *troubleshoot faults in wiring systems; and,*
9. demonstrate skills in electrical installation.

### **CONTENT**

#### **1. Codes and regulations associated with wiring systems**

(a) *Regional codes:*

*J S 21 standards.*

## **SECTION 4: ELECTRICAL INSTALLATION (cont'd)**

- (b) *International codes:*
  - (i) *IEE wiring regulations; and,*
  - (ii) *NEC wiring regulations.*

### **2. Terminologies associated with wiring systems**

- (a) *Circuits.*
- (b) *Circuit symbols.*
- (c) *Electricity flows.*
- (d) *Generating apparatus.*
- (e) *Controlling apparatus.*
- (f) *Cables.*
- (g) *Wiring support.*

### **3. Domestic and industrial installation**

*Differences in:*

- (a) *domestic installation;*
- (b) *commercial; and,*
- (c) *industrial installation.*

### **4. Electrical installation materials**

- (a) *Categories:*
  - (i) *construction;*
  - (ii) *conducting;*
  - (iii) *resisting;*
  - (iv) *insulating;*
  - (v) *magnetic; and,*
  - (vi) *semi-conducting.*

## **SECTION 4: ELECTRICAL INSTALLATION (cont'd)**

- (b) *Examples and uses of each category.*

### **5. Basic wiring systems**

- (a) *Types:*
  - (i) *radial system;*
  - (ii) *ring circuit systems;*
  - (iii) *distribution systems;*
  - (iv) *security/fire alarm systems;*
  - (v) *domestic telephone systems; and,*
  - (vi) *motor starter systems.*
- (b) *Functions of each wiring system.*
- (c) *Sketches/schematic diagrams of each system.*

### **6. Electrical terminators**

- (a) *Types:*
  - (i) *passive (a resistor); and,*
  - (ii) *active (voltage regulator).*
- (b) *Functions of each type.*

### **7. Wiring systems' tests:**

- (a) *Verification of polarity.*
- (b) *Insulation resistance between conductors and between conductors and earth.*
- (c) *Earth continuity conductor.*
- (d) *Earth leakage.*

## **SECTION 4: ELECTRICAL INSTALLATION (cont'd)**

(e) *Circuit breakers.*

(f) *Loop impedance.*

### **8. *Faults in wiring systems***

(a) *Faults:*

(i) *overload circuits;*

(ii) *short circuits;*

(iii) *blowing of fuse;*

(iv) *tripping out of circuit breakers;*

(v) *cable faults; and,*

(vi) *coil and contact failures in motors.*

(b) *Selecting fuses and circuit breakers for different types of household equipment.*

(c) *Determining the rating of fuses and circuit breakers for different types of equipment:*

(i) *fusing current;*

(ii) *fusing factor;*

(iii) *current rating; and,*

(iv) *loading.*

(d) *Testing and replacing fuses and circuit breakers (types used in building and household equipment).*

### **9. *Performing electrical installation work***

#### **9.1 *Lighting fixtures***

(a) *Types of lamps.*

(b) *Types of lamp bases/sockets.*

(c) *Making simple lighting calculations:*

## SECTION 4: ELECTRICAL INSTALLATION (cont'd)

- (i) Illumination;
- (ii) inverse square law;
- (iii) cosine law; and,
- (iv) luminous intensity.

### 9.2 *Types of wiring methods and terminations*

- (a) Wiring methods and their uses:
  - (i) sheathed;
  - (ii) armoured cable; and,
  - (iii) light gauge (EMT and PVC conduits).
- (b) Methods of terminations:
  - (i) crimp;
  - (ii) wire wrap; and,
  - (iii) solder.

### 9.3 *Fixtures for the operation of lighting and power circuits*

- (a) *Guidelines, standards and safety procedures for a single multi-phase operation using PVC sheathed cables:*
  - (i) *lighting and power circuits - One light and two lights in parallel using single pole control switches;*
  - (ii) *two lights with two-way and intermediate controls;*
  - (iii) *lighting circuits with four control points;*
  - (iv) *parts of the electric circuit;*
  - (v) *circuit/schematic diagrams; and,*
  - (vi) *testing procedures for:*

## SECTION 4: ELECTRICAL INSTALLATION (cont'd)

- polarity;
- earthing;
- continuity; and,
- earth leakage.

### 9.4 *Installing electrical PVC conduit and fixtures*

(a) *Guidelines, standards and safety procedures for:*

- (i) *conduit cutting, bending and joining procedures;*
- (ii) *a single multi-phase operation using PVC sheathed cable;*
- (iii) *installing one light using single pole switch and one light with three way controls;*
- (iv) *circuit/schematic diagrams; and,*
- (v) *testing procedures.*

### 9.5 *Installing cable and conduit to connect various types of domestic lighting devices;*

*Guidelines, standards and safety procedures for a single multi-phase operation using PVC sheathed cables:*

- (a) *filament, incandescent and discharge lamps (LPMV, HPMV);*
- (b) *special ceiling and wall fixtures;*
- (c) *security and emergency lighting devices;*
- (d) *circuit/schematic diagrams; and,*
- (e) *testing procedures.*

### 9.6 *Steel conduits*

Guidelines, standards and safety procedures for installation in:

- (a) *surface, masonry walls and concrete slabs;*
- (b) *masonry wall and concrete slabs;*

## **SECTION 4: ELECTRICAL INSTALLATION (cont'd)**

- (c) *conduit cutting, bending and joining standards;*
- (d) *installing one light using a three way control;*
- (e) *circuit/schematic diagrams; and,*
- (f) *testing procedures.*

### **9.7 *Electrical accessories in walls and ceilings***

Guidelines, standards and safety procedures for:

- (a) *mounting boxes;*
- (b) *switches;*
- (c) *ceiling rose;*
- (d) *joint box;*
- (e) *circuit/schematic diagrams; and,*
- (f) *testing procedures.*

### **9.8 *Domestic single phase distribution board for a single phase domestic installation;***

Guidelines, standards and safety procedures of installation for:

- (a) *double pole isolating switch;*
- (b) *fuse;*
- (c) *miniature circuit breaker;*
- (d) *bus bars;*
- (e) *neutral block;*
- (f) *earthing block and equipment;*
- (g) *earthing of exposed metal;*
- (h) *circuit/schematic diagrams; and,*
- (i) *testing procedures.*



## **SECTION 4: ELECTRICAL INSTALLATION (cont'd)**

### **9.9      *Accessories for basic domestic single phase fixed equipment circuits to walls***

*Guidelines, standards and safety procedures for installing:*

- (a)      double pole switch with neon indicator;*
- (b)      fixed equipment: electric cooker, fan;*
- (c)      circuit/schematic diagrams; and,*
- (d)      testing procedures.*

### **9.10     *Trembler bell served by a double wound transformer***

*(a)      Guidelines, standards and safety procedures for:*

- (i)      constructing a double wound bell transformer;*
- (ii)     installing;*
- (iii)    the trembler bell circuit;*
- (iv)    bell push;*
- (v)    reset push; and,*
- (vi)    variable contacts and continuous action relay.*

*(b)      Testing procedures.*

### **9.11     *Connecting and testing burglar alarm circuits***

*Guidelines, standards and safety procedures for:*

- (a)      normally open circuits;*
- (b)      normally closed circuits;*
- (c)      relays; and,*
- (d)      magnetic reed-switches.*

## **SECTION 4: ELECTRICAL INSTALLATION (cont'd)**

### *9.12 Linking and terminating optical cables for Television and Internet applications*

*Guidelines, standards and safety procedures for:*

- (a) *optical Fibre applications; and,*
- (b) *installation and termination.*

## **SECTION 5: FUNDAMENTALS OF ELECTRONICS**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *understand codes and regulations relating to electronics and electronic systems;*
2. *understand the basic operating principles of electronics;*
3. *demonstrate a working knowledge of circuit assembly tools and equipment in accordance with codes, regulations and instructional guidelines;*
4. *perform accurate calculations and experimentations to analyse and solve problems associated with circuits, input and output devices; and,*
5. *observe safety and maintenance standards.*

### **SPECIFIC OBJECTIVES**

The students should be able to:

1. *discuss the features and functions of basic electronic components;*
2. *compare analogue and digital systems;*
3. *explain the operating principles of thermoelectricity;*
4. *prepare solder joints;*
5. *explain the operating principles of basic semi-conductor devices and materials;*
6. *differentiate between filtering circuits and rectifying circuits;*
7. *construct a full and a half wave rectifier circuit;*
8. *use basic semi-conductor devices;*
9. *explain the functions of basic logic gates and their truth tables;*
10. *design circuits using truth tables and Boolean notation for a binary to decimal decoder;*
11. *construct combinational logic circuits using integrated circuits;*
12. *evaluate various types of multi-vibrators;*
13. *construct and test serial shift register and four bit counter circuits; and,*
14. *explain the production and use of electromagnetic radio and TV frequency waves.*

## **SECTION 5: FUNDAMENTALS OF ELECTRONICS (cont'd)**

### **CONTENT**

#### **1. Features and functions of basic electronic components**

- (a) Diodes.
- (b) Transistors.
- (c) Thermistors.
- (d) Integrated circuits.
- (e) Composite circuits (RIC, R/L, C/L).
- (f) TRIACs, SCRs, LEDs.

#### **2. Comparing analogue and digital systems**

Differences:

- (a) uses;
- (b) operating principles;
- (c) circuitry;
- (d) waveforms;
- (e) current variations;
- (f) signals; and,
- (g) frequency.

#### **3. The operating principles of thermoelectricity**

- (a) Thermoelectric materials and devices.
- (b) Conduction and transportation of electrons.
- (c) Thermionic emissions.
- (d) Thermistor and Thermocouple principles and applications.
- (e) Researchers associated with thermoelectricity (Joule, Seebeck, Peltier, Thompson).

## **SECTION 5: FUNDAMENTALS OF ELECTRONICS (cont'd)**

### **4. Solder joints**

- (a) *Procedures for using soft and hard soldering and soldering irons.*
- (b) *Heat conduction.*
- (c) *Oxidation.*
- (d) *Oxidation removal.*
- (e) *Molecular action.*
- (f) *Conductor materials.*
- (g) *Flux.*
- (h) *Desoldering procedures.*

### **5. Semi-conductor devices and materials**

- (a) Diodes:
  - (i) p-n junction;
  - (ii) n-type devices;
  - (iii) p-type device;
  - (iv) LED;
  - (v) *the electron theory;*
  - (vi) *doping;*
  - (vii) *exposure to light;*
  - (viii) *signal;*
  - (ix) *movement of positive holes; and,*
  - (x) *schematic diagrams and symbols.*

## SECTION 5: FUNDAMENTALS OF ELECTRONICS (*cont'd*)

(b) Transistors:

- (i) bipolar;
- (ii) field-effect;
- (iii) regions;
- (iv) electric field;
- (v) amplification;
- (vi) switching of signals; and,
- (vii) schematic symbols and diagrams.

(c) *Thyristor*:

- (i) *layers (n-p type materials);*
- (ii) *switching and circuit-breaker functions;*
- (iii) *terminals;*
- (iv) *gate;*
- (v) *triggering characteristics;*
- (vi) *actions of the anode and cathode;*
- (vii) *holding power; and,*
- (viii) *schematic symbols and diagrams.*

(d) *Semi-conductor materials*:

- (i) *Electrical conductivity in:*
  - *silicon; and,*
  - *germanium.*

### 6. **Rectifier and filtering circuits**

- (a) Bridge and bi-phase circuits.
- (b) Full-wave rectification (centre tap), smoothing circuits, LC/RC filter (pi-network).

## SECTION 5: FUNDAMENTALS OF ELECTRONICS (cont'd)

- (c) Differences:
  - (i) characteristics;
  - (ii) operating principles;
  - (iii) use of the power transformer in rectifier circuits;
  - (iv) action of the capacitors and inductors in filtering circuits; and,
  - (v) schematic diagrams.

### 7. **Full and half wave rectifier circuit;**

- (a) Guidelines, standards and safety procedures for:
  - (i) use of the transformer;
  - (ii) use of the oscilloscope;
  - (iii) diodes;
  - (iv) resistors; and,
  - (v) capacitors.
- (b) Measuring and recording:
  - (i) the input voltage; and,
  - (ii) disconnecting power.

## 8. **Basic semi-conductor devices**

### 8.1 **DIODES**

- (a) *Guidelines, standards and safety procedures for:*
  - (i) *p-type;*
  - (ii) *n-type;*
  - (iii) *Zener; and,*
  - (iv) *LED (Point-contact, photodiode).*

## SECTION 5: FUNDAMENTALS OF ELECTRONICS (cont'd)

- (b) *Guidelines, standards and safety procedures for use in:*
  - (i) *analogue circuits; and,*
  - (ii) *digital circuits.*
- (c) *Testing procedures:*
  - (i) *current-voltage relationship (flow and restriction);*
  - (ii) *behaviour of the circuits; and,*
  - (iii) *charts and diagrams.*

### 8.2 TRANSISTORS

- (a) *Guidelines, standards and safety procedures for constructing amplifier circuits in different configurations:*
  - (i) CE;
  - (ii) CC;
  - (iii) CB;
  - (iv) advantages and selections of CE, CC, CB configurations; and,
  - (v) calculating transistor parameters using loadline.
- (b) *Testing the circuits:*
  - (i) *input/output phase relationship;*
  - (ii) *voltage gain;*
  - (iii) *current gain;*
  - (iv) *power gain;*
  - (v) *input resistance; and,*
  - (vi) *output resistance.*



## **SECTION 5: FUNDAMENTALS OF ELECTRONICS (cont'd)**

### **8.3 THYRISTORS**

- (a) *Guidelines, standards and safety procedures for using SCRs, TRIACs, GTOs in:*
  - (i) *battery charging, dimmers and speed control;*
  - (ii) *comparing input and output comparisons;*
  - (iii) *power output;*
  - (iv) *direction;*
  - (v) *control; and,*
  - (vi) *regulation.*
- (b) *Schematic diagrams and sketches.*

### **9. Basic logic gates and their truth tables**

- (a) *Definition of a logic gate.*
- (b) *Logic gates Boolean functions:*
  - (i) *AND;*
  - (ii) *OR;*
  - (iii) *NOT; and,*
  - (iv) *NAND.*
- (c) *Symbol for each logic function (IEEE standard):*
  - (i) *distinctive shape;*
  - (ii) *rectangular shape; and,*
  - (iii) *Boolean algebra between (A and B).*
- (d) *Truth tables – Binary system:*

*Visual representation of the switching function of:*

  - (i) *2-input logic gate for each logic function; and,*
  - (ii) *output for each logic function.*

## **SECTION 5: FUNDAMENTALS OF ELECTRONICS (cont'd)**

### **10. Circuits using truth tables and Boolean notation for a binary to decimal decoder**

*Guidelines and standards for:*

- (a) *block diagram and truth table;*
- (b) *boolean notation; and,*
- (c) *circuit diagram of the system using AND and NOT gates.*

### **11. Combinational logic circuits using integrated circuits**

- (a) Principles of the operation of integrated circuits.
- (b) Guidelines and standards for Programmable ICs:
  - (i) construction; and,
  - (ii) testing procedures.

### **12. Types of multi-vibrators**

- (a) *Types:*
  - (i) *flip-flops or bi-stables;*
  - (ii) *a-stables; and,*
  - (iii) *mono-stables.*
- (b) *Uses.*
- (c) *Circuits diagrams.*
- (d) *Operating principles.*

### **13. Serial shift register and four bit counter circuits**

*Guidelines and standards for:*

- (a) *sequential logic gates; and,*
- (b) *memory and counter circuits.*

## **SECTION 5: FUNDAMENTALS OF ELECTRONICS (cont'd)**

### **14.     *Production and uses of electromagnetic radio and TV frequency waves***

- (a)     Characteristics of magnetic waves.
- (b)     Low and high frequency waves.
- (c)     Uses.
- (d)     Operating principles.
- (e)     Describing the actions of a tuned circuit modulation in radio and TV circuits
  - receiving antennae for home radio and TV reception.
- (f)     Explaining the sequence of stages in AM/FM radio and TV receiver/transmitter.

## ◆ WORKSHOP/LABORATORY FACILITIES

Recommended equipment for a class of 16  
(Students may, on occasion, work in groups of two or four).

Equipment	Quantity
Work tables, complete with AC and DC variable voltages, socket outlets with main voltage.	5
Store room (storage of materials, tools and projects).	1
Test and repair bench, complete with facilities for sawing, boring, threading and testing devices for electrical repairs	1
Half-inch drill press, 6" bench grinder and 4" mechanical vice	1
Director-on-line starter	2
Motor DC shunt	1
Motor – single-phase; capacitance-start and inductance type, universal, permanent split-phase, shaded pole, capacitor motor	1 each
Motor – three-phase S.C. induction	1
Battery charger	1
Transformer: 120/240V 1KVA DRY TYPE T/F 12:24V Secondary	1

Instruments	Quantity
Double beam 5" oscilloscope	2
*Multimeter	10
Signal generator	2
Galvanometer	2
Ammeter, D.C. (0-5A) scale	10
Ammeter, A.C. (0-5A) scale	10
Voltmeter, D.C. (0-100V)	10
Voltmeter, A.C. (0-100V)	10
Wattmeter (0-500W)	1
Lightmeter	1
Insulation resistance tester	1
kWh meter	1
Transistor tester	1
Tachometer	1
Continuity tester	10
Wire wound variable resistors	10

\*Students should be encouraged to acquire their own instruments.

<b>Tools</b>	<b>Quantity</b>
Electrician pliers – insulated	10
Slip joint pliers	10
Diagonal cutting pliers (nippers) – insulated	10
Long nose pliers – insulated	10
Large and small screwdrivers, with assorted tips	30
Large adjustable wrench	5
Small adjustable wrench	5
Bending spring (PVC conduit)	4
Sets of open end spanners – metric	10
Small tweezer set	10
E.M.T. benders (Half inch; three-quarter inch)	4
Medium sized scissors	2
Plastic mallet	10
227g. Ball pein hammer	10
Portable drilling machine	1
*40w Soldering iron	5
Small metal files	10
Portable pipe vice	5
Allen wrench set	5
Hacksaw and blade	10
Centre punch	10
Small cold chisel	10
Sets of taps and dies	2
Tin snips (assorted)	2

### **Consumables**

Ceiling roses, assorted plugs, switches, adapters, lamp holders, fuse, clips, circuit breakers, fluorescent fittings, wiring nails, conduit pipes, various types of solder, resin core solder flux, batteries, distilled water, cables (various sizes and cores), earth rod, insulation varnish, sealing wax, lighting rod.

### **Miscellaneous**

Various sizes of cables, assorted lamps and sockets, small compasses, bar and horseshoe magnets, assorted screws and nuts, primary and secondary cells, various types of solder, various values and types of capacitors, resistors, chokes.

**\* Students should be encouraged to acquire their own 40w soldering tools.**

## **SELECTION OF SOME SYMBOLS USED IN ELECTRICAL DIAGRAMS**

### **SYMBOLS**

A list of electrical symbols to be used in the examination is provided. Electronic symbols are not included, as it is felt that such symbols are standard and most textbooks on the subject will list them.

### **ELECTRICAL AND PHYSICAL QUANTITIES IN INTERNATIONAL SYSTEM UNITS (SI)**

In keeping with the trend toward metrication, the syllabus is to be taught in SI units.

### SELECTION OF SOME SYMBOLS USED IN ELECTRICAL DIAGRAMS

GRAPHICAL SYMBOLS				INSTALLATION SYMBOLS	
DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL
PRIMARY OR SECONDARY CELL LONG LIFE REPRESENTS POSITIVE SHORT LINE NEGATIVE		FUSE		ELECTRIC METER	
BATTERY OR PRIMARY OR SECONDARY CELL ALTERNATIVE SYMBOL		FILAMENT LAMP OR BULB		SOCKET OUTLET OR CONVENIENCE OUTLET	
EARTH/CHASSIS		AMMETER		SINGLE GANG SWITCH	
TRANSFORMER		VOLTMETER		TWO-WAY SWITCH PULL OR PENDANT SWITCH	
CROSSING OR CONDUCTORS NO ELECTRICAL CONNECTION		ELECTRIC BELL		DISTRIBUTION BOARD MAIN CONTROL	
JUNCTION OR CONDUCTORS		ELECTRIC BUZZER		FILAMENT LAMP WALL LAMP	
FIXED RESISTOR		ELECTRIC BELL		BELL PUSH	
VARIABLE RESISTOR		RECTIFIER OR DIODE		FLOURESCENT LAMP	
CONDENSER OR CAPACITOR (FIXED)		SWITCH		D.C. MOTOR	
CONDENSER OR CAPACITOR (VARIABLE)		ALTERNATING CURRENT		A.C. MOTOR	
WINDING OR DUCTOR, COIL		HEAD PHONE		TWO WAY SWITCH	
				INTERMEDIATE SWITCH	













## SELECTION OF SOME SYMBOLS USED IN ELECTRICAL DIAGRAMS (cont'd)

LIST OF PHYSICAL QUANTITIES AND THEIR SYMBOLS






NAME OF QUANTITY	SYMBOL	NAME OF QUANTITY	SYMBOL
<b>BASE QUANTITIES:</b>		POWER	$P$
ELECTRIC CURRENT	$I$	EFFICIENCY	$\eta$
LENGTH	$l$	PRESSURE	$p$
MASS	$m$	SPECIFIC HEAT CAPACITY	$c$
TEMPERATURE:		HEAT CAPACITY	$C$
CELSIUS	$\theta$	WAVELENGTH	$\lambda$
KELVIN	$T$	PERIOD	$T$
TIME:	$t$	AMPLITUDE	$a$
		FREQUENCY	$f$
<b>DERIVED QUANTITIES:</b>		ELECTRIC CHARGE	$Q$
VOLUME	$V$	ELECTRIC INTENSITY OR FIELD STRENGTH	$E$
AREA	$A$	POTENTIAL AND POTENTIAL DIFFERENCE	$V$
ANGLE	$\theta$	ELECTRIC CURRENT	$I$
DENSITY	$\rho$	ELECTRO-MOTIVE FORCE	$E, \mathcal{E}$
RELATIVE DENSITY	$\rho_r$	RESISTANCE	$R$
FORCE	$F$	WEIGHT (GRAVITATIONAL FORCE)	$W$
MOMENT OF FORCE OR TORQUE	$T$	ACCELERATION DUE TO GRAVITY	$g$
DISPLACEMENT	$s, x$	MASS OF ELECTRON	$m_e$
ENERGY	$E, W$	CHARGE OF ELECTRON	$e$
WORK	$W$		
THERMAL ENERGY	$E_H$		
















## SELECTION OF SOME SYMBOLS USED IN ELECTRICAL DIAGRAMS (cont'd)

Analog and Digital Devices	
<i>Symbol</i>	<i>Devices</i>
	Crystal
	Delay Element
	Tri-State Buffer
	Integrator
	Summing Amplifier
	Operational Amplifier
	Inverter
	Buffer
	AND gate
	OR gate
	NAND gate
	NOR gate










## SELECTION OF SOME SYMBOLS USED IN ELECTRICAL DIAGRAMS (cont'd)

Analog and Digital Devices (cont'd)	
<i>Symbol</i>	<i>Devices</i>
	XNOR
	RS Flip-flop
	JK Flip-flop
	Latch Flip-flop
	D Flip-flop

## SELECTION OF SOME SYMBOLS USED IN ELECTRICAL DIAGRAMS (cont'd)

Fundamental Item (cont'd)	
<i>Symbol</i>	<i>Usage</i>
	Transducer
	Bell
	Microphone
	AC source
	DC source
	Speaker
	Lamp
	Motor
	Generator
	SPST switch
	SPDT switch
	DPST switch
	DPDT

## SELECTION OF SOME SYMBOLS USED IN ELECTRICAL DIAGRAMS (cont'd)

Semiconductor Devices	
<i>Symbol</i>	<i>Devices</i>
	MOSFET (P-Type)
	MOSFET (N-Type)
	BJT (PNP)
	BJT (NPN)
	Rectifier Diode
	Zener Diode
	Thyristor (silicon Controlled Rectifier)
	Light emitting diode (LED)
	Photo-diode

## ◆ RESOURCES

The following is a list of books and other printed material which may be used as resource material for the CXC Electrical and Electronic Technology Option. The list is not exhaustive or prescriptive, but indicates sources which may be appropriate for use by teachers and students.

Boylestad, R.	<i>Essentials of Circuit Analysis</i> . New Jersey: Pearson Prentice Hall, 2004.
Brimicombe M.	<i>Electronics</i> . Cheltenham: Nelson Thornes Limited, 2002.
Christopher, S.	<i>Electrical Installation for NVQ</i> . Cheltenham: Nelson Thornes Limited, 2004.
Green, D.	<i>Higher Electrical Principles</i> (3 <sup>rd</sup> Edition). London: Addison Wesley Longman, 1997.
Halls, M.	<i>Basic Electricity and Electrons: A complete course for CSEC, Volumes 1 and 2</i> . Kingston: Caribbean Education Publishers Ltd, 2011.
Hughes, E.	<i>Electrical Technology</i> (7 <sup>th</sup> Edition). London: Addison Wesley Longman, 1995.
Morley A., Hughes, E. and Bolton, W.	<i>Principles of Electricity</i> (5 <sup>th</sup> Edition). London: Addison Wesley Longman, 1994.
Morris, M.	<i>Electrical and Electronic Engineering Principles</i> . London: Addison Wesley Longman, 1994.
Mullin, R. and Simmons, P.	<i>Electrical Wiring, Residential</i> , 17 <sup>th</sup> Edition. Boston: Cengage Learning, 2012.
Schuler, C.	<i>Electrical Principles and Applications</i> , 6 <sup>th</sup> Edition. New York: Glencoe McGraw-Hill, 2003.
Simmons, P.	<i>Electrical Grounding and Bonding</i> . Boston: Cengage Learning, 2015.
Smith, R. and Stephen, H.	<i>Electrical Wiring Industrial</i> , 15 <sup>th</sup> Edition. Boston: Cengage Learning, 2015.
Steinberg, W. and Ford, W.	<i>Electricity and Electronics – Basic</i> . Chicago: American Technical Society, 1972.
Tocci, R, Widmer, N. and Moss, F.	<i>Digital Systems: Principles and Application</i> , 10 <sup>th</sup> Edition. New Jersey: Pearson Education, Limited, 2013.

## RESOURCES (cont'd)

Thompson, F.G.

*Electrical Installation and Workshop Technology*,  
London: Longman and ELBS, 1992.

Revised CXC Teacher Resource Modules (Electrical).

Local Electrical Code/Regulations.

## ◆ GUIDELINES FOR INTEGRATING THE COMPETENCY BASED EDUCATION TRAINING AND ASSESSMENT APPROACH

### RATIONALE

*School-Based Assessment (SBA) is an integral part of candidates' assessment of the Industrial Technology offerings. It provides an opportunity to individualise a part of the curriculum to meet the needs of the students and facilitate feedback to the student at various stages of the experience. This helps to build the self-confidence of students as they proceed with their studies. The SBA assists in the development of the critical skills and abilities emphasised by the subject and enhances the validity of the examination on which candidate performance is reported. It makes a significant and unique contribution to both the development of relevant skills and the testing and rewarding of students for the development of those skills. In addition, the SBA caters to the multiple intelligences as various teaching and learning strategies are utilised to provide students with the skills needed in everyday life. Through the SBA, students are provided with multiple opportunities and ways to develop and demonstrate knowledge, skills and attitudes.*

*The SBA score is derived from the composite marks of the entries in the School-Based Assessment portfolio which include the related CVQ Units of Competency aligned to the content in the syllabus. The CVQ is an award which represents the achievement of a set of competencies that define the essential (core) work practices of an occupational area consistent with the levels articulated within the Regional Qualifications Framework. It aims at the development of the Ideal Caribbean Worker, seeks to facilitate the movement of skilled certified workers within the CSME, enhances the quality profile and investment attractiveness of the work/labour force of CARICOM states and harmonises TVET systems across the region. The recognition of Unit competencies for the Level 1 CVQ will adhere to the standardised procedures currently operational in schools offering the CVQ programmes.*

### SCHOOL-BASED ASSESSMENT PORTFOLIO

*As part of the School-Based Assessment, candidates will be required to produce a portfolio providing evidence of candidates' progress and learning over the duration of the programmes. The evidence represents the formative and summative assessments of the programmes and are a compilation of all the learning experiences from commencement to the end of the programme. The Portfolio must mirror the key competencies (knowledge, skills, attitudes) required for the labour market and continuing studies.*

*Since the portfolio is an accumulation of the candidates' on-going learning across the course of the two-year programme, it must be started at the commencement of the Industrial Technology Syllabuses. The guidelines provided in this document for selecting appropriate tasks are intended to assist teachers/facilitators and candidates in formulating assignments that are valid for the purpose of the SBA (Appendix II). The guidelines provided for the assessment of the assignments are intended to assist teachers/facilitators in awarding marks that are reliable indicators of the achievement of candidates in the SBA component of the Industrial Technology programmes.*

*For the effective delivery and assessment of this syllabus institutions must ensure the:*

1. *availability of the resources, through partnerships with industries, firms and other institutions.*
2. *comprehension of the assessment and certification requirements by all students.*
3. *readiness of candidate to demonstrate his or her knowledge and skills.*
4. *high teaching and assessment standards through the Quality Control Procedures.*
5. *planning and organisation of authentic work experience opportunities which are critical for the development of competencies which are not achievable in the institution.*
6. *commencement of the portfolios at the beginning of delivery of the programme.*
7. *the availability of Internal Verifiers\*.*
8. *the Use of Delivery and Assessment plans. These are indispensable quality control measures and are encouraged to be joint activities between the teachers/facilitators and students. They are developed at the beginning of the delivery of the programmes.*
9. *monitoring of the completion and maintenance of the portfolio and ensuring the demonstration of competencies in all areas.*
10. *the maintenance of the internal records for the portfolio.*

*\*An Internal Verifier is an employee of the institution and is responsible for ensuring the quality of the delivery and assessment of all the sections of the syllabus. The Internal Verifier assists the teachers/facilitators in the preparation of the delivery and assessment schedules and monitors the progress of the portfolio development as well as teachers' and students' record keeping. They support and work at ensuring accuracy and consistency in the application of the learning experience to achieve the acceptable levels of competence.*

## **ASSESSMENT**

*Assessments must produce evidence of the range and depth of skills, knowledge and application taught. Types of assessments may include teacher, peer, authentic and self-assessments. The tasks are to be structured to achieve a balance in both the formative (developmental) and summative (judgemental) roles of assessment.*

### **1. Peer/Group Assessment**

*Peer Assessment aims to develop the students' ability to make independent judgements by involving them in evaluating and making decisions on other student's work. It is used as a group work activity involving a variety of assessment methods to develop students' team work and cooperative learning skills.*

### **2. Self-Assessment**

*Self-Assessment aims to supplement teachers' assessment. It is an effective resource in allowing students to make judgements about their own learning and in allowing them to work at their own pace.*



### 3. Authentic Assessment

*Authentic assessment aims at providing a clear relationship with the knowledge, skills and attitudes being developed and the delivery and assessment activities. Authentic tasks are real and mirror realistic training which is transparent and evokes a strong commitment to study.*

## **METHODS OF ASSESSMENT**

*These may include:*

1. *oral and written examinations;*
2. *direct observation;*
3. *interviews;*
4. *demonstration of practical;*
5. *dual training (institution and industry. Effective for practicum);*
6. *learning contracts agreement between the staff and students;*
7. *computer-based assessment (provides flexibility in the time, location or even the questions being answered by students. Effective with multiple – choice questions); and,*
8. *portfolio assessment.*

## **PORTFOLIO ASSESSMENT**

*The portfolio is a student-centred communication approach that adequately reflects the teaching and learning experiences through authentic activities. This assessment provides teachers/facilitators an opportunity to participate in the progress of the students in a very broad context. This may include the observation of the students in exploring, experimenting, taking risks, developing creative solutions and learning to assess or make judgements about their own performances. The portfolio places a high premium on quality. It provides a strong feedback loop of continuous evaluation and improvement in teaching and learning. The portfolio is one of the major quality assurance vehicles for the provision of tangible and intangible evidence, attesting to the quality (relevance, validity, reliability) of educational delivery, assessment and outputs.*

*For the Industrial Technology Syllabus, students will compile a portfolio to provide evidence:*

1. *That clearly shows the students' progress. It is a compilation of all the learning experiences throughout the course and it is assessed by the internal verifier.*
2. *Of the certification requirements (evidence and certificate) for the Caribbean Vocational Qualification (CVQ).*

## **CHARACTERISTICS OF THE PORTFOLIO ASSESSMENT**

*Portfolio Assessment is multi-dimensional in nature and has the following characteristics of quality:*

- 1. It is continuous and ongoing. It provides both formative and summative evaluation opportunities for monitoring the students' progress while they work toward the achievement of the learning outcomes.*
- 2. It uses a wide variety of tangible and intangible evidence (practical and written), reflecting various aspects of the delivery and learning processes.*
- 3. It is reflective; providing students an opportunity to analyse their performance and track the development of their competencies.*
- 4. Assessment results are used to improve the delivery and learning processes.*

## **CHARACTERISTICS OF THE PORTFOLIOS**

***The portfolio is a compilation of students' work based on the teaching and learning experiences and should:***

- 1. reflect the performance outcomes and objectives of the programmes being undertaken (from the beginning of the delivery process to the stage of being competent);*
- 2. focus on the essential competencies which are performance-based;*
- 3. contain samples of work from the commencement of the programme to the end;*
- 4. contain evidence that represent a variety of assessment methods; and,*
- 5. contain the evidence of the students' formative and summative development.*

## **PLANNING THE PORTFOLIO**

*This is a collaborative activity between the teachers/facilitators and students.*

*Steps:*

- 1. Discuss with the students of the importance of the portfolio as a means of monitoring and evaluating their progress.*
- 2. Select the entries for the portfolio. These must reflect the learning outcomes and experiences.*
- 3. Organise the evidence (cover page, table of contents, performance outcomes, artefacts, literary work, evaluation, reflection). Please see Appendix III for the Portfolio Development process.*
- 4. Create an evaluation schedule.*

5. *Maintain and store.*
6. *Reflection on experiences by students. This can take the form of a journal and a learning log.*

### **EVALUATION OF THE PORTFOLIO**

*The teachers/facilitators are encouraged to use a variety of scoring strategies to evaluate the portfolio. The evaluation of the portfolio is a joint activity between the teachers and students. Both are involved in the selection of the criteria that will be used to assess and evaluate the evidence throughout the instructional period (formative) and at the end (summative). The use of a portfolio assessment rubric (cover design, authenticity of evidence, organisation of evidence, completeness, accuracy of information, self-reflective statement) is recommended for the portfolio evaluation.*

### **FEEDBACK**

*Feedback is an integral process in CBETA. High quality feedback consists of the following elements:*

1. *Clear criteria against which to judge the comments.*
2. *Detailed comments which are related to the performance of the students.*
3. *Comments that are geared at improvement.*

### **EVIDENCE FOR THE PORTFOLIO**

*The pieces of evidence MUST depict the candidates' developmental progress in each of the Section from which the evidence is derived. Where possible, it is advised that the Sections of the syllabus be integrated to give evidence of their full coverage.*

*The portfolio pieces must show the integration of CVQ Units where applicable. Teachers are encouraged to use the listing below as a guide to selecting pieces from each Section in the Industrial Technology syllabus:*

### **CORE**

#### **SECTION 1: FUNDAMENALS OF INDUSTRY**

*At least 10 pieces of evidence from Section 1:*

1. *The organisation of a selected construction industry.*
2. *The organisation of a selected manufacturing industry.*
3. *Selection of industry codes and standard.*
4. *A set of safety rules to be followed in a workshop or on the worksite.*

5. *Treatment procedure for each of three injuries which can occur in the workshop/worksite (burns, eye injuries, electric shock, bleeding, falls).*
6. *Student duty roster and a maintenance programme for the workshop/worksite (machines, tools, general upkeep).*
7. *A set of photographs of students demonstrating the use of protective gear and equipment while working in the workshop or on a worksite.*
8. *A report on an accident prepared by the student.*
9. *A small business plan.*

## **SECTION 2: DESIGN PRINCIPLES AND PROCESSES**

*At least three (3) pieces of evidence from Section 2:*

1. *The design principles, elements and processes.*
2. *Sketching of simple designs in related areas.*
3. *Report on the design analysis of a simple manufactured product.*

## **SECTION 3: INFORMATION COMMUNICATION AND GRAPHIC TECHNOLOGIES**

*At least three (3) pieces of evidence from Section 3:*

1. *Samples of projects prepared in the operating principles of a computer.*
2. *A PowerPoint presentation on modern trends in engineering technologies.*
3. *Two projects or assignments from the use of communication devices.*

## **OPTION A: ELECTRICAL AND ELECTRONIC TECHNOLOGY**

### **SECTION 1: ELECTRICAL PRINCIPLES AND MEASUREMENT**

*At least six (6) pieces of evidence from Section 1 that include:*

1. *labelled diagrams/sketches of the atom and its charges;*
2. *application of Ohm's laws in experimentations and computations;*
3. *practical projects, drawings, task sheets and performance reports, photographs, videos on:*
  - (a) *resistors/lamps connect in series and parallel (codes and industry specifications);*
  - (b) *resistivity and temperature coefficient measurement on electric motor windings;*

- (c) *testing and servicing primary and secondary cells (codes and industry standards); and,*
- (d) *installing, reading and recording ammeter and voltmeter measurements in electric and electronic circuits (applying codes and industry standards).*

## **SECTION 2: ELECTRICAL AND ELECTRONIC DRAFTING (MANUAL AND COMPUTER-ASSISTED DESIGN)**

*At least six (6) pieces of evidence from Section 2 that include:*

1. *drawings detailing symbols and notations used in electrical and electronic drafting;*
2. *drawings showing line and block circuit representations in electrical and electronic circuits;*
3. *electronic schematic diagrams and electrical installation drawings; and,*
4. *working drawings from architectural plans.*

## **SECTION 3: ELECTRICAL POWER AND MACHINES**

*At least five (5) pieces of evidence from Section 3 that include:*

1. *sources of energy (primary, secondary, renewable) for generating electricity (detailed information);*
2. *practical projects, drawings, a set of photographs of work in progress, videos of work, performance reports relating to:*
  - (a) *connecting and operating capacitor start and inductor start single phase a.c. motors;*
  - (b) *connecting direct on line and reduced voltage a.c. motor starters; and,*
  - (c) *connecting and operating:*
    - (i) *autotransformers and double wound transformers; and,*
    - (ii) *a direct current motor (automobile starter).*

## **SECTION 4: ELECTRICAL INSTALLATION**

*At least six (6) pieces of evidence from Section 4 that include:*

1. *electrical Installation materials, uses, codes and regulations;*
2. *practical projects, drawings, a set of photographs of work in progress, videos of work, performance reports relating to:*

- (a) *installing connecting and testing electrical fixtures in lighting and power sub-circuits;*
- (b) *installing electrical equipment to construct main and sub-main circuits in electrical installations;*
- (c) *completed electrical installations;*
- (d) *connecting and operating bell and indicator circuits; and,*
- (e) *four filament lamps and performing voltage measurements for:*
  - (i) *four lamps in series;*
  - (ii) *three lamps in parallel and in series with a fourth lamp;*
  - (iii) *two lamps in parallel and in series with two individual lamp; and,*
  - (iv) *two parallel combinations of two lamps each connected in series.*

## **SECTION 5: FUNDAMENTALS OF ELECTRONICS**

*At least six (6) pieces of evidence from Section 5 that include:*

1. *Practical projects, drawings, a set of photographs of work in progress, videos of work, performance reports relating to:*
  - (a) *identifying, selecting, conducting testing and static measuring of electronic components;*
  - (b) *constructing and operating half-wave, full-wave, centre top, full wave, budge and voltage doubler rectifier circuits;*
  - (c) *operating a two-stage and push-pull power amplifier; and,*
  - (d) *constructing and operating bistable and monostable multivibrators.*

## **PERFORMANCE INDICATORS**

1. *Portfolios.*
2. *Checklist.*
3. *Task Sheet.*
4. *Job Analysis Sheet.*

5. *Performance Criteria Sheet.*
6. *Quality Control Procedures.*
7. *Training and Assessment Plans.*
8. *Internal Verifier Records.*
9. *Internal Competency Records.*
10. *External Verifiers Records.*
11. *Moderation Reports.*

**INTEGRATION OF CVQ UNITS FOR THE SBA**

*The list presented below have been mapped to the content in the syllabus, teachers are encouraged to use this information as they develop activities and projects for the School-Based Assessment Component of the course:*

**CCMEM11002 Level I in Electrical Installation**

- (a) MEMCOR0141A Follow principles of Occupational Health and Safety (OH&S) in work environment.
- (b) MEMCOR0161A Plan to undertake a routine task.
- (c) MEMCOR0171A Use graduated measuring devices.
- (d) MEMCOR0191A Use hand tools.
- (e) MEMCOR0051A Perform related computations (basic).
- (f) MEMCOR0071A Electrical/Electronic measuring devices.
- (g) MEMCOR0091A Draw and interpret sketches and simple drawings.
- (h) MEMMAH0071A Perform manual handling and lifting.
- (i) MEMINS0071A Prepare for electrical conduits/wiring installation.
- (j) MEMINS0051A Cut, bend and install electrical conduit.
- (k) MEMINS0011A Install, terminate and connect electrical wiring.




**SCHOOL-BASED ASSESSMENT  
EXEMPLAR 1 – ELECTRICAL AND ELECTRONIC TECHNOLOGY**

**ASSESSMENT PLAN**

This School-Based Assessment is aligned to Cut, bend and install electrical conduit (MEMINS0051A) and Install, terminate and connect electrical wiring (MEMINS0011A) in the Electrical Installation, Level I (**CCMEM11002**) Regional Occupational Standard. Carry out OH&S requirements (BCGCOR0011A), Use hand tools (MEMCOR0191A) and Use electrical/electronic measuring devices (MEMCOR0071A) may also be assessed with this assignment.

**CANDIDATE:** \_\_\_\_\_ **ASSESSOR:** \_\_\_\_\_

<b>Elements (MEMINS0051A)</b> 1. Plan and prepare for installation. 2. Install conduits. 3. Inspect and notify of completion of work.	<b>Elements (MEMINS0011A)</b> 1. Prepare for electrical wiring installation, termination and connection. 2. Install electrical wiring. 3. Connect electrical wiring.
	

Work Activities	Assessment Methods
A client has presented you with the floor plan of a small apartment as shown above and require lights, plugs and a main breaker installed. You are required to design the electrical circuit, install electrical conduit and install, terminate and connect all electrical wiring. Two-way switching is required for the kitchen and living room.	<ol style="list-style-type: none"> <li>1. Practical demonstration.</li> <li>2. Oral questions.</li> <li>3. Process evaluation.</li> <li>4. Finished product evaluation.</li> </ol>
Underpinning Knowledge and Skills	Range
<ul style="list-style-type: none"> <li>• safety and work procedures</li> <li>• regulations and other relevant codes</li> <li>• standards of quality</li> <li>• installation tools and equipment</li> <li>• materials used in installation</li> <li>• materials used for conduits</li> <li>• fabrication techniques</li> <li>• installation techniques</li> <li>• assembly/disassembly techniques</li> <li>• identify potential workplace hazards</li> <li>• preventative measures</li> <li>• work with electrically operated tools and equipment</li> <li>• read and interpret simple freehand sketches</li> <li>• measure accurately</li> <li>• communicate effectively</li> <li>• bend 90°, and offsets in conduits</li> <li>• cut, thread and ream conduits</li> <li>• install PVC and metal conduits</li> </ul>	<ul style="list-style-type: none"> <li>• marking out</li> <li>• cutting</li> <li>• bending</li> <li>• clamping</li> <li>• drilling/punching</li> <li>• screwing/bolting</li> <li>• cutting mitres</li> <li>• surface mount</li> <li>• flush mount</li> <li>• in PVC conduits up to 32mm</li> <li>• in metal not exceeding 25mm</li> <li>• using mechanical connectors</li> <li>• clamping</li> <li>• pin connection</li> </ul>
<p><b>Candidate's Signature:</b>_____ <b>Date:</b>_____</p> <p><b>Assessor's Signature:</b>_____ <b>Date</b>_____</p> <p><b>Internal Verifier's Signature:</b>_____ <b>Date</b>_____</p>	

**SCHOOL-BASED ASSESSMENT**  
**EXEMPLAR 1 – ELECTRICAL AND ELECTRONIC TECHNOLOGY**

**DIMENSIONS OF COMPETENCY**

This School-Based Assessment is aligned to Cut, bend and install electrical conduit (MEMINS0051A) and Install, terminate and connect electrical wiring (MEMINS0011A) in the Electrical Installation, Level I (**CCMEM11002**) Regional Occupational Standard. Carry out OH&S requirements (BCGCOR0011A), use hand Tools (MEMCOR0191A) and Use electrical/electronic measuring devices (MEMCOR0071A) may also be assessed with this assignment.

<b>WORK ACTIVITY:</b>	
A client has presented you with the floor plan of a small apartment shown above and require lights, plugs and a main breaker installed. You are required to design the electrical circuit, install electrical conduit and install, terminate and connect all electrical wiring. Two-way switching is required for the kitchen and living room.	
<b>TASK SKILLS</b>	<b>TASK MANAGEMENT SKILLS</b>
Candidate has to... <ul style="list-style-type: none"> <li>• Interpret activity</li> <li>• Follow health and safety requirements applicable to work environment</li> <li>• Select and accurately use the necessary tools, equipment</li> <li>• Comply with organisational policies and procedures including Quality Assurance requirements</li> <li>• Carry out correct procedures prior to and during installation processes</li> <li>• Identify and rectify typical faults and problems</li> <li>• Demonstrate safe and effective operational use of tools, plant and equipment</li> <li>• Interactively communicate with others to ensure safe and effective operations</li> </ul>	Prepare/ organise/co-ordinate by... <ul style="list-style-type: none"> <li>• Interpret and plan activity</li> <li>• Select tools, equipment and materials</li> <li>• Apply health and safety procedures</li> <li>• Organise work station</li> <li>• Work in a logical and sequential manner within the required time frame</li> </ul>
<b>CONTINGENCY MANAGEMENT SKILLS</b>	<b>EMPLOYABILITY/ JOB ROLE/ ENVIRONMENT SKILLS</b>
What if ...? <ul style="list-style-type: none"> <li>• Tools and equipment are insufficient or unavailable</li> <li>• Material estimates are inaccurate</li> <li>• There are delays in sourcing materials</li> </ul>	The candidate can ... <ul style="list-style-type: none"> <li>• Collect, analyse and organise information</li> <li>• Communicate ideas and information Plan and organise activities</li> <li>• Work with others and in team</li> <li>• Use mathematical ideas and techniques</li> <li>• Solve problems</li> <li>• Use technology</li> </ul>

**Assessor's Signature** : \_\_\_\_\_ **Date:** \_\_\_\_\_

**SCHOOL-BASED ASSESSMENT  
EXEMPLAR 1 – ELECTRICAL AND ELECTRONIC TECHNOLOGY**

**ASSESSOR EVALUATION**

This School-Based Assessment is aligned to Cut, bend and install electrical conduit (MEMINS0051A) and Install, terminate and connect electrical wiring (MEMINS0011A) in the Electrical Installation, Level I (CCMEM11002) Regional Occupational Standard. Carry out OH&S requirements (BCGCOR0011A), use hand Tools (MEMCOR0191A) and Use electrical/electronic measuring devices (MEMCOR0071A) may also be assessed with this assignment.

**Institution/ Centre:** \_\_\_\_\_

**Candidate's Name:** \_\_\_\_\_

ASSESSMENT CRITERIA	ASSESSOR				
	1	2	3	4	5
<b>1. OCCUPATIONAL HEALTH AND SAFETY</b>					
Candidate is appropriately attired in Personal Protective gear at all times					
Occupational Health and Safety (OH&S) requirements for tasks and workplace environment adhered to					
All materials cleaned, stacked and stored for re-use or bundled for removal					
Worksite cleared of debris and unused materials.					
Tools and equipment cleaned, maintained and stored.					
<b>2. PROCESS</b>					
Tools and equipment selected consistent with job requirements					
Tools and equipment checked for serviceability and any faults reported or rectified					
Drawings accurately interpreted					
Conduits are installed in accordance with requirements, without damage or distortion to the surrounding environment or services.					
Conduits are terminated and connected in accordance with requirements					
On-going checks of the quality of the work are undertaken in accordance with established procedures					
Electrical wires are installed according to specifications					
Electrical wiring is connected					
Installations are made to specifications, manufacturers requirements and to safety and industry regulations					
All cables, wires, conductors and installations are marked/tagged and labelled to specification					
All completed installations are tested for compliance					
Work completion is notified in accordance with established procedures					
<b>3. PRODUCT</b>					
Quality Assurance requirements recognized and adhered to in accordance with company's construction operations					
Final inspections are undertaken to ensure the installed conduits conforms to requirements					
All conduit, and wiring are fixed to specifications					
All completed installations are tested for compliance					
Terminations/connections are made to specifications manufacturers' requirements and to safety and industry requirements					
All cables, wires, conductors and connections etc. are marked/tagged and labelled to specification					

**Comment/ Feedback:**

---

---

**Rating Scale:**

1. Cannot perform this task.
2. Can perform this task with **constant** supervision and **considerable** assistance.
3. Can perform this task with **constant** supervision and **some** assistance.
4. Can perform this task satisfactorily with periodic supervision.
5. Can perform this task satisfactorily with little or no supervision.

**Assessor's Signature** : \_\_\_\_\_ **Date:** \_\_\_\_\_

**Candidate's Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

### Portfolio Development Guidelines

A portfolio is an organised convenient means of collection and presentation of materials which records and verifies a candidate's learning achievements and relates them to the depth and breadth of work required by each unit of the occupational standards. The depth and breadth of work should include a diversity of exhibits which reflects the following **criteria**:

- Writing, Reading and Comprehension Skills
- Critical Thinking and Problem Solving Skills
- Technology Skills
- Practical Skills
- Teamwork Skills

The outline of the portfolio should include information under the following headings:

- Cover Page
- Title Page
- Table of Contents
- Introduction
- Supporting Evidence (Depth and Breadth of Work)
- Self Assessment/Reflection

#### **Details of EACH Heading**

##### **Cover Page**

- Name of School
- Occupational Area CVQ Level 1
- Assessors Name
- Candidate's Name
- Year

##### **Title Page**

- Caribbean Vocational Qualification
- CVQ Level 1
- Occupational Area
- Year

##### **Table of Contents**

- By units
- Number pages

##### **Introduction**

- Portfolio of candidate to include personal data, background information on education/training experiences and expectations.

### **Supporting Evidence**

Provides information on the key formative and summative assignments/projects undertaken by the candidates to achieve the performance criteria in each unit on the Occupational Standards. All evidence supplied by the candidate should be reviewed by the assessor using the **criteria given**.  
**Evidence must be signed and dated on the date of the review by the assessor.**

#### **Suggestions for supporting evidence:**

- Written Assignment
- Oral Questions (checklist format)
- Projects
- Work Samples
- Research Assignments
- Fieldtrip reports
- Summative evaluation of practical work
- Digital photographs of candidates performing critical tasks

### **Self-Assessment/Reflections**

Allows candidates to rate their performance against the requirements of the relevant unit/s of competency and allows candidates to reflect in writing whether their expectations have been achieved in the particular occupational area.

### **Summary**

*Each candidate* in every occupational area *must* prepare a portfolio which will showcase:

- Growth and development of the candidate during the two year period.

Portfolios *must* be kept for evaluation by the Internal Verifier, External Verifier and the Quality Assurance auditor of the Caribbean Examinations Council.

◆ **INDUSTRIAL TECHNOLOGY SYLLABUS**

**OPTION B: MECHANICAL ENGINEERING TECHNOLOGY**





## **OPTION B: MECHANICAL ENGINEERING TECHNOLOGY**

### **SECTION 1: MATERIALS, HAND TOOLS AND PROCESSES**

#### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

- 1. develop an understanding of the fundamental scientific principles associated with engineering materials, tools and processes;*
- 2. understand the basic scientific principles governing metallurgy and materials engineering;*
- 3. develop a working knowledge of the selection, use and maintenance of materials and hand tools;*
- 4. demonstrate the use of materials, hand tools and processes in the efficient production of goods and services; and,*
- 5. appreciate the importance of engineering codes and regulations.*

#### **SPECIFIC OBJECTIVES**

*The students should be able to:*

- 1. distinguish among the methods used in the production of basic engineering materials and their uses;*
- 2. explain the factors to consider in selecting engineering materials;*
- 3. describe the functions of engineering hand tools;*
- 4. describe the response of solid materials to different type of forces applied to them;*
- 5. discuss the basic heat treatment methods for metals;*
- 6. perform basic heat treatment to ferrous and non-ferrous materials for specific purposes;*
- 7. perform bench work operations; and,*
- 8. discuss the operations of cutting tools.*

## **SECTION 1: MATERIALS, HAND TOOLS AND PROCESSES (cont'd)**

### **CONTENT**

#### **1. *Methods used in the production of basic engineering materials and their uses***

- (a) Ferrous materials *and their alloys*:
  - (i) iron and steel;
  - (ii) sources;
  - (iii) production processes ;
  - (iv) diagrams and sketches of the production processes;
  - (v) properties; and,
  - (vi) uses.
- (b) Non-ferrous materials and their alloys:
  - (i) aluminium;
  - (ii) copper;
  - (iii) lead;
  - (iv) zinc; and,
  - (v) brass:
    - sources;
    - production processes;
    - sketches and diagrams of the production processes;
    - properties; and,
    - uses.
- (c) Plastics:
  - (i) thermoplastics;
  - (ii) polymers; and,

## **SECTION 1: MATERIALS, HAND TOOLS AND PROCESSES (*cont'd*)**

- (iii) co-polymers;
  - sources;
  - production processes;
  - sketch and diagrams of the production processes;
  - properties of various plastics; and,
  - uses.

### **2. *Engineering materials***

- (a) *The function of the finished product.*
- (b) *The design of the product.*
- (c) *Structural and mechanical properties of the material.*
- (d) *Cost of the material.*
- (e) *Wear resistance.*
- (f) *Corrosion resistance.*

### **3. *Engineering hand tools for bench work***

- (a) *Marking out.*
- (b) *Measurement.*
- (c) *Inspection and holding.*
- (d) *Labelled diagrams and sketches of hand tools.*

### **4. *Forces applied to solid materials***

- (a) *Response of engineering materials to:*
  - (i) *tension compression;*
  - (ii) *types of stresses;*
    - *shear stress; and,*
    - *normal stress;*

## **SECTION 1: MATERIALS, HAND TOOLS AND PROCESSES (cont'd)**

- (iii) *strain;*
- (iv) *Young's Modulus; and,*
- (v) *modulus of rigidity.*

### **5. Heat treatment methods**

- (a) *Concepts of heat production and transfer:*
  - (i) *Law of Thermodynamics (Zeroth and 1<sup>st</sup> Laws);*
  - (ii) *conduction;*
  - (iii) *convection; and,*
  - (iv) *radiation.*
- (b) *Heat treatment processes:*
  - (i) *annealing;*
  - (ii) *normalising;*
  - (iii) *case hardening; and,*
  - (iv) *tempering.*
- (c) *Functions of each process.*
- (d) *Sources of heat:*
  - (i) *ovens;*
  - (ii) *forges; and,*
  - (iii) *naked flames.*
- (e) *Cooling materials:*
  - (i) *water;*
  - (ii) *oil; and,*
  - (iii) *sand.*

## **SECTION 1: MATERIALS, HAND TOOLS AND PROCESSES (cont'd)**

- (f) *The iron-carbon diagram.*
- (g) *The iron-carbon equilibrium.*

### **6. Heat treatment for ferrous and non-ferrous materials**

- (a) *Safety guidelines, procedures and standards for annealing:*
  - (i) *ferrous material - iron, steel:*
    - *equipment;*
    - *temperature; and,*
    - *cooling materials.*
  - (ii) *non-ferrous materials - copper, aluminium, brass:*
    - *equipment;*
    - *temperature; and,*
    - *cooling materials.*
- (b) *Management of the stages of the heat treatment:*
  - (i) *recovery;*
  - (ii) *crystallisation; and,*
  - (iii) *grain growth.*

### **7. Bench work operations**

- (a) *Safety guidelines, procedures and standards for simple projects using: hand tools and holding devices:*
  - (i) *vice;*
  - (ii) *files;*
  - (iii) *chisels; and,*
  - (iv) *hacksaws.*

## **SECTION 1: MATERIALS, HAND TOOLS AND PROCESSES (cont'd)**

(b) *Safety guidelines, procedures and standards for using hand and power saws to cut thin wall tubing and cut corners on light and heavy gauge metals:*

(i) *Chiselling:*

- *chip metal;*
- *Shear metal in vice; and,*
- *cut a groove.*

(ii) *Filling:*

- *file flat, concave and convex surfaces;*
- *cross file metal, draw file metal;*
- *test surface for flatness and squareness; and,*
- *polish metal using abrasives and finishing materials.*

(iii) *Drilling:*

- *preparing metal for drilling;*
- *drilling holes in metal;*
- *drilling pilot hole; and,*
- *countersinking holes.*

(iv) *Screw cutting:*

- *cutting external threads with dies;*
- *cutting pipe thread;*
- *cutting internal threads with taps; and,*
- *checking threads.*

### **8. Cutting tools and tools maintenance**

(a) *Classification of cutting tools:*

(i) *Single point:*

## **SECTION 1: MATERIALS, HAND TOOLS AND PROCESSES (*cont'd*)**

- turning;
- shaping; and,
- boring tools.
- (ii) Double point:
  - drills.
- (iii) Multi-point:
  - milling cutters; and,
  - gear shaping cutters.
- (b) Features of cutting tools:
  - (i) single point;
  - (ii) double point; and,
  - (iii) multi-point cutting tools.
- (c) Factors that affect the life of a cutting tool:
  - (i) rake and clearance angles;
  - (ii) cutting speed;
  - (iii) depth of cut;
  - (iv) chip thickness;
  - (v) tool geometry; and,
  - (vi) material used for the cutting fluid (coolants and lubricants).
- (d) Diagram showing the theory of metal cutting:
  - (i) forces acting at a tool point; and,
  - (ii) treatment of forces at the tool point.

## **SECTION 1: MATERIALS, HAND TOOLS AND PROCESSES (cont'd)**

- (e) Rake and clearance angles for cutting different materials with different cutting tools:
  - (i) ease of chip flow;
  - (ii) avoidance of rubbing of the tool with the machined surface;
  - (iii) chip formation;
  - (iv) techniques used in sharpening tools to control chips; and,
  - (v) Chip removal methods.
- (f) Types of cutting fluid and their uses:
  - (i) straight oil;
  - (ii) soluble oil; and,
  - (iii) synthetic oil:
    - Fluid pressure measurement and calculation.
- (g) Safety guidelines, procedures and standards for sharpening machine tools:
  - (i) sharpening cutting tools by using abrasive stones;
  - (ii) grinding lathe tools to required angles;
  - (iii) sharpening drills; and,
  - (iv) using coolants and lubricants.



## **SECTION 2: GRAPHIC COMMUNICATION AND DESIGN**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *develop skills in preparing, reading and interpreting blueprint and design to engineering standards;*
2. *understand the principles of design in the identification and solutions of engineering problems; and,*
3. *develop proficiency in the application of computer-aided design/computer-aided manufacturing.*

### **SPECIFIC OBJECTIVES**

*The students should be able to:*

1. *compare the basic methods of graphic communication used in engineering;*
2. *prepare orthographic drawings;*
3. *discuss the different types of pictorial drawings;*
4. *prepare engineering drawings;*
5. *read and interpret engineering drawings;*
6. *assess the design of basic engineering components; and,*
7. *design simple engineering products.*

### **CONTENT**

#### **1. Basic methods of graphic communication used in engineering**

(a) *Methods of graphic communication:*

- (i) *pictures;*
- (ii) *diagrams;*
- (iii) *drawings - pictorial, orthographic, working drawing, assembly drawing;*
- (iv) *geometrical drawing - surface developments, interpenetration of solids, projection of points, lines and planes; and,*
- (v) *uses of models, notes and notation.*

## **SECTION 2: GRAPHIC COMMUNICATION AND DESIGN (cont'd)**

- (b) *Methods of preparing graphic communication:*
  - (i) *manual and Computer-Assisted Drawing (CAD);*
  - (ii) *functions of each method;*
  - (iii) *advantages and disadvantages of each method; and,*
  - (iv) *preparing samples using each method (photographs, sketches, drawings).*

### **2. Orthographic drawings**

*AD and manual drawing principles for:*

- (a) *first angle projection; and,*
- (b) *third angle projection.*

### **3. Pictorial drawings**

- (a) *Types:*
  - (i) *isometric;*
  - (ii) *oblique: cavalier; and,*
  - (iii) *perspective.*
- (b) *Functions of each type of pictorial drawing.*
- (c) *Drawing principles for each type of pictorial drawing.*
- (d) *Drawings and sketches using CAD and manual method:*
  - (i) *2-D CAD drawing; and,*
  - (ii) *3-D CAD drawing.*
- (e) *Applying the basic principles of CAM:*
  - (i) *principles of cutting tool axes;*
  - (ii) *identifying Z and X axis;*
  - (iii) *movement in the Z and X axes; and,*
  - (iv) *using absolute coordinates.*

## **SECTION 2: GRAPHIC COMMUNICATION AND DESIGN (cont'd)**

### **4. Engineering drawings**

- (a) *Types:*
  - (i) *multi-view;*
  - (ii) *sectional;*
  - (iii) *assembly; and,*
  - (iv) *auxiliary drawings.*
- (b) *Preparing multi view drawings of nuts, bolts, pins cam, gear and spring.*
- (c) *Preparing simple engineering geometric drawings:*
  - (i) *geometrical solids - prisms, pyramid;*
  - (ii) *surface development - prism, cones, cylinders, square pyramid inter-penetration;*
  - (iii) *lettering and dimensioning;*
  - (iv) *title block;*
  - (v) *notes and notation; and,*
  - (vi) *tolerance.*

### **5. Reading and interpreting engineering drawings**

*Using samples of engineering drawing to:*

- (a) *explain ISO drawing standards;*
- (b) *read and convert measurements (imperial and metric);*
- (c) *read and interpret dimensions (size, location, hole);*
- (d) *read and interpret scales;*
- (e) *read and interpret drawing symbols - diameter, centreline, key, centre to centre, radius, inside diameter, outside diameter, countersink, counter bore, tapped hole, screw thread, datum points, tolerances (location and positioning);*
- (f) *views;*

## SECTION 2: GRAPHIC COMMUNICATION AND DESIGN (cont'd)

- (g) *line types;*
- (h) *read and interpret notes and notation; and,*
- (i) *read and interpret parts list.*

### 6. **Engineering components**

- (a) Using the principles of design to assess the following features of selected machines, tools and components in the metalworking workshop/laboratory:
  - (i) construction;
  - (ii) assembly;
  - (iii) functional features and mechanism of hand tools and machines (relation of design to material utility, study of the principles of simple mechanisms); and,
  - (iv) functions of principal machine tool parts.
- (b) *Preparing the report of the assessment:*
  - (i) *introduction;*
  - (ii) *methodology;*
  - (iii) *findings;*
  - (iv) *conclusions; and,*
  - (v) *recommendations.*

### 7. **Engineering products**

- (a) Designing simple industry or household products or machine devices to be manufactured in the workshop.
- (b) Evaluating the design:
  - (i) function;
  - (ii) strength;
  - (iii) material;
  - (iv) economy; and,
  - (v) aesthetics.

## **SECTION 3: PRODUCTION ENGINEERING**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *demonstrate a working knowledge of the operating principles of production tools, equipment and manufacturing processes;*
2. *develop skills in selecting the appropriate materials, tools and equipment for the production of goods and services;*
3. *develop proficiency in the use of calculations and the design process to analyse and solve problems relating to production engineering processes;*
4. *value the principles of quality and standards in the production of goods and services; and,*
5. *appreciate occupational health and safety standards.*

### **SPECIFIC OBJECTIVES**

*The students should be able to:*

1. *apply safe working practices, workshop and equipment maintenance techniques;*
2. *explain the processes used to shape metals;*
3. *differentiate between sand casting and die-casting techniques;*
4. *explain the features and operating principles of simple machines;*
5. *explain the functions of special parts, accessories and processes essential to the effective operation of productive engineering machines; and,*
6. *demonstrate competencies in a range of production engineering projects.*

### **CONTENT**

#### **1. Safe work practices, workshop and equipment maintenance techniques**

- (a) OHS standards.
- (b) Safety rules for using hand tools and equipment.
- (c) Predictive and preventative maintenance of hand tools and equipment.

### **SECTION 3: PRODUCTION ENGINEERING (cont'd)**

#### **2. Processes used to shape metals**

- (a) Processes:
  - (i) casting;
  - (ii) forging;
  - (iii) rolling;
  - (iv) extrusion;
  - (v) sintering;
  - (vi) metal machining; and,
  - (vii) metal fabrication.
- (b) Functions of each process.
- (c) Equipment, tools and materials used in each process.
- (d) Sketches/diagrams depicting each process.
- (e) Safety guidelines and procedures applicable to each process.

#### **3. Sand casting and die-casting techniques**

- (a) Definitions:
  - (i) sand casting; and,
  - (ii) die-casting.
- (b) Differences:
  - (i) operating principles;
  - (ii) equipment, materials and tools used;
  - (iii) temperature control and testing instruments;
  - (iv) advantages and disadvantages of each method;
  - (v) nature of the casting defects and their solutions;
  - (vi) labelled diagrams of sand casting and die-casting processes; and,
  - (vii) safety procedures in each technique.

### **SECTION 3: PRODUCTION ENGINEERING (cont'd)**

#### **4. Features and operating principles of simple machines:**

- (a) *Types:*
  - (i) *levers;*
  - (ii) *pulleys; and,*
  - (iii) *wheel and axel.*
- (b) *Operating principles:*
  - (i) *levers;*
  - (ii) *pulleys; and,*
  - (iii) *wheel and axel.*

#### **5. Functions of special parts, accessories and processes**

- (a) *Functions of different types of keys used in couplings:*
  - (i) *square;*
  - (ii) *gib-headed;*
  - (iii) *tapered; and,*
  - (iv) *woodruff.*
- (b) *Types of couplings commonly used to transmit power from one machine to another:*
  - (i) *rigid;*
  - (ii) *flexible; and,*
  - (iii) *gears.*
- (c) *Types of commonly used seals:*
  - (i) *mechanical; and,*
  - (ii) *gasket/synthetic;*
- (d) *Features and functions of each type of seals.*

### **SECTION 3: PRODUCTION ENGINEERING (cont'd)**

#### **6. Production of engineering projects**

##### **6.1 Performing Sheet Metal operations:**

- (a) Layout and develop pattern for sheet metal work:
  - (i) safety guidelines, procedures and standards;
  - (ii) principles of pattern development for making simple templates:
    - radial line, parallel lines, simple triangulation;
  - (iii) layout from a datum and centre line;
  - (iv) layout and develop patterns for cylindrical and conical work;
  - (v) layout rectangular ducts;
  - (vi) layout pattern for transitional pieces; and,
  - (vii) cutting templates;
    - template designs;
    - safety procedures; and,
    - waste control strategies.
- (b) *Safety guidelines, procedures and standards for cutting sheet metal:*
  - (i) cutting sheet metal using hand shares or snips and foot-operated shears;
  - (ii) cutting a notch or corner;
  - (iii) punching holes in sheet metal;
  - (iv) cutting metal with a saw; and,
  - (v) cutting irregular shapes.

- (c) Bending and forming sheet metal.

*Safety guidelines, procedures and standards for bending and forming sheet metal by hand and on a brake:*

- (i) making angular bends;
- (ii) bending metal on the bar folder;



### SECTION 3: PRODUCTION ENGINEERING (cont'd)

- (iii) forming bends with bending machine;
  - (iv) forming cylinders and cones on the slip-roll forming machine; and,
  - (v) forming metal using stakes.
- (d) Sheet Metal Fabrication.

Safety guidelines, procedures and standards for fabricating sheet metals:

- (i) designing and producing simple industry and household products in rectangular, cylindrical and conical shapes;
- (ii) calculating allowance for making seams and wired edges, length of material for edge;
- (iii) making seams and wired edge seams – lap, riveted, soldered, grooved, cap strip, standing, elbow, corner double;
- (iv) making bottom seams – lap, insert, single, double bottom; and,
- (v) fastening sheet metal using:
  - soldering (seams or joints);
  - riveting (use of mechanical fasteners: bolts, nuts, pins, rivets);
  - joining (spot welding); and,
  - polishing, colouring and protection of the product.

#### 6.2 Soldering and de-soldering operations

*Safety guidelines, procedures and standards for soldering and de-soldering:*

- (a) Soft soldering:
- (i) definitions and uses of soft soldering;
  - (ii) materials used;
  - (iii) lead/tin equilibrium diagrams;
  - (iv) melting range; and,
  - (v) fluxes (types and operations).

## SECTION 3: PRODUCTION ENGINEERING (cont'd)

- (b) Performing hard soldering operations:

Safety guidelines, procedures and standards for silver soldering.

### 6.3 Hard soldering operations

*Safety guidelines, procedures and standards for hard soldering:*

- (a) *Brazing:*

- (i) definition and uses;
- (ii) filler metal;
- (iii) flux; and,
- (iv) application of the oxyacetylene flames.

- (b) Silver soldering:

- (i) definition and uses;
- (ii) filler metal;
- (iii) flux; and,
- (iv) application of the oxyacetylene flames.

### 6.4 Welding operations

*Safety guidelines, equipment, procedures and standards for welding operations*

- (a) Types of welding operations

- (i) fusion welding:
  - oxy-fuel gas welding;
  - gas metal arc welding;
  - gas tungsten arc welding;
  - resistance welding;
  - electric arc welding; and,
  - laser welding.

### SECTION 3: PRODUCTION ENGINEERING (cont'd)

- (ii) solid state welding;
  - (iii) forge welding; and,
  - (iv) *resistance welding*.
- (b) Uses of each type of welding.
- (c) Materials, equipment, tools and accessories used in each type of welding.
- (d) Labelled diagrams.
- (e) Preparing for welding operations:
  - (i) project designs, specifications and safety guidelines;
  - (ii) preparing materials;
  - (iii) measuring and related calculations;
  - (iv) cutting equipment and accessories;
  - (v) selecting welding process;
  - (vi) setting up equipment; and,
  - (vii) testing and adjusting parameters.
- (f) Different kinds of welding joints  
*Safety guidelines, specification and standards for:*
  - (i) lap;
  - (ii) tee; and,
  - (iii) butt.
- (g) Different kinds of welding joints:
  - (i) flat/horizontal;
  - (ii) vertical; and,
  - (iii) overhead.

### SECTION 3: PRODUCTION ENGINEERING (cont'd)

- (h) Different types of welding techniques:
  - (i) *rightward; and,*
  - (ii) *leftward.*
- (i) Performing gas cutting and welding operations:
  - (i) project designs, specifications and safety guidelines;
  - (ii) materials - mild steel plate, plain carbon steel, aluminium and stainless steel;
  - (iii) oxy-fuel gas cutting;
  - (iv) plasma cutting; and,
  - (v) welding operations:
    - gas;
    - metal arc;
    - tungsten arc;
    - shielded metal arc; and,
    - resistance welding.
- (j) Preparing for electric arc welding:
  - (i) safety guidelines, procedures and standards;
  - (ii) materials:
    - mild steel plates of various thicknesses; and,
    - electrodes.
  - (iii) procedures for preparing plates;
  - (iv) practice in laying of weld bead and striking of the arc;
  - (v) performing electric arc welding using mild steel plate of various thicknesses;
    - project designs for welding joints (square groove butt, VEE groove butt, lap joints, TEE and corner joints in flat, vertical and horizontal positions); and,
    - scratching and tapping techniques.

### SECTION 3: PRODUCTION ENGINEERING (cont'd)

- (k) Welding defects:
  - (i) identifying welding defects;
  - (ii) hot cracks;
  - (iii) cold cracks;
  - (iv) under cut;
  - (v) distortion;
  - (vi) lack of fusion;
  - (vii) porosity;
  - (viii) undercut;
  - (ix) lack of penetration;
  - (x) out of alignment;
  - (xi) excessive spatter;
  - (xii) weld decay;
  - (xiii) craters;
  - (xiv) causes of welding defects; and,
  - (xv) treating welding defects.

#### 6.5 ***Metrology***

- (a) Measuring and computing:
  - (i) reading and measuring with rules, callipers, micrometres, vernier tools and surface plate;
  - (ii) calculating machine speed and feed; and,
  - (iii) calculating gear ratio.

### SECTION 3: PRODUCTION ENGINEERING (cont'd)

- (b) Using testing, layout and measurement tools:
  - (i) checking for flatness and squareness in work pieces;
  - (ii) measuring round and hollow stock;
  - (iii) measuring and laying out from datum;
  - (iv) measuring angles;
  - (v) preparing and applying layout fluids;
  - (vi) laying out flat work;
  - (vii) finding centre of round stock;
  - (viii) laying out round stock; and,
  - (ix) inspecting work for accuracy of dimension and form.

#### 6.6 Machining operations

- (a) Power Saws
  - (i) *Safety guidelines, procedures and standards for:*
    - cross-cut saws;
    - chop saws; and,
    - band saws.
  - (ii) Operations:
    - select and set speeds and feeds;
    - select materials (mild steel, cast iron) for sawing operations;
    - remove and replace saw blades;
    - measure and cut materials (angular and square cutting);
    - saw to scribed lines by using a metal band saw; and,
    - cut and weld band-saw blades for contour sawing.

### SECTION 3: PRODUCTION ENGINEERING (cont'd)

#### (b) Drill Presses

##### (i) *Safety guidelines, procedures and standards for:*

- bench drill presses;
- radial arm drill presses; and,
- pedestal drill presses.

##### (ii) Setting machine controls:

- set up drill press vice;
- set up work in vice;
- set up work with different clamps and fittings;
- calculate and select machine speeds and feeds;
- determine reamer allowances for reaming after drilling; and,
- select drill bits.

##### (iii) Operations:

- ream;
- counter bore;
- counter sink;
- drill;
- centre drill;
- spot face; and,
- fit and remove tapered shank drills.

#### (c) Operating Grinding Machines:

##### (i) safety guidelines, procedures and standards for grinding machines:

- inspect grinding wheels;
- balance grinding wheels;

### SECTION 3: PRODUCTION ENGINEERING (cont'd)

- true grinding wheels; and,
- dress grinding wheels.
- (ii) attach and align work pieces for grinding;
- (iii) select and set feeds and speeds for grinding machines;
- (iv) grind parallel flat surfaces;
- (v) grind to a shoulder; and,
- (vi) grind a taper.
- (d) Centre lathe
  - (i) Safety guidelines, procedures and standards for turning with chucks and between centres:
    - locate and drill centre hole on stock;
    - select tool bits – roughing, finishing, parting, screw cutting, recessing;
    - select materials – high carbon steel, high speed steel, satellite, carbide, ceramic;
    - set tool bit for turning – rakes and clearance of bits, angles of tool bits in the lathe, lathe dog-types and uses, driving plates;
    - check centres for alignment – live, dead, half and rotating centres;
    - mount work between centres;
    - calculate and set machine for correct speed and feed – cutting speed for different materials and spindle speeds;
    - turn between centres – rough and finished cuts; and,
    - use appropriate coolants/cutting fluids for different materials.
  - (ii) Mount and dismount various chucks – 3-jaw, universal, 4-jaw independent, collet, multi-size:
    - mount work in various chucks;
    - face work in chuck;
    - calculate tapers;



### SECTION 3: PRODUCTION ENGINEERING (cont'd)

- cut taper using compound slide – using compound slide, taper attachment, offset centre and form tool;
  - cut a shoulder and or recess on work in the chuck;
  - turn work held in the chuck supported by tailstock; and,
  - part off work.
- (iii) Drilling:
- drill holes with tapered shank drill in tailstock – parts of a drill, size of pilot holes;
  - drill with straight shank bit held in a Jacob's chuck, drill in tailstock – drilling, reaming, counter-sinking, counter boring; and,
  - ream with reamer held in tailstock.
- (iv) Cut threads:
- select gear train - use of handbook or tables, comparison of angles and forms, calculate simple and compound gear train;
  - screw thread terms and definition (major and minor diameters, pitch, lead, crest;
  - cut external threads using stock and die (metric); and,
  - cut internal threads using tap.
- (v) Special operations:
- identify the face plate to be used for work piece – face plate, angle plate, clamps and fixtures;
  - fit and cut work on a mandrel – compound rest- adjustment. Kinds of mandrels – solid and expansion;
  - turn work piece on mandrel – Counter boring tools, tools post grinder;
  - set and turn work with fixed and travelling steadies – steady and follower rest, parts and uses;
  - knurl work; and,
  - counter bore work in lathe using a drill (blind holes).

### SECTION 3: PRODUCTION ENGINEERING (cont'd)

- (e) Milling machine:
  - (i) safety guidelines, procedures and standards for operating vertical and horizontal milling machines operations;
  - (ii) select cutter for simple operations – plain and end mill cutters, arbours;
  - (iii) calculate and select cutting speed for size of cutter and material of work piece;
  - (iv) calculate and select rates of feed;
  - (v) mount and dismount cutters on spindle;
  - (vi) mount work in vice and check for parallelism – use of dial indicator to test parallelism;
  - (vii) adjust table for travel and depth of cut – use of calibrated dial;
  - (viii) choose correct coolants and cutting fluids for different materials;
  - (ix) surface-mill work on horizontal /vertical milling machines – up-cut (conventional) and down-cut (climb) milling); and,
  - (x) calculate simple indexing – dividing head principle.
- (f) *Surface grinder*
  - (i) safety guidelines, procedures and standards for performing grinding operations:
    - working devices (chucks, grinding wheels);
    - calculate speeds and feeds; and,
    - select appropriate coolant.

## **SECTION 4: ART METAL WORK**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *demonstrate a working knowledge of decorative metal craft through the production of basic household and commercial products; and,*
2. *appreciate the principles of quality and standards in the production of engineering goods and services.*

### **SPECIFIC OBJECTIVES**

*The students should be able to:*

1. *explain the basic processes used in art metal work;*
2. *use different kinds of ornamental metal to prepare basic household and commercial products; and,*
3. *apply different finishing and decoration techniques using prescribed guidelines and standards.*

### **CONTENT**

#### **1. Processes used in art metal work**

##### **(a) Shaping metals**

*Safety guidelines, procedures and standards for shaping metals:*

- bending;
- drawing down;
- upsetting;
- punching and drifting;
- fullering;
- flattening;
- swaging;
- twisting;
- cutting; and,
- scrolling.

## **SECTION 4: ART METAL WORK (cont'd)**

### *(b) Finishing*

*Safety guidelines, procedures and standards for:*

- *enamelling;*
- *etching; and,*
- *hammering.*

### *(c) Uses and operational procedures of each process.*

### *(d) Materials, tools and equipment uses in each process.*

## **2. Ornamental metal for basic household and commercial products**

### *(a) Safety guidelines, procedures and standards in using:*

- (i) *aluminium;*
- (ii) *brass;*
- (iii) *copper;*
- (iv) *gold; and,*
- (v) *silver.*

### *(b) Processes:*

- (i) *rolling;*
- (ii) *hollowing; and,*
- (iii) *raising.*

## **3. Finishing and decoration techniques**

Decoration techniques:

- (a) *enamelling;*
- (b) *etching; and,*
- (c) *hammering.*

## ◆ WORKSHOP/LABORATORY FACILITIES

Recommended equipment for a class of 16.

This list provided is for a general Mechanical Engineering laboratory for the syllabus sections identified.

### **Machine Shop**

Lathe 9"/255mm swing, quick change gear box 36"/900mm bed pedestal base (desirable)	1
Lathe 12"/300mm swing, quick change gear box, 48"/1200mm pedestal base (desirable)	1

### **Recommended Accessories**

Draw in Collet Chuck assembly (for 9"/225mm swing lathe)	2 sets
Independent four jaw and universal chucks	2 sets
(for 9"/225mm swing lathe) Sizes 6"/150mm	1 set
(for 12"/300mm swing lathe) Size 8"/220mm	
Universal 3-jaw chuck Sizes 6"/150mm	2 sets
(for 9"/225mm swing lathe) Sizes 8"/200mm	1 set
(for 12"/300mm swing lathe)	
Lathe Dogs with cranked on straight tails to suit driving plates provided with Lathes - 1/2"/13mm, 3/4"/16mm, 1"/25mm, 1 1/2"/30mm	
Jacob's Chuck 0" – 1/2"/13mm complete with taper shank and sleeve to fit tailstock of both lathes	1
Tool holders – left, right and straight	2 sets
Fixed steady	2
Travelling steady	2
Knurling Tool, with coarse, medium and fine knurls (straight and diagonal)	2
Driving plates	2
Boring Bar with holder	2
Rotating centre with taper shank and sleeve	2
Parting Tool with holder	2
Threading tool	2
Metric Screw pitch gauge	1 set
Prepared tool bits	2 sets
Tool Blanks to fit tool holders	10
pieces	
Live centres	2
Dead Centres	4
Face plate 8"/200mm	2

### Additional Tools

Callipers - Outside 6"/150mm	3
Inside 6"/150mm	3
Hermaphrodite 6"/150mm	3
Rule Depth Gauge	1
Micrometers – 0 – 25mm	3
Vernier Calliper – 15cm	1
Surface Gauge with fine adjustment	3
Vee blocks with clamps	2 sets
Dial Test Indicator with magnetic base	2
Engineer's Square 16cm	3
Dividers 15cm	2
Combination/Centre drill Nos. 1-5	2 sets
Lead Hammer/mallet	3
Precision Spirit Level	1
Rules, steel, 15cm	8
30 cm	8

### Milling Machine

Universal model with longitudinal transverse and vertical feed, 1"/25mm arbor with collars and spherical nut, guard for cutters, micrometre collars graduated in metric measure	1
---	---

### Recommended Accessories

Assortment of cutters for horizontal and vertical milling	1 set
Machine vice (6" jaw)	1

### Drill Press

Drill press 15"/375mm floor type, 0-1/2"/13mm Jacob's chuck with tapered shank, drill drift	1 set
Drill press vice – 4"/100mm jaw	1
G Clamps – 4"/100mm	4
G Clamps – 6"/150mm	2
Parallel Clamps	2
Countersink drills	2 sets
Centre Punches	10
Scribers	16
Drills (metric sizes) 3 – 13mm in steps of 0.2mm	2 sets
13 – 20mm in steps of 0.5mm	1 set (desirable)

## Grinders

Grinders, bench type mounted on pedestal with eye shields 8"/200mm wheels, 1/2-1 h.p.	1
Wheel Dressers	1
Safety glasses	16

## Additional

Oil cans (pump type)	2
Safety rags bin	1
Grease gun	1

## Recommended Accessories

Tool holder –swivel	1
Vice – 4"/100mm jaws with swivel base	1
Vee Block with clamps	2
U Clamps and bolts	6

## Horizontal Spindle Surface Grinding Machines

Table Travel – 8"/450mm	(desirable)
Cross Feed – 8"/200mm	(desirable)
1300mm Permanent Magnetic Chuck – 2" or 300 mm	(desirable)

## Bench Metal

Bench Vice	16
Tap and die set – 1/8"/3mm to 1/2"/12mm 3/8"/10mm – 3/4"/16mm (optional)	1
Chisels Cold – flat, cape, round nose, diamond	2 sets

## Wrenches

Adjustable - 6"/150mm and 8"/200mm	1 each
Stilton – 8"/200mm and 14"/350mm	1 each
Hand Drill 0-1/4"/6mm	1
Toolmakers clamps	2
Hand vice	2
Vice Grip pliers (small)	1
Vice Grip pliers (large)	1
Files – assorted sizes and cuts	
Needle files	1 set
File card	2
Hand lever shears to cut up to 1/8" material	1
Pliers – side cutting, diagonal, long nose	1 set
Feeler Gauge	1
Extractor Set	1
Drift Punch	1
Pin Punches	1 set

### Sheet Metal

Bar Folder 24"/600mm slip roll forming machine with rollers for wire edged	1 each
24"/600mm rollers	(desirable)
Pan and box brake (24")	1

### Stakes

Solid Mandrel	1
Hatchet	1
Creasing	1
Bick Iron	1
Square Head	1
Round Head	1
Bench Bar for stakes in use	1

### Soldering

Soldering Furnace (gas operated)	1 (optional)
Square Pointed copper 16 oz	1 pair
Electric Soldering Iron	2

### Snips

Straight 6"/150mm – 10"/250mm	6
Curved 6"/150mm – 10"/250mm	2
Combination 6"/150mm – 10"/250mm	2

### Saws

Hacksaw – 12"/300 mm	3
Sheet metal hacksaw	2
Jeweller's saw	2
Junior hacksaw	2

### Hammers

Ball Pein – 16oz	3
Ball Pein – 8 oz	2
Cross Pein – 12 oz	2
Cross Pein – 8oz	2
Straight Pein	2

### Mallets

Rawhide	2
Rubber	2
Boxwood, bossing	4
Raising	2



### **Screwdrivers**

Phillips head (small, medium, large)	1 each
Standard (small, medium, large)	2

### **Additional**

Hand groovers – assorted sizes	3
Hand seamers 3"/75mm jaws	2
Scroll former	1 (optional)
Radius Gauge	1
Wire Gauge	1
Air Acetylene Torch	1 (optional)
Rules, Stainless Steel 24" /600mm	2
Callipers, Outside 12"/300mm	1 (optional)
Callipers, Inside 12"/300mm	2 (optional)
Smith's Square, 18"/450	1

### **Welding – Oxy-Acetylene (Complete)**

Welders Goggles with lenses	6
Sparklighter with flint	2
Steel Brushes	4
Carver Clamps, assorted sizes	1
Acetylene Manifold	2
Oxygen manifold	1 (optional)

### **Electric Arc Welding**

A.C./D.C. Electric arc welder with cables, ground clamp and electric holder 180-300 amps	1
Welding helmets with slide-in lens holder	3
Double station oxyacetylene work table, each working surface 3' x 18", covered with fire bricks	1 (optional)
Metal table for arc welding with enclosure and canvas curtain	1
Chipping hammer	1
Metal Inert Gas Welding Set	1
Tungsten Inert Gas Welding set	1

## ◆ RESOURCES

The following is a list of books and other printed material which may be used for the CXC Mechanical Engineering Technology Unit. The list is not exhaustive or prescriptive, but indicates sources which may be appropriate for use by teachers and students.

Austin, V.	<i>Workshop Theory</i> . London: MacMillan Educational, 1990.
Bedford J.	<i>Metal Craft Theory and Practice, 2<sup>nd</sup> Edition. New International Metric Standard</i> , London: J Murray, 2008.
Cary, H. and Helzer, S.	<i>Modern Welding Technology</i> . New Jersey: Pearson Education, Limited, 2011.
Chapman, W.	<i>Workshop Technology – Parts 1 and 11</i> . London: Edward Arnold, 1974.
Driscoll,T. and Hibberson, E.	<i>Metalwork Projects for Secondary Schools</i> . London: Macmillan Caribbean, 1997.
Everette, L. and Barhorst, A.	<i>Dynamics for Engineering Practices</i> . Texas: M3P Engineering Publications, 2011.
Feirer, J.	<i>General Metals</i> . New York: McGraw-Hill Book Company, 1990.
Feirer, J.	<i>Machine Tool Metalworking – Principles and Practices</i> (3rd Edition). New York: McGraw-Hill Book Company, 1990.
Gerrish, H.	<i>Technical Dictionary – Technical Terms Simplified</i> . Illinois: The Goodhart Wilcox Company Inc. South Holland, 1982.
Gibson S.	<i>Practical Welding</i> . London: Macmillan Education, 1994.
Kirkcaldy, C.	<i>Metalwork</i> . London: Addison Wesley Longman, 1997.
Ludwig, O.	<i>Metalworking Technology and Practice</i> . New York: McKnight, 1990.
Nise, N.	<i>Control Systems Engineering</i> . New Jersey: Wiley, 2014.
Petit, T.	<i>Craft Education: Metal Work Design</i> . London: Edward Arnold, 1990.
Sackey J.	<i>Metal Work Technology, The Motivate Series</i> . London: Macmillan Education, 2007.

## RESOURCES (cont'd)

- |            |  |
|------------|--|
| Smith, R.  | <i>Forging and Welding</i> – Revised Edition. New York: McKnight, 1990.    |
| Thomas, G. | <i>Metalwork Technology</i> – (Metric Edition). London: John Murray, 1986. |

## ◆ GLOSSARY OF TERMS

<u>WORD/TERM</u>	<u>DEFINITION/MEANING</u>
account for	present reason for action or event
annotate	add a brief note to a label
apply	use knowledge of principles to solve problems
assess	present reasons for the importance of particular structures, relationships or process
calculate	arrive at the solution to a numerical problem
classify	divide into groups according to observable characteristics
comment	state opinion or view with supporting reasons
compare	state similarities and differences
construct	use a specific format to make and draw a graph, histogram, pie chart or other representation using data or material provided or drawn from practical investigations, build (for example, a model), draw scale diagram
deduce	make a logical connection between two or more pieces of information; use data to arrive at a conclusion
define	state concisely the meaning of a word or term
demonstrate	show; direct attention to...
describe	provide detailed factual information of the appearance or arrangement of a specific structure or a sequence of a specific process
determine	find the value of a physical quantity
design	plan and present with appropriate practical detail
develop	expand or elaborate an idea or argument with supporting reasons
diagram	simplified representation showing the relationship between components.
differentiate	state or explain briefly those differences between or among items which can be used to define the items or place them into separate categories.
discuss	present reasoned argument; consider points both for and against; explain the relative merits of a case
draw	make a line representation from specimens or apparatus which shows an accurate relation between the parts

<b><u>WORD/TERM</u></b>	<b><u>DEFINITION/MEANING</u></b>
estimate	make an approximate quantitative judgement
evaluate	weigh evidence and make judgements based on given criteria
explain	give reasons based on recall; account for
find	locate a feature or obtain as from a graph
formulate	devise a hypothesis
identify	name or point out specific components or features
illustrate	show clearly by using appropriate examples or diagrams, sketches
investigate	use simple systematic procedures to observe, record data and draw logical conclusions
label	add names to identify structures or parts indicated by pointers
list	itemise without detail
measure	take accurate quantitative readings using appropriate instruments
name	give only the name of
note	write down observations
observe	pay attention to details which characterise a specimen, reaction or change taking place; to examine and note scientifically
outline	give basic steps only
plan	prepare to conduct an investigation
predict	use information provided to arrive at a likely conclusion or suggest a possible outcome
record	write an accurate description of the full range of observations made during a given procedure
relate	show connections between; explain how one set of facts or data depend on others or are determined by them
sketch	make a simple freehand diagram showing relevant proportions and any important details
state	provide factual information in concise terms outlining explanations

**WORD/TERM****DEFINITION/MEANING**

suggest

offer an explanation deduced from information provided or previous knowledge. (... a hypothesis; provide a generalisation which offers a likely explanation for a set of data or observations.)

test

to find out, following set procedures

## ◆ GUIDELINES FOR INTEGRATING THE COMPETENCY BASED EDUCATION TRAINING AND ASSESSMENT APPROACH

### RATIONALE

*School-Based Assessment (SBA) is an integral part of candidates' assessment of the Industrial Technology offerings. It provides an opportunity to individualise a part of the curriculum to meet the needs of the students and facilitate feedback to the student at various stages of the experience. This helps to build the self-confidence of students as they proceed with their studies. The SBA assists in the development of the critical skills and abilities emphasised by the subject and enhances the validity of the examination on which candidate performance is reported. It makes a significant and unique contribution to both the development of relevant skills and the testing and rewarding of students for the development of those skills. In addition, the SBA caters to the multiple intelligences as various teaching and learning strategies are utilised to provide students with the skills needed in everyday life. Through the SBA, students are provided with multiple opportunities and ways to develop and demonstrate knowledge, skills and attitudes.*

*The SBA score is derived from the composite marks of the entries in the School-Based Assessment portfolio which include the related CVQ Units of Competency aligned to the content in the syllabus. The CVQ is an award which represents the achievement of a set of competencies that define the essential (core) work practices of an occupational area consistent with the levels articulated within the Regional Qualifications Framework. It aims at the development of the Ideal Caribbean Worker, seeks to facilitate the movement of skilled certified workers within the CSME, enhances the quality profile and investment attractiveness of the work/labour force of CARICOM states and harmonises TVET systems across the region. The recognition of Unit competencies for the Level 1 CVQ will adhere to the standardised procedures currently operational in schools offering the CVQ programmes.*

### SCHOOL-BASED ASSESSMENT PORTFOLIO

*As part of the School-Based Assessment, candidates will be required to produce a portfolio providing evidence of candidates' progress and learning over the duration of the programmes. The evidence represents the formative and summative assessments of the programmes and are a compilation of all the learning experiences from commencement to the end of the programme. The Portfolio must mirror the key competencies (knowledge, skills, attitudes) required for the labour market and continuing studies.*

*Since the portfolio is an accumulation of the candidates' ongoing learning across the course of the two-year programme, it must be started at the commencement of the Industrial Technology Syllabuses. The guidelines provided in this document for selecting appropriate tasks are intended to assist teachers/facilitators and candidates in formulating assignments that are valid for the purpose of the SBA (Appendix II). The guidelines provided for the assessment of the assignments are intended to assist teachers/facilitators in awarding marks that are reliable indicators of the achievement of candidates in the SBA component of the Industrial Technology programmes.*

*For the effective delivery and assessment of this syllabus institutions must ensure the:*

1. *Availability of the resources, through partnerships with industries, firms and other institutions.*
2. *Comprehension of the assessment and certification requirements by all students.*
3. *Readiness of candidate to demonstrate his or her knowledge and skills.*
4. *High teaching and assessment standards through the Quality Control Procedure.*
5. *Planning and organisation of authentic work experience opportunities which are critical for the development of competencies which are not achievable in the institution.*
6. *Commencement of the portfolios at the beginning of delivery of the programme.*
7. *The availability of Internal Verifiers\*.*
8. *The Use of Delivery and Assessment plans. These are indispensable quality control measures and are encouraged to be joint activities between the teachers/facilitators and students. They are developed at the beginning of the delivery of the programmes.*
9. *Monitoring of the completion and maintenance of the portfolio and ensuring the demonstration of competencies in all areas.*
10. *The maintenance of the internal records for the portfolio.*

*\*An Internal Verifier is an employee of the institution and is responsible for ensuring the quality of the delivery and assessment of all the sections of the syllabus. The Internal Verifier assists the teachers/facilitators in the preparation of the delivery and assessment schedules and monitors the progress of the portfolio development as well as teachers' and students' record keeping. They support and work at ensuring accuracy and consistency in the application of the learning experience to achieve the acceptable levels of competence.*

## **ASSESSMENT**

*Assessments must produce evidence of the range and depth of skills, knowledge and application taught. Types of assessments may include teacher, peer, authentic and self-assessments. The tasks are to be structured to achieve a balance in both the formative (developmental) and summative (judgemental) roles of assessment.*

1. *Peer/Group Assessment*

*Peer Assessment aims to develop the students ability to make independent judgements by involving them in evaluating and making decisions on other student's work. It is used as a group work activity involving a variety of assessment methods to develop students' team work and cooperative learning skills.*



## 2. Self-Assessment

*Self-Assessment aims to supplement teachers' assessment. It is an effective resource in allowing students to make judgements about their own learning and in allowing them to work at their own pace.*

## 3. Authentic Assessment

*Authentic assessment aims at providing a clear relationship with the knowledge, skills and attitudes being developed and the delivery and assessment activities. Authentic tasks are real and mirror realistic training which is transparent and evokes a strong commitment to study.*

### **METHODS OF ASSESSMENT**

*These may include:*

1. *oral and written examinations;*
2. *direct observation;*
3. *interviews;*
4. *demonstration of practical;*
5. *dual training (institution and industry. Effective for practicum);*
6. *learning contracts agreement between the staff and students;*
7. *computer-based assessment (provides flexibility in the time, location or even the questions being answered by students. Effective with multiple – choice questions); and,*
8. *portfolio assessment.*

### **PORTFOLIO ASSESSMENT**

*The portfolio is a student-centred communication approach that adequately reflects the teaching and learning experiences through authentic activities. This assessment provides teachers/facilitators an opportunity to participate in the progress of the students in a very broad context. This may include the observation of the students in exploring, experimenting, taking risks, developing creative solutions and learning to assess or make judgements about their own performances. The portfolio places a high premium on quality. It provides a strong feedback loop of continuous evaluation and improvement in teaching and learning. The portfolio is one of the major quality assurance vehicles for the provision of tangible and intangible evidence, attesting to the quality (relevance, validity, reliability) of educational delivery, assessment and outputs.*

*For the Industrial Technology Syllabus, students will compile a portfolio to provide evidence:*

1. *That clearly shows the students progress. It is a compilation of all the learning experiences throughout the course and it is assessed by the internal verifier.*

2. *Of the certification requirements (evidence and certificate) for the Caribbean Vocational Qualification (CVQ).*

### **CHARACTERISTICS OF THE PORTFOLIO ASSESSMENT**

*Portfolio Assessment is multi-dimensional in nature and has the following characteristics of quality:*

1. *It is continuous and ongoing. It provides both formative and summative evaluation opportunities for monitoring the students' progress while they work toward the achievement of the learning outcomes.*
2. *It uses a wide variety of tangible and intangible evidence (practical and written), reflecting various aspects of the delivery and learning processes.*
3. *It is reflective; providing students an opportunity to analyse their performance and track the development of their competencies.*
4. *Assessment results are used to improve the delivery and learning processes.*

### **CHARACTERISTICS OF THE PORTFOLIOS**

*The portfolio is a compilation of students' work based on the teaching and learning experiences and should:*

1. *reflect the performance outcomes and objectives of the programmes being undertaken (from the beginning of the delivery process to the stage of being competent);*
2. *focus on the essential competencies which are performance-based;*
3. *contain samples of work from the commencement of the programme to the end;*
4. *contain evidence that represent a variety of assessment methods; and,*
5. *contain the evidence of the students' formative and summative development.*

### **PLANNING THE PORTFOLIO**

*This is a collaborative activity between the teachers/facilitators and students.*

*Steps:*

1. *Discuss with the students of the importance of the portfolio as a means of monitoring and evaluating their progress.*
2. *Select the entries for the portfolio. These must reflect the learning outcomes and experiences.*

3. *Organise the evidence (cover page, table of contents, performance outcomes, artefacts, literary work, evaluation, reflection). Please see Appendix III for the Portfolio Development process.*
4. *Create an evaluation schedule.*
5. *Maintain and store.*
6. *Reflection on experiences by students. This can take the form of a journal and a learning log.*

### **EVALUATION OF THE PORTFOLIO**

*The teachers/facilitators are encouraged to use a variety of scoring strategies to evaluate the portfolio. The evaluation of the portfolio is a joint activity between the teachers and students. Both are involved in the selection of the criteria that will be used to assess and evaluate the evidence throughout the instructional period (formative) and at the end (summative). The use of a portfolio assessment rubric (cover design, authenticity of evidence, organisation of evidence, completeness, accuracy of information, self-reflective statement) is recommended for the portfolio evaluation.*

### **FEEDBACK**

*Feedback is an integral process in CBETA. High quality feedback consists of the following elements:*

1. *Clear criteria against which to judge the comments.*
2. *Detailed comments which are related to the performance of the students.*
3. *Comments that are geared at improvement.*

### **EVIDENCE FOR THE PORTFOLIO**

*The pieces of evidence MUST depict the candidates' developmental progress in each of the Section from which the evidence is derived. Where possible, it is advised that the Sections of the syllabus be integrated to give evidence of their full coverage.*

*The portfolio pieces must show the integration of CVQ Units where applicable. Teachers are encouraged to use the listing below as a guide to selecting pieces from each Section in the Industrial Technology syllabus:*

### **CORE**

#### **SECTION 1: FUNDAMENALS OF INDUSTRY**

*At least 10 pieces of evidence from Section 1*

1. *The organisation of a selected construction industry.*

2. *The organisation of a selected manufacturing industry.*
3. *Selection of industry codes and standard.*
4. *A set of safety rules to be followed in a workshop or on the worksite.*
5. *Treatment procedure for each of three injuries which can occur in the workshop/worksite (burns, eye injuries, electric shock, bleeding, falls).*
6. *Student duty roster and a maintenance programme for the workshop/worksite (machines, tools, general upkeep).*
7. *A set of photographs of students demonstrating the use of protective gear and equipment while working in the workshop or on a worksite.*
8. *A report on an accident prepared by the student.*
9. *A small business plan.*

## **SECTION 2: DESIGN PRINCIPLES AND PROCESSES**

*At least three (3) pieces of evidence from Section 2*

1. *The design principles, elements and processes.*
2. *Sketching of simple designs in related areas.*
3. *Report on the design analysis of a simple manufactured product.*

## **SECTION 3: INFORMATION COMMUNICATION AND GRAPHIC TECHNOLOGIES**

*At least three (3) pieces of evidence from Section 3*

1. *Samples of projects prepared in the operating principles of a computer.*
2. *A PowerPoint presentation on modern trends in engineering technologies.*
3. *Two projects or assignments from the use of communication devices.*

## **OPTION 2: MECHANICAL ENGINEERING TECHNOLOGY**

### **SECTION 1: Materials, Hand Tools and Processes**

*At least six (6) pieces of evidence from Section 1*

1. *a list of Mechanical Engineering materials and their properties;*
2. *methods of separation of metals from their ores (include drawings/photographs);*

3. *pictures of projects showing students properly attired and performing operations in filing, chiselling, thread cutting and other operations;*
4. *heat treatment of a small hand tool:*
  - (a) *punch; and,*
  - (b) *cold Chisel.*
5. *Provide a report detailing the tool, the properties to be enhanced and the heat treatment process used.*

## **SECTION 2: GRAPHIC COMMUNICATION AND DESIGN (MANUAL AND COMPUTER-ASSISTED DESIGN)**

*At least five (5) pieces of evidence from Section 2 that include:*

1. *steps in the Design process;*
2. *samples of pictorial, multi-view, sectional and auxiliary drawings; and*
3. *design of a mechanism to satisfy an engineering need:*
  - (a) *transmission Drive;*
  - (b) *lifting mechanism; and,*
  - (c) *provision of a report detailing the design process including conceptualisation and preliminary design indicating detailed drawings and other information.*

## **SECTION 3: PRODUCTION ENGINEERING**

*At least six (6) pieces of evidence from Section 3 that include:*

1. *processes used to shape metals;*
2. *reports on the operating processes of sand and die-casting techniques; and,*
3. *designs/Photographs of Machining, Sheet metal and Welding projects completed step by step by students:*

### **Sheet metal project:**

- (a) *letter box;*
- (b) *tool box;*
- (c) *gardening water can;*

(d) *feed trough; and,*

(e) *others.*

***Machining and welding project:***

(a) *clamp;*

(b) *vice; and,*

(c) *chipping hammer.*

**SECTION 4: ART METAL WORK**

*At least three (3) pieces of evidence from Section 4 that include:*

1. *pictures/drawing of the processes used in shaping metals; and,*
2. *pictures/drawings of basis household and commercial products made using ornamental metal.*

**PERFORMANCE INDICATORS**

1. *Portfolios.*
2. *Checklist.*
3. *Task Sheet.*
4. *Job Analysis Sheet.*
5. *Performance Criteria Sheet.*
6. *Quality Control Procedures.*
7. *Training and Assessment Plans.*
8. *Internal Verifier Records.*
9. *Internal Competency Records.*
10. *External Verifiers Records.*
11. *Moderation Reports.*

**INTEGRATION OF CVQ UNITS FOR THE SBA**

*The list presented below have been mapped to the content in the syllabus, teachers are encouraged to use this information as they develop activities and projects for the School-Based Assessment Component of the course:*

**CCMEM10302 Level I in Metal Work Engineering**

- (a) MEMCOR0141A Follow principles of Occupational Health and Safety.
- (b) MEMCOR0161A Plan to undertake a routine task.
- (c) MEMCOR0171A Use graduated measuring devices.
- (d) MEMCOR0191A Use hand tools.
- (e) MEMCOR0051A Perform related computations (basic).
- (f) MEMCOR0081A Mark off/out (general engineering).
- (g) MEMCOR0121A Classify engineering materials (basic).
- (h) MEMCOR0091A Draw and interpret sketches and simple drawings.
- (i) MEMCOR0111A Use power tools.
- (j) MEMFAB0041A Carry out mechanical cutting operations (basic).
- (k) MEMFAB0151A Prepare for oxyacetylene/metal arc welding processes.
- (l) MEMMPO0021A Perform general machining operations.
- (m) MEMMAH0071A Perform manual handling and lifting.

## ASSESSMENT PLAN

**CANDIDATE:** \_\_\_\_\_ **ASSESSOR:** \_\_\_\_\_

CXC 13/T/SYLL 15 136



Underpinning Knowledge and Skills	Range
<ul style="list-style-type: none"> <li>• Workplace and equipment safety requirements including relevant OH&amp;S guidelines and regulations</li> <li>• Materials (ferrous and non-ferrous)</li> <li>• Bench, pedestal and surface grinders</li> <li>• Conventional milling machine</li> <li>• Conventional metal turning lathes</li> <li>• General machining processes operations or activities</li> <li>• Hand tools, measuring instruments and equipment</li> <li>• Materials relative to cutting processes</li> <li>• materials preparation</li> <li>• Manual handling</li> <li>• Engineering measurement</li> <li>• Related calculations</li> <li>• Drawings, sketches and instructions</li> <li>• Hand tools and equipment</li> <li>• Materials handling whilst operating tools</li> <li>• Workshop procedures</li> <li>• Work safely to instructions</li> <li>• Select appropriate tools for material usage</li> <li>• Use tools correctly</li> </ul>	<ul style="list-style-type: none"> <li>• Machining is undertaken on one or more of a range of standard machine tools.</li> <li>• Work is undertaken under supervision to predetermined specifications and standards of quality and safety.</li> <li>• Machines may include lathes, mills, planers, shapers, drills, slotters, surface grinders.</li> <li>• Materials may include standard ferrous and non-ferrous materials.</li> <li>• Operations and set up carried out on those machines are straightforward and may include parallel cutting, slotting, planing, drilling, knurling, cutting flats, non-precision surface grinding operations.</li> <li>• Surface grinding operations covered by this unit are those requiring magnetic chucks and grinding of flat surfaces.</li> <li>• Machining parameters include speeds, feeds, stops, coolant and cutting lubricants.</li> <li>• Hacksaws, hammers, punches.</li> <li>• Hand tools for cleaning, lubricating, tightening and hand sharpening and adjustments.</li> </ul>
<p><b>Candidate's Signature:</b> _____ <b>Date:</b> _____</p> <p><b>Assessor's Signature:</b> _____ <b>Date:</b> _____</p> <p><b>Internal Verifier's Signature:</b> _____ <b>Date:</b> _____</p>	

**SCHOOL BASED ASSESSMENT**  
**EXEMPLAR 1 - OPTION B – MECHANICAL ENGINEERING TECHNOLOGY**

**DIMENSIONS OF COMPETENCY**

This School-Based Assessment is aligned to Use hand tools (BCGCOR01911A) and Perform general machining operations (MEMMPO0021A) in the Metalwork Engineering, Level I (CCMEM1030) Regional Occupational Standard. Carry out OH&S requirements (BCGCOR0011A), Use graduated measuring devices (MEMCOR0171A) and Mark off/out (general engineering) (MEMCOR0081A) may also be assessed with this assignment.

<b>WORK ACTIVITY:</b>	
A client has provided the drawing of a mounting bracket to you for manufacture. The bracket is to be manufactured from medium carbon steel using a combination of hand tools and machining operations.	
<b>TASK SKILLS</b>	<b>TASK MANAGEMENT SKILLS</b>
Candidate has to <ul style="list-style-type: none"> <li>• Interpret activity</li> <li>• Follow health and safety requirements applicable to work environment</li> <li>• Select and accurately use the necessary tools and equipment</li> <li>• Comply with organisational policies and procedures including Quality Assurance requirements</li> <li>• Carry out correct procedures prior to and during machining processes</li> <li>• Use hand tools correctly</li> <li>• Identify and rectify typical faults and problems</li> <li>• Demonstrate safe and effective operational use of tools and equipment</li> <li>• Interactively communicate with others to ensure safe and effective operations</li> </ul>	Prepare/ organise/ co-ordinate by <ul style="list-style-type: none"> <li>• Interpret and plan activity</li> <li>• Select tools, equipment and materials</li> <li>• Apply health and safety procedures</li> <li>• Organize work station</li> <li>• Work in a logical and sequential manner within the required time frame</li> </ul>
<b>CONTINGENCY MANAGEMENT SKILLS</b>	<b>EMPLOYABILITY/ JOB ROLE/ ENVIRONMENT SKILLS</b>
What if ...? <ul style="list-style-type: none"> <li>• Tools are insufficient or unavailable</li> <li>• There is a power outage while machining</li> <li>• Material estimates are inaccurate</li> </ul>	The candidate can ... <ul style="list-style-type: none"> <li>• Collect, analyse and organise information</li> <li>• Communicate ideas and information</li> <li>• Plan and organise activities</li> <li>• Work with others and in team</li> <li>• Use mathematical ideas and techniques</li> <li>• Solve problems</li> <li>• Use technology</li> </ul>

**Assessor's Signature** : \_\_\_\_\_ **Date:** \_\_\_\_\_

KEY  
Competent - Range 3 and above  
Not Yet Competent - below Range 3

**SCHOOL BASED ASSESSMENT  
EXEMPLAR 1 - OPTION B –MECHANICAL ENGINEERING TECHNOLOGY**

**ASSESSOR EVALUATION**

This School-Based Assessment is aligned to Use hand tools (BCGCOR01911A) and Perform general machining operations (MEMMPO0021A) in the Metalwork Engineering, Level I (CCMEM1030) Regional Occupational Standard. Carry out OH&S requirements (BCGCOR0011A), Use graduated measuring devices (MEMCOR0171A) and Mark off/out (general engineering) (MEMCOR0081A) may also be assessed with this assignment.

**Institution/ Centre:** \_\_\_\_\_

**Candidate's Name:** \_\_\_\_\_

ASSESSMENT CRITERIA	ASSESSOR				
	1	2	3	4	5
<b>1. OCCUPATIONAL HEALTH AND SAFETY</b>					
Candidate is appropriately attired in Personal Protective gear at all times					
Occupational Health and Safety (OH&S) requirements for tasks and workplace environment adhered to					
All equipment and safety devices are used according to legislative requirements					
Tools and equipment cleaned, maintained and stored.					
Materials are stored for re-use or disposal					
<b>2. PROCESS</b>					
Tools and equipment selected consistent with job requirements					
Tools and equipment checked for serviceability and any faults reported or rectified					
Drawings accurately interpreted					
Appropriate methods and sequencing are selected for fabrication process					
Marking out is carried off/out is carried out to specifications					
Datum points are correctly established					
Dimensions transferred are correct and appropriate					
Sequence of operations are followed to ensure maximum efficiency					
Tools are mounted and positioned correctly					
Machining parameters are set for job requirements and maximum tool life					
Routine maintenance and adjustments are carried out as required					
<b>3. PRODUCT</b>					
Quality Assurance requirements recognized and adhered to in accordance with manufacturing operations					
Components are checked with appropriate instruments or gauges to ensure compliance with specifications					
Finished surfaces are in accordance with requirements					
Joints are smooth and conform to the requirements of good engineering practices					

**Comment/ Feedback:**

---

---

**Rating Scale:**

1. Cannot perform this task.
2. Can perform this task with **constant** supervision and **considerable** assistance.
3. Can perform this task with **constant** supervision and **some** assistance.
4. Can perform this task satisfactorily with periodic supervision.
5. Can perform this task satisfactorily with little or no supervision.

**Assessor's Signature** : \_\_\_\_\_ **Date:** \_\_\_\_\_

**Candidate's Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

### Portfolio Development Guidelines

A portfolio is an organised convenient means of collection and presentation of materials which records and verifies a candidate's learning achievements and relates them to the depth and breadth of work required by each unit of the occupational standards. The depth and breadth of work should include a diversity of exhibits which reflects the following **criteria**:

- Writing, Reading and Comprehension Skills
- Critical Thinking and Problem Solving Skills
- Technology Skills
- Practical Skills
- Teamwork Skills

The outline of the portfolio should include information under the following headings:

- Cover Page
- Title Page
- Table of Contents
- Introduction
- Supporting Evidence (Depth & Breadth of Work)
- Self-Assessment/Reflection

#### **Details of EACH Heading**

##### **Cover Page**

- Name of School
- Occupational Area CVQ Level 1
- Assessors Name
- Candidate's Name
- Year

##### **Title Page**

- Caribbean Vocational Qualification
- CVQ Level 1
- Occupational Area
- Year

##### **Table of Contents**

- By units
- Number pages

##### **Introduction**

- Portfolio of candidate to include personal data, background information on education / training experiences and expectations.

## **Supporting Evidence**

Provides information on the key formative and summative assignments / projects undertaken by the candidates to achieve the performance criteria in each unit on the Occupational Standards. All evidence supplied by the candidate should be reviewed by the assessor using the **criteria given**.  
**Evidence must be signed and dated on the date of the review by the assessor.**

### **Suggestions for supporting evidence:**

- Written Assignment
- Oral Questions (checklist format)
- Projects
- Work Samples
- Research Assignments
- Fieldtrip reports
- Summative evaluation of practical work
- Digital photographs of candidates performing critical tasks

### **Self-Assessment/Reflections**

Allows candidates to rate their performance against the requirements of the relevant unit/s of competency and allows candidates to reflect in writing whether their expectations have been achieved in the particular occupational area.

## **Summary**

*Each candidate* in every occupational area *must* prepare a portfolio which will showcase:

- Growth and development of the candidate during the two year period.

Portfolios *must* be kept for evaluation by the Internal Verifier, External Verifier and the Quality Assurance auditor of the Caribbean Examination Council.

◆ ***INDUSTRIAL TECHNOLOGY SYLLABUS***

***OPTION C: BUILDING AND FURNITURE TECHNOLOGY***



## **OPTION C: BUILDING AND FURNITURE TECHNOLOGY**

### **SECTION 1: THE NATURAL AND BUILT ENVIRONMENT**

#### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *understand the components of the natural and built environment;*
2. *understand environmental issues and their impact on the built and natural environment;*
3. *appreciate the influence of other cultures on local and regional building styles; and,*
4. *understand the principles that govern building industry.*

#### **SPECIFIC OBJECTIVES**

*The students should be able to:*

1. *discuss the components of the natural environment;*
2. *discuss the components of the built environment;*
3. *assess the impact of environmental pollution on the natural and built environment;*
4. *discuss the influence of other cultures on local building styles; and,*
5. *discuss the principles that govern the building construction industry.*

#### **CONTENT**

##### **1. Natural environment**

*(a) Definitions:*

- (i) the natural environment; and,*
- (ii) the built environment.*

*(b) Components of the natural environment:*

- (i) the eco-system;*
- (ii) the atmosphere;*
- (iii) the geosphere; and,*
- (iv) labelled diagrams.*





## **SECTION 1: THE NATURAL AND BUILT ENVIRONMENT (cont'd)**

### **2. Built environment**

- (a) *Definition for the built environment.*
- (b) *Environmental policies relating to land management practices, use and restrictions.*
- (c) *Buildings and infrastructure to satisfy humans' needs (including homes, communities, cities, industries, bridges, roads).*
- (d) *Technology (materials, energy, finances, methods and systems used to construct the built environment).*
- (e) *Labelled diagrams.*

### **3. Impact of environmental pollution on the natural and built environment**

- (a) Effects of climate change:
  - (i) definition of climate change;
  - (ii) reasons for increase in natural disasters (*flooding, hurricane, acid rain, earthquakes*);
  - (iii) reasons for decrease in water resources (flow and quality); and,
  - (iv) reasons for decrease in soil quality (loss of organic matter and soil fertility, erosion of soil).
- (b) *Risk management strategies:*
  - (i) *the KYOTO Protocol; and,*
  - (ii) *local, regional and international convention, treaties and sustainable development practices.*

### **4. The influence of other cultures on Caribbean building styles.**

Features of the following architecture in Caribbean building styles:

- (a) British;
- (b) French;
- (c) Indian; and,
- (d) American.

## **SECTION 1: THE NATURAL AND BUILT ENVIRONMENT (*cont'd*)**

### **5. Principles of the building construction industry**

*(a) Classification of buildings:*

- (i) residential;*
- (ii) commercial; and,*
- (iii) social/civic industrial.*

*(b) Basic building structures:*

- (i) solid;*
- (ii) framed;*
- (iii) sub-structure; and,*
- (iv) super structure.*

*(c) Basic building elements:*

- (i) foundations;*
- (ii) walls;*
- (iii) floors;*
- (iv) roofs; and,*
- (v) openings (doors, windows).*

*(d) Site works:*

- (i) site work layout, planning and co-ordination plans with surveyors;*
- (ii) excavation;*
- (iii) grading;*
- (iv) back filling;*
- (v) drainage;*
- (vi) drive way;*
- (vii) septic and sewer systems; and,*
- (viii) landscaping.*

## **SECTION 1: THE NATURAL AND BUILT ENVIRONMENT (*cont'd*)**

- (e) *Building construction documents:*
  - (i) *site specification document;*
  - (ii) *architectural plans;*
  - (iii) *surveyor's plan;*
  - (iv) *working drawings;*
  - (v) *bill of quantities;*
  - (vi) *the hydrosphere; and,*
  - (vii) *labelled diagrams of each component.*

## **SECTION 2: SITE WORK OPERATIONS**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *develop a working knowledge of the fundamentals of basic site work; and,*
2. *appreciate the importance and levels of preparation for site work operations.*

### **SPECIFIC OBJECTIVES**

*The students should be able to:*

1. *discuss the factors to be considered when choosing a building site;*
2. *prepare for site works operations;*
3. *explain the methods of clearing a building site;*
4. *explain the purposes of hoarding;*
5. *lay out simple buildings/structures; and,*
6. *prepare for an excavation.*

### **CONTENT**

#### **1. Choosing a building site**

*(a) Factors:*

- (i) soil-load bearing capacity;*
- (ii) cohesive and non-cohesive soils;*
- (iii) correct foundation:*
- (iv) accessibility;*
- (v) cost;*
- (vi) topography;*
- (vii) history;*
- (viii) availability of utilities;*

## **SECTION 2: SITE WORK OPERATIONS (cont'd)**

- (ix) zoning;
- (x) prospect;
- (xi) aspect;
- (xii) location;
- (xiii) size; and,
- (xiv) climate.

### **2. Site work operations**

- (a) *Types of documentations:*
  - (i) Building design; and,
  - (ii) Construction documents.
- (b) *Knowledge of the contractor's responsibilities.*
- (c) *Construction of temporary shelters and services:*
  - (i) site offices;
  - (ii) sanitary facilities;
  - (iii) equipment and material storage;
  - (iv) water;
  - (v) electricity;
  - (vi) gas; and,
  - (vii) telephone.
- (d) *Access road.*
- (e) *Types of equipment for:*
  - (i) digging;
  - (ii) lifting; and,
  - (iii) fixing and measuring.

## **SECTION 2: SITE WORK OPERATIONS (cont'd)**

- (f) *Safety and maintenance standards (workers, use and storage of equipment).*

### **3. Methods of clearing a building site**

- (a) *Safety guidelines, procedures and standards for manual and mechanical methods.*
- (b) *Operations:*
  - (i) *strip site;*
  - (ii) *cutting trees;*
  - (iii) *demolish old buildings;*
  - (iv) *earthing;*
  - (v) *salvaging;*
  - (vi) *disposing; and,*
  - (vii) *removal of debris, old stumps old cars.*

### **4. Hoarding**

- (a) *Definition of hoarding.*
- (b) *Purposes:*
  - (i) *protection of the public;*
  - (ii) *protection of materials;*
  - (iii) *general security; and,*
  - (iv) *reduction of interference and interruptions.*

### **5. Laying out simple buildings/structures**

- (a) *Safety guidelines, procedures and standards for manual and mechanical methods:*
  - (i) *square and rectangular buildings; and,*
  - (ii) *site datum use.*

## **SECTION 2: SITE WORK OPERATIONS (cont'd)**

- (b) *Measuring/Calculating:*
  - (i) *the distance from the site boundary to the building line on the working drawing; and,*
  - (ii) *using Pythagoras theorem (3:4:5) and builder's square to check squareness.*
- (c) *Establishing levels:*
  - (i) *using spirit level aqua level and datum pegs; and,*
  - (ii) *introduce laser level.*
- (d) *Using profiles boards to establish:*
  - (i) *foundation trench lines and levels; and,*
  - (ii) *foundation wall lines and levels.*

### **6. *Preparing an excavation***

- (a) *Safety guidelines, procedures and standards for manual and mechanical methods.*
- (b) *Operations:*
  - (i) *digging to recommended levels in the subsoil;*
  - (ii) *measuring the depth of the excavation (level, boning rod);*
  - (iii) *supporting sides of trenches; and,*
  - (iv) *removal of excavated soil.*

## **SECTION 3: BASIC ARCHITECTURAL DRAWINGS**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *develop proficiency in the production of basic architectural drawings using manual and CAD standards; and,*
2. *develop proficiency in the reading, preparation and interpretation of architectural plans.*

### **SPECIFIC OBJECTIVES**

*Students should be able to:*

1. *prepare detailed drawings;*
2. *prepare sectional views;*
3. *apply the principles of geometric construction; and,*
4. *read and interpret site plans.*

### **CONTENT**

#### **1. Drawings**

*(a) Using guidelines and standards to prepare:*

- (i) details of windows in masonry block wall (frame, glass fixing, sill, awning, sliding, sash, casement, pivot);*
- (ii) details of doors;*
- (iii) timber staircase;*
- (iv) roof member;*
- (v) floors (timber and concrete upgrade);*
- (vi) columns (timber and concrete);*
- (vii) beams; and,*
- (viii) carcase (framed, box and panel).*



## **SECTION 3: BASIC ARCHITECTURAL DRAWINGS (cont'd)**

### **2. Sectional views**

*Using guidelines and standards for the following sectional views of buildings and building components:*

- (a) a timber floor;*
- (b) roof members ( rafter, ridge, plate, battens, covering);*
- (c) timber stair-case;*
- (d) broken out sections of a building (masonry block walls; and,*
- (e) doors and windows.*

### **3. Geometrical Construction**

- (a) Types.*
- (b) Principles of geometrical construction.*

### **4. Architectural drawings or site plans**

*Sources:*

- (a) Plot plans to include:*
  - (i) property lines;*
  - (ii) shape, location and size of the building;*
  - (iii) elevation of each corner of the site;*
  - (iv) utilities;*
  - (v) septic tanks;*
  - (vi) scale of the drawing; and,*
  - (vii) property description.*
- (b) Foundation plans to include:*
  - (i) footings;*
  - (ii) columns;*
  - (iii) foundation walls;*

### SECTION 3: BASIC ARCHITECTURAL DRAWINGS (cont'd)

- (iv) *floor joists;*
- (v) *drains;*
- (vi) *footing/foundation sections and details;*
- (vii) *dimensions;*
- (viii) *scale of the drawing; and,*
- (ix) *notation.*
- (c) *Floor plans to include:*
  - (i) *dimensions;*
  - (ii) *interior and exterior walls;*
  - (iii) *doors;*
  - (iv) *windows;*
  - (v) *plumbing fixtures;*
  - (vi) *electrical fixtures;*
  - (vii) *stairs;*
  - (viii) *door and window schedules;*
  - (ix) *scale of the drawing; and,*
  - (x) *notation.*

## **SECTION 4: TIMBER TECHNOLOGY**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

1. *understand the characteristics, uses, parts and properties of timber and timber products;*
2. *develop skills in selecting, treating, and storing timber and timber products; and,*
3. *develop a working knowledge of the preparation of timber for production purposes.*

### **SPECIFIC OBJECTIVES**

*Students should be able to:*

1. *discuss the main classification of trees;*
2. *identify the parts of the cross-section of a tree;*
3. *explain the methods of processing timber;*
4. *explain the methods of seasoning timber;*
5. *identify different types of defects associated with timber; and,*
6. *explain the methods of timber preservation.*

### **CONTENT**

#### **1. Classification of trees:**

(a) *Classification of trees:*

- (i) *hard woods (including mahogany, teak, oak, birch); and,*
- (ii) *soft woods (including cedar, pine and red wood).*

#### **2. Parts of a tree and their functions:**

- (a) *cambium layer;*
- (b) *growth ring;*
- (c) *pith;*
- (d) *xylem and phloem;*



## SECTION 4: TIMBER TECHNOLOGY (cont'd)

- (e) bark;
- (f) sapwood;
- (g) heartwood; and,
- (h) labelled diagrams of the cross section of a tree trunk.

*Properties of hardwood and soft wood:*

- (a) grain direction;
- (b) texture;
- (c) colour;
- (d) strength;
- (e) weight; and,
- (f) durability.

### 3. **Methods of processing timber**

- (a) *Conversion of lumber:*
  - (i) plain/flat sawing (through and through sawing, slab sawing);
  - (ii) quarter sawing;
  - (iii) tangential sawing; and,
  - (iv) radial sawing.
- (b) *Types of timber boards according to:*
  - (i) sizes (boards, lath, posts); and,
  - (ii) grading (select timber for commercial purposes).

- (c) *Dress and rough timber:*

*Guidelines, materials, equipment and standards for the following finishes;*

- (i) Flat;
- (ii) Straight.



## SECTION 4: TIMBER TECHNOLOGY (cont'd)

- (d) Storage of timber products.
- (e) Methods of wood preservation:
  - (i) applying paints and varnishes;
  - (ii) brushing and spraying with preservative;
  - (iii) pressure treatments; and,
  - (iv) dipping.

### 4. **Methods of seasoning timber**

- (a) *Definition of seasoning.*
- (b) *Natural: Air-drying.*
- (c) *Artificial method: Kiln-drying.*
- (d) *Procedures and standards for each natural and artificial method.*
- (e) *New and developing methods:*
  - (i) *chemical;*
  - (ii) *micro wave energy;*
  - (iii) *conditioning; and,*
  - (iv) *press drying.*
- (f) *Calculating moisture content.*
- (g) *Advantages and disadvantages of artificial and natural methods of seasoning.*

### 5. **Timber defects**

- (a) *Natural defects:*
  - (i) *shakes; (star, heart, cup and ring);*
  - (ii) *knots; (dead, arris, splay, face, live);*
  - (iii) *warps;*

## SECTION 4: TIMBER TECHNOLOGY (cont'd)

- (iv) *bowing;*
- (v) *twists; and,*
- (vi) *splits.*
- (b) *Artificial defects caused by (termites, fungi, beetles).*
- (c) *Characteristics of each defect.*
- (d) *Methods of treating natural and artificial defects.*

### 6. **Timber Preservation**

- (a) *Types:*
  - (i) *Oil;*
  - (ii) *Water soluble; and,*
  - (iii) *Organic.*
- (b) *Characteristics of a good preservative.*
- (c) *Preservation methods.*

## **SECTION 5: BUILDING TECHNOLOGY**

### **GENERAL OBJECTIVES**

*On completion of this Section, students should:*

- 1. understand the operating principles of tools, equipment and materials used in building construction processes;*
- 2. understand the principles of the building construction industry;*
- 3. develop competency in basic building construction operations; and,*
- 4. appreciate safety, maintenance and quality standards.*

### **SPECIFIC OBJECTIVES**

*The students should be able to:*

- 1. explain the production of common building construction materials*
- 2. discuss the uses of different types of building construction material;*
- 3. discuss the uses of different types of building construction tools and equipment;*
- 4. demonstrate skills in the safe use of materials, tools, equipment and processes in a range of building construction operations;*
- 5. demonstrate carpentry skills in the construction of building components;*
- 6. explain the principles of the building construction industry; and,*
- 7. demonstrate basic plumbing skills.*

### **CONTENT**

#### **1. Building construction materials:**

- (a) *Aggregates:*
  - (i) *gravel;*
  - (ii) *sand;*
  - (iii) *crushed stone;*
  - (iv) *limestone;*
  - (v) *granite; and,*
  - (vi) *tests for aggregates (silt content).*



## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (b) Cement:
  - (i) Portland Cement (ordinary, quick setting, modified, water proof);
  - (ii) slaked or white lime; and,
  - (iii) building blocks.

### 2. Uses of construction materials

- (a) *Boards:*
  - (i) plywood;
  - (ii) laminated boards;
  - (iii) *hardboards;*
  - (iv) *plastic foam board;*
  - (v) *cement board;*
  - (vi) gypsum wall board; and,
  - (vii) MDF (Medium Density Fibreboard).
- (b) *Plastics:*
  - (i) *PVC;*
  - (ii) *polymer resin;*
  - (iii) *thermoplastics;*
  - (iv) *thermosetting plastics; and,*
  - (v) *environmental issues surrounding the use of plastics (burning, disposal).*
- (c) *Wall Materials:*
  - (i) *bricks;*
  - (ii) *building blocks (cement-based, glass);*
  - (iii) *stones;*
  - (iv) *concrete; and,*
  - (v) *timber.*



## SECTION 5: BUILDING TECHNOLOGY (cont'd)

(d) *Concrete:*

*Types:*

(i) *stressed concrete; and,*

(ii) *pre-stressed concrete.*

(e) *Aggregates.*

(f) *Mortar.*

(g) *Roof materials (aluminium sheeting, tiles, plastic, shingles, concrete).*

(h) *Floor materials (tiles, boards, stone-based and plastic-based, concrete).*

### 3. ***Building tools and equipment***

(a) *Tools:*

(i) *brick and block laying;*

(ii) *cutting;*

(iii) *marking;*

(iv) *finishing;*

(v) *measuring;*

(vi) *levelling;*

(vii) *percussion/impelling;*

(viii) *boring;*

(ix) *gripping/holding; and,*

(x) *excavating.*

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

(b) *Equipment:*

(i) *ladders;*

(ii) *scaffolds;*

- *using and dismantling simple scaffolds;*
- *guidelines, procedures and standards for:*
- *timber and metal scaffolds of less than 2m height; and,*
- *guidelines procedures and standards for dismantling the scaffolds.*

(iii) *mixing machines;*

(iv) *mobile elevating machines;*

(v) *vibrators;*

(vi) *wheel barrow;*

(vii) *bucket; and,*

(viii) *skip.*

(c) *Labelled diagrams.*

(d) *Operating principles.*

(e) *Safety, maintenance and storage.*

### 4. Building construction operations

#### 4.1 *Preparing mortar*

(a) *Defining mortar.*

(b) *Materials and their use:*

(i) *sand;*

(ii) *water;*

(iii) *cement;*

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (iv) *properties of sand, cement and water;*
- (v) *tools and equipment;*
- (vi) *guidelines for preparing mortar (calculations of materials based on proportion and using manual and mechanical means);*
- (vii) *standards for the finished products; and,*
- (viii) *guidelines, standards and procedures for applying mortar (as a binding and as the finishing agent).*

### 4.2 Preparing concrete

- (a) *Definition.*
- (b) *Guidelines and standards for preparing concrete:*
  - (i) *materials, tools and equipment for preparing standard mixes; and,*
  - (ii) *differentiating between stressed and pre-stressed concrete.*
- (c) *Concreting operations:*
  - (i) *preparing standard mixes;*
  - (ii) *batching/proportioning concrete;*
    - *ratio of cement to sand;*
    - *ratio of water to cement;*
    - *batching by weight, volume, strength, homogeneity;*
    - *reduction of waste; and,*
    - *water tightness.*
  - (iii) *compacting concrete;*
  - (iv) *moisture loss control;*
  - (v) *adjusting water content;*
  - (vi) *curing concrete (methods – spray, sandbags, ponding);*
  - (vii) *testing concrete (slump, cube and compression tests); and,*

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (viii) *placing concrete (precautions – time between mixing and placing, transporting, height of pour).*

### 4.3 **Constructing a concrete foundation**

- (a) Types of foundation:
  - (i) strip – (simple, narrow, deep, wide, stepped);
  - (ii) raft;
  - (iii) pad; and,
  - (iv) short-bored piles.
- (b) Characteristics and uses of each type.
- (c) Guidelines, materials, tools and equipment for preparing a:
  - (i) strip foundation; and,
  - (ii) standards for the finished project.

### 4.4 **Constructing formwork**

- (a) *Uses.*
- (b) Materials, tools, equipment and guidelines for constructing a timber formwork.
- (c) Standards for the completed projects.
- (d) Safety procedures and methods of dismantling the formwork.

### 4.5 **Constructing lintels and beams**

- (a) *Definition and uses of:*
  - (i) *lintels; and,*
  - (ii) *beams.*
- (b) Guidelines, procedures and standards for constructing lintels and beams.

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

### 4.6 Constructing walls

- (a) *Types of walls:*
  - (i) load-bearing;
  - (ii) non-load bearing;
  - (iii) exterior; and,
  - (iv) partition.
- (b) Guidelines, procedures and standards for:
  - (i) each type of wall; and,
  - (ii) type of bonding.
- (c) Guidelines, procedures and standards for finishing using:
  - (i) rendering;
  - (ii) plastering;
  - (iii) screeding;
  - (iv) painting; and,
  - (v) tiling.

### 4.7 Performing steel-fixing operations

- (a) Fabricating reinforcement matting:

Materials, tools, equipment, guidelines and standards for:

  - (i) strip foundation matting;
  - (ii) pad foundation matting;
  - (iii) *size and number of steel bars in matting;*
  - (iv) *shape and size of links;*
  - (v) *spacing of links;*
  - (vi) *length of matten and hookends; and,*
  - (vii) *preparation of jig link.*

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (b) *Fabricate reinforcement cages:*

*Materials, tools, equipment, guidelines and standards for:*

- (i) *column and beam reinforcement cage;*
  - (ii) *square, rectangular and L-shaped stirrups;*
  - (iii) *single and right angle hook and end bars;*
  - (iv) *lintel; and,*
  - (v) *belt beam.*
- (c) Reinforcement drawings for mattings and cages.

### 5. **Basic Carpentry skills**

#### 5.1 **Constructing roofs**

- (a) Functions of a roofs.
- (b) Types of roofs:
  - (i) lean-to;
  - (ii) flat (concrete and timber);
  - (iii) gable;
  - (iv) hip roof; and,
  - (v) hipped and valley.
- (c) Roof members and their functions:
  - (i) rafters (common, hip, jack);
  - (ii) plates;
  - (iii) ridge;
  - (iv) ties;
  - (v) purlins; and,
  - (vi) *laths.*

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (d) *Purpose of the eaves:*
  - (i) *protection of roof members;*
  - (ii) *protection of walls;*
  - (iii) *aesthetics (appearance); and,*
  - (iv) *ventilation.*
- (e) *Types of ceilings and their functions:*
  - (i) *suspended;*
  - (ii) *closed boarded;*
  - (iii) *functions:*
    - *tying together opposite walls and roofs;*
    - *supporting upper floors;*
    - *aesthetics; and,*
    - *insulation.*
- (f) *Advantages of using trusses:*
  - (i) *economy of time, strength, material, money;*
  - (ii) *weight reduction;*
  - (iii) *ease of prefabrication; and,*
  - (iv) *quality control.*
- (g) *Guidelines, procedures and standards for constructing a single roof using trussed rafters.*
- (h) *Rafter calculations:*
  - (i) *number of rafters;*
  - (ii) *length of rafters (Pythagoras method, framing and square method; and,*
  - (iii) *angle of rafters (pitch).*
- (i) *Selecting and applying coverings (corrugated sheets, shingles, tiles, asphalt, felt building integrated photovoltaic materials).*

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

### 5.2 *Constructing doors*

- (a) Functions of doors:
  - (i) protection/security;
  - (ii) privacy;
  - (iii) ventilation;
  - (iv) lighting;
  - (v) sound insulation; and,
  - (vi) aesthetics.
- (b) Types of doors:
  - (i) panelled;
  - (ii) *French*;
  - (iii) *match boarded*;
  - (iv) *flush (interior)*; and,
  - (v) louvered doors.
- (c) Guidelines, procedures and standards for *constructing a panel door*.
- (d) *Guidelines, procedures and standards for installing the door*.
- (e) *Selecting ironmongery for doors* (locks, knobs, holders, *restricters*, hasp and staples, hinges, latches, tower bolts).

### 5.3 *Constructing windows*

- (a) *Functions of windows*:
  - (i) *lighting and ventilation*;
  - (ii) *sound reduction*; and,
  - (iii) *aesthetics*.



## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (b) *Types of windows:*
  - (i) *louvre (timber, metal and glass strips);*
  - (ii) *casement windows;*
  - (iii) *hopper;*
  - (iv) *awning;*
  - (v) *sliding (vertical and horizontal); and,*
  - (vi) *pivot.*
- (c) *Guidelines, procedures and standards for constructing:*
  - (i) *mortise and tenon joints for a window frame (incorporate this activity with the Furniture Manufacturing section);*
  - (ii) *a window sill (joints, grooves, weather bars, capillary and anti-capillary grooves;*
  - (iii) *applying the process of glazing (weather strips, glazing, putty, plain glass, sheet glass, wire glass); and,*
  - (iv) *selecting ironmongery (hinges, stays, fasteners, tower bolts, tracks).*

### 5.4 **Constructing floors**

- (a) *Functions of floors.*
- (b) *Types of floors:*
  - (i) *concrete on grade; and,*
  - (ii) *timber (single and double).*
- (c) *Trimming of floor for stairwell.*
- (d) *Floor members and their functions:*
  - (i) *joists;*
  - (ii) *bridging;*
  - (iii) *sub-floor;*

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (iv) *skirting;*
  - (v) *header;*
  - (vi) *wall plates; and,*
  - (vii) *floor boards.*
- (e) Calculating:
  - (i) floorboards;
  - (ii) joists; and,
  - (iii) *depth of joist.*
- (f) Guidelines, procedures and standards for *constructing a basic timber floor:*
  - (i) *choice of timber and characteristics;*
  - (ii) *design of boards (plain, tongue and groove);*
  - (iii) cutting joists;
  - (iv) nailing header joists;
  - (v) installing bridging;
  - (vi) fixing boarding; and,
  - (vii) applying finishing.

### 5.5 Constructing *a simple stair case*

- (a) Functions of a staircase:
  - (i) *allows access from floor to floor; and*
  - (ii) *an emergency escape.*
- (b) explaining terminologies relating to stairs:
  - (i) riser;
  - (ii) thread;
  - (iii) run;

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (iv) rise;
  - (v) stringer;
  - (vi) head room;
  - (vii) handrail;
  - (viii) Newel posts; and,
  - (ix) balusters.
- (c) Calculating:
- (i) numbers of risers;
  - (ii) numbers of threads;
  - (iii) total going; and,
  - (iv) stair safety and comfort using formula.
- (d) Guidelines, procedures and standards for:
- (i) *a timber staircase;*
    - *laying out (straight flight);*
    - *cut members;*
    - *construct joints; and,*
    - *assemble parts.*
  - (ii) *installation of the staircase.*

### 5.6 Basic plumbing and related services

- (a) Principles of plumbing:
- (i) types of pipes;
  - (ii) pipe *materials;*
  - (iii) pipe fittings;
  - (iv) methods of joining pipes;



## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (v) trap seals;
  - (vi) valves (application); and,
  - (vii) non-return valves.
- (b) Principles of roof drainage and disposal:
  - (i) pitch/slope;
  - (ii) gutters;
  - (iii) bends;
  - (iv) down pipes;
  - (v) soak-aways;
  - (vi) inspection chambers;
  - (vii) drain runs; and,
  - (viii) vents.
- (c) Types of drainage systems:
  - (i) one pipe;
  - (ii) two pipes; and,
  - (iii) operating principles of the types of drainage systems.
- (d) *Types of plumbing tools and equipment:*
  - (i) *tools (Measuring, cutting, bending, pointing, fixing and installation;*
  - (ii) *equipment (cutting, bending treading, boring); and,*
  - (iii) *fittings (taps, valves).*
- (e) *Traps, elbow, bends, tee, branch.*
- (f) *Functions of tools and equipment.*
- (g) *Nails, screws.*

## SECTION 5: BUILDING TECHNOLOGY (cont'd)

- (h) *Performing basic plumbing calculations:*
  - (i) *volume and capacity of storage tanks; and,*
  - (ii) *area, circumference and perimeter measurements for rectangles, squares, cylinders.*
- (i) *Guidelines, procedures and standards for installing pipes for domestic water supply:*
  - (i) *installing plastic and steel pipes for cold water systems; and,*
  - (ii) *testing and inspecting the systems.*
- (j) *Explaining the methods of sewage disposal:*
  - (i) cesspools;
  - (ii) septic tanks;
  - (iii) absorption pits;
  - (iv) soakaways;
  - (v) disposal fields (filter beds);
  - (vi) chemical chambers; and,
  - (vii) characteristics, advantages and disadvantages of each method.

## **SECTION 6: FURNITURE TECHNOLOGY**

### **GENERAL OBJECTIVES**

On completion of this Section, students should:

1. *understand the features of furniture design as influenced by different periods and styles;*
2. *develop skills in the use and maintenance of furniture materials, tools and equipment;*
3. *demonstrate the operating principles of production tools, materials, equipment and processes in the manufacture of furniture products; and,*
4. *appreciate safety, maintenance and quality standards.*

### **SPECIFIC OBJECTIVES**

The students should be able to:

1. *discuss the features of furniture designs associated with different periods and styles; and,*
2. *demonstrate the safe use of furniture materials, tools and equipment in the production of basic furniture products.*

### **CONTENT**

#### **1. Features of furniture designs**

- (a) *16<sup>th</sup> century:*
  - (i) *Queen Anne; and*
  - (ii) *Georgian.*
- (b) *17<sup>th</sup> century: Victorian.*
- (c) *19 – 21<sup>st</sup> century (contemporary):*
  - (i) *art deco;*
  - (ii) *bauhaus; and,*
  - (iii) *tapered and carved legs and components.*
- (d) *Preparing a portfolio of furniture designs for each style and period.*

## **SECTION 6: FURNITURE TECHNOLOGY (cont'd)**

### **2. Basic furniture manufacturing**

#### **2.1 Furniture manufacturing projects**

*Guidelines, procedures and standards for the selection, safe use and maintenances of:*

- (a) nuts and bolts;*
- (b) hinges;*
- (c) handles;*
- (d) knobs;*
- (e) staples;*
- (f) glass;*
- (g) metal;*
- (h) upholstery materials; and,*
- (i) dressed timber products.*

#### **2.2 Furniture making tools**

- (a) Guidelines, procedures and standards for the selection, safe use and maintenances of:*
  - (i) measuring and marking out tools;*
  - (ii) cutting and boring tools;*
  - (iii) holding and supporting devices; and,*
  - (iv) finishing and abrasives tools and materials;*
- (b) Power hand tools:*
  - (i) portables electric drills;*
  - (ii) circular saw;*
  - (iii) planers;*
  - (iv) sanders (belt and orbital;*

## **SECTION 6: FURNITURE TECHNOLOGY (cont'd)**

- (v) routers;
  - (vi) jig saws;
  - (vii) automatic pins and staple drivers; and,
  - (viii) nail gun.
- (c) Cutting and shaping with hand tools

Guidelines, procedures and standards for simple project identification and designs to include the following operations:

- (i) layout, cut chamfers and irregular shapes;
- (ii) shape with spoke shaves;
- (iii) chisel along and across grains;
- (iv) cut and pare with a chisel;
- (v) bore and drill holes; and,
- (vi) countersink holes.

### **2.3 Furniture equipment**

- (a) *Guidelines, procedures and standards for the selection, safe use and maintenance of:*
- (i) mounting and removing saw blades;
  - (ii) ripping;
  - (iii) cross cutting;
  - (iv) cut mitering;
  - (v) rebating;
  - (vi) bevelling;
  - (vii) chamfering;
  - (viii) grooving; and,
  - (ix) cleaning, greasing, oiling.



## SECTION 6: FURNITURE TECHNOLOGY (cont'd)

- (b) Guidelines, procedures and standards for operating and maintaining the band saw:

Cutting:

- (i) a mitre;
- (ii) tenons;
- (iii) curves;
- (iv) circles;
- (v) irregular patterns;
- (vi) *mounting and removal of blades; and,*
- (vii) *greasing and oiling.*

- (c) *Guidelines, procedures and standards for operating and maintaining the planer:*

Operations:

- (i) surfacing; and,
- (ii) thicknessing.

- (d) *Guidelines, procedures and standards for operating and maintaining the jointer:*

Operations:

- (i) surfacing;
- (ii) edging;
- (iii) chamfering;
- (iv) bevelling;
- (v) tapering; and,
- (vi) rebating.

## SECTION 6: FURNITURE TECHNOLOGY (cont'd)

- (e) *Guidelines, procedures and standards for operating and maintaining the drill press:*

Operations:

- (i) boring;
- (ii) drilling; and,
- (iii) *mortising*.

- (f) *Guidelines, procedures and standards for operating and maintaining the wood turning lathe:*

Cutting:

- (i) tapers;
- (ii) cylinders;
- (iii) *turning between centres*;
- (iv) *face plate turning*; and,
- (v) concave and convex shapes.

- (g) Guidelines, procedures and standards for operating and maintaining the grinder:

Operations:

Using the grinder to grind various types of tools.

### 2.4 Production processes:

- (a) Preparing woodworking Joints:

- (i) types of joints and their uses:
  - widening joints (butt, dowel butt, tongue and groove, rebate);
  - framing joints (mitre, halving joint, dowelled, mortise and tenon); and,
  - carcase joints (rebate dovetail, housing, tee).

## SECTION 6: FURNITURE TECHNOLOGY (cont'd)

- (ii) designing simple projects using different types of joints; and,
- (iii) *guidelines, procedures and standards for the finished projects.*
- (b) Assembling frames:
  - (i) guidelines, procedures and standards for constructing simple household furniture; and,
  - (ii) operations:
    - gluing;
    - cramping up;
    - squaring up; and,
    - winding.
- (c) Apply lipping to board material: Guidelines, procedures and standards for the following materials:
  - (i) pre-glued;
  - (ii) iron on-tape; and,
  - (iii) corner edging.

### 2.5 Furniture Manufacturing

- (a) *Using construction, assembling and finishing techniques to:*
  - (i) *make and install wall and floor level cabinets:*
    - *cupboard;*
    - *counter tops (include sink cut out); and,*
    - *shelves.*
  - (ii) *standards for the completed projects.*

## SECTION 6: FURNITURE TECHNOLOGY (cont'd)

- (b) *Constructing basic household furniture using carved and turned shapes. Including:*
  - (i) *preparing for finishing (nail and screw holes treatment, wood sanding, apply filler, stain and sealer);*
  - (ii) *applying finishing (lacquer, water and oil based, wax, enamel);*
  - (iii) *installing hardware (drawers, doors); and*
  - (iv) *standards for the finished projects.*
- (c) *Perform basic upholstering operations*  
*Guidelines, procedures and standards for:*
  - (i) *prepare and assemble frames;*
  - (ii) *cutting coverings;*
  - (iii) *locating position of webbing;*
  - (iv) *tacking and stretch webbing;*
  - (v) *attaching burlap;*
  - (vi) *rolling edges on wood;*
  - (vii) *applying stuffing;*
  - (viii) *cutting covers to fit specific shapes;*
  - (ix) *padding surface; and,*
  - (x) *making pleats.*

## ◆ WORKSHOP/LABORATORY FACILITIES

Recommended equipment for a class of 16 in Building Technology and Furniture Manufacturing

ITEM	QUANTITY
<b><u>Machines Tools</u></b>	
Chop saw/Electric Mitre saw	
Circular saw	1
Band (Minimum 350mm Dia)	1
Sabre (Jig) saw	1
Radial-Arm (Min. Dia) saw	1
Jointer (150mm Min)	1
Thickness Planer (300mm)	1
Drill Press (with morticing attachment)	1
Finishing Sander	1
Belt Sander (75 x 600mm)	1
Electric Hand-Drill	2
Wood Lathe – 300mm Gap	1
Air compressor (1 h.p.)	1
<b><u>Portable Electric Tools</u></b>	
Portable Router (1 ½ h.p.)	1
Circular Saw	1
Drill	1
Planer	1
Sander	1
<b><u>Pneumatic Tools</u></b>	
Nail gun	2
Staple Gun	1
Sander	1
Spray Gun (set)	1
<b><u>Safety Equipment</u></b>	1
Biological Equipment	16
Safety Glasses	16
Respirators	
Desk Masks (disposable)	
Leather Gloves	
<b><u>Technology Equipment</u></b>	
Computer	6
Printer	1
Scanner	1
Multimedia Projector	1
Television	1
Interactive board	1
Software – CAD/CADD/CAM, Windows Productivity tools, Graphic Packages	

ITEM	QUANTITY
------	----------

### **Hand Tools**

#### **Squares**

Sliding Bevel	5
Try	5
Framing	5
Builders' Square (3:4:5) (to be fabricated in workshop)	2

### **Hand Saws**

Hand: Rip, Cross Cut, Back	5
Coping	3

### **Clamps**

G (100, 150 and 200mm)	12
Bar (1200mm with extension)	6

### **Bits**

Braces and 3 sets of bits sizes 6mm – 32mm – 3mm intervals	3
Expansion	3
High Speed	3
Drill (3m – 13mm)	3
Spade Bits ( set)	1
Router Bits (set)	1
Forstern Bits (set)	1
Hole Saw (set)	1
Dado Head	1

### **Wood Chisel**

Bevel Edge (3mm – 25mm)	3
Firmer (3mm – 25mm)	3
Mortising (6mm – 13 mm)	3
(Lathe) Turning tools – Heavy Duty	1

### **Planes**

Jack	6
Smoothing	4
Fore	1
Block Plane	4

### **Hammers**

Claw hammers	10
--------------	----

ITEM	QUANTITY
Sledge Hammers (2kg)	2
Warrington Hammers	2
<b>Mallets</b>	
(Wooden) Mallets	20
Rubber Mallets	2
<b>Knives</b>	
Utility knives	6
Marking knives	10
Putty knives	6
<b>Measuring and Layout Tools</b>	
Marking Gauges	10
Mortise Gauges	10
Dividers	6
Calipers (internal and external)	6
Nail Punches	6
30m Measuring Tapes	2
5m Measuring Tapes	5
Spirit Level (600mm long)	3
Spirit Level (1200mm long)	3
Chalk Line	4
Line Level	6
<b>Screwdrivers</b>	
Flat end (Assorted Sizes)	10
Phillips (Assorted sizes)	10
<b>Spoke Shaves</b>	
Flat	4
Round	4
Hatchet	1
<b>Additional Tools</b>	
Crowbars	2
Steel Fixers Nippers	2
Pliers	2
Shares	2
Pick-Axes	2
Oil stones	3

ITEM	QUANTITY
Shovels (long and short handles)	4
Trowels	6
Steel Floats	6
Wood Floats (to be fabricated in workshop)	6
Trammel	1
Hack Saw (with replacement blades)	2
Cabinet Scrapers	2
Tile Cutter	1
Roller Stands	2
Extractor/Paint Bay	1



## ◆ RESOURCES

The following is a list of books that may be used as resource material for the CXC Building Technology syllabus. The list is not exhaustive or prescriptive, but indicates sources which may be appropriate for use by teachers and students.

Chudley, R.	<i>Construction Technology</i> . London: Addison Wesley Longman, 1999.
Greeno, R.	<i>Principles of Construction</i> , (2 <sup>nd</sup> Edition). London: Addison Wesley Longman, 1995.
Hilton, F.	<i>Carpentry and Joinery in the Tropics</i> . London: Addison Wesley Longman, 1997.
Seeley, I.	<i>Building Technology</i> . London: MacMillan, 1974.
Kummer, N. Bielefeld, B.	<i>Basic Masonry Construction</i> . Switzerland: Birkhauser-Publishers for Architecture, 2007.
Kern, H.	<i>Essential Guide to the Steel Square: Facts, Shortcuts and Problem Solving Secrets for Carpenters, Woodworkers and Builders</i> . Pennsylvania: Fox Chapel Publishing Company, 2007.
Brotuck, T and Bielefeld, B.	<i>Basic Roof Construction</i> . Switzerland: Birkhäuser-Publishers, 2007.
PHCC Staff and Ater	<i>Plumbing 201, 4<sup>th</sup> Edition</i> . Virginia: PHCC Educational Foundation, 2014.
Newman, J.	<i>Advanced Concrete Technology</i> . Oxford: Butterworth-Heinemann, 2003.
Roger, S.	<i>Opportunities in Carpentry Careers</i> . Illinois: VGM Career Horizons, 2007.
Wagner, W. and Smith, H.	<i>Modern Carpentry Workbook: Essential Skills for the Building Trades, 11<sup>th</sup> Edition</i> . Illinois: Goodheart-Willcox Publisher, 2007.
Megson, T	<i>Structural and Stress Analysis</i> . Oxford: Butterworth-Heinemann, 2005.
Halliday, S.	<i>Sustainable Construction</i> . Oxford: Butterworth-Heinemann, 2008.
Incorporated Master Builders Association of Jamaica	<i>Basic Construction Manual for a Single Storey Domestic Dwelling</i> . Kingston: Incorporated Master Builders Association of Jamaica, 2008.

*ABC Building Dictionary*

*Revised CXC Teacher Resource Manuals (Building) Numbers 1-12*

*Local Building Code*



## ◆ GLOSSARY OF TERMS

<u>WORD/TERM</u>	<u>DEFINITION/MEANING</u>
account for	present reason for action or event
annotate	add a brief note to a label
apply	use knowledge of principles to solve problems
assess	present reasons for the importance of particular structures, relationships or process
calculate	arrive at the solution to a numerical problem
classify	divide into groups according to observable characteristics
comment	state opinion or view with supporting reasons
compare	state similarities and differences
construct	use a specific format to make and draw a graph, histogram, pie chart or other representation using data or material provided or drawn from practical investigations, build (for example, a model), draw scale diagram
deduce	make a logical connection between two or more pieces of information; use data to arrive at a conclusion
define	state concisely the meaning of a word or term
demonstrate	show; direct attention to...
describe	provide detailed factual information of the appearance or arrangement of a specific structure or a sequence of a specific process
determine	find the value of a physical quantity
design	plan and present with appropriate practical detail
develop	expand or elaborate an idea or argument with supporting reasons
diagram	simplified representation showing the relationship between components.
differentiate	state or explain briefly those differences between or among items which can be used to define the items or place them into separate categories.
discuss	present reasoned argument; consider points both for and against; explain the relative merits of a case
draw	make a line representation from specimens or apparatus which shows an accurate relation between the parts

<b><u>WORD/TERM</u></b>	<b><u>DEFINITION/MEANING</u></b>
estimate	make an approximate quantitative judgement
evaluate	weigh evidence and make judgements based on given criteria
explain	give reasons based on recall; account for
find	locate a feature or obtain as from a graph
formulate	devise a hypothesis
identify	name or point out specific components or features
illustrate	show clearly by using appropriate examples or diagrams, sketches
investigate	use simple systematic procedures to observe, record data and draw logical conclusions
label	add names to identify structures or parts indicated by pointers
list	itemise without detail
measure	take accurate quantitative readings using appropriate instruments
name	give only the name of
note	write down observations
observe	pay attention to details which characterise a specimen, reaction or change taking place; to examine and note scientifically
outline	give basic steps only
plan	prepare to conduct an investigation
predict	use information provided to arrive at a likely conclusion or suggest a possible outcome
record	write an accurate description of the full range of observations made during a given procedure
relate	show connections between; explain how one set of facts or data depend on others or are determined by them
sketch	make a simple freehand diagram showing relevant proportions and any important details
state	provide factual information in concise terms outlining explanations

**WORD/TERM****DEFINITION/MEANING**

suggest

offer an explanation deduced from information provided or previous knowledge. (... a hypothesis; provide a generalisation which offers a likely explanation for a set of data or observations.)

test

to find out, following set procedures

## ◆ GUIDELINES FOR INTEGRATING THE COMPETENCY BASED EDUCATION TRAINING AND ASSESSMENT APPROACH

### RATIONALE

*School-Based Assessment (SBA) is an integral part of candidates' assessment of the Industrial Technology offerings. It provides an opportunity to individualise a part of the curriculum to meet the needs of the students and facilitate feedback to the student at various stages of the experience. This helps to build the self-confidence of students as they proceed with their studies. The SBA assists in the development of the critical skills and abilities emphasised by the subject and enhances the validity of the examination on which candidate performance is reported. It makes a significant and unique contribution to both the development of relevant skills and the testing and rewarding of students for the development of those skills. In addition, the SBA caters to the multiple intelligences as various teaching and learning strategies are utilised; to provide students with the skills needed in everyday life. Through the SBA, students are provided with multiple opportunities and ways to develop and demonstrate knowledge, skills and attitudes.*

*The SBA score is derived from the composite marks of the entries in the School-Based Assessment portfolio which include the related CVQ Units of Competency aligned to the content in the syllabus. The CVQ is an award which represents the achievement of a set of competencies that define the essential (core) work practices of an occupational area consistent with the levels articulated within the Regional Qualifications Framework. It aims at the development of the Ideal Caribbean Worker, seeks to facilitate the movement of skilled certified workers within the CSME, enhances the quality profile and investment attractiveness of the work/labour force of CARICOM states and harmonises TVET systems across the region. The recognition of Unit competencies for the Level 1 CVQ will adhere to the standardised procedures currently operational in schools offering the CVQ programmes.*

### SCHOOL-BASED ASSESSMENT PORTFOLIO

*As part of the School-Based Assessment, candidates will be required to produce a portfolio providing evidence of candidates' progress and learning over the duration of the programmes. The evidence represents the formative and summative assessments of the programmes and are a compilation of all the learning experiences from commencement to the end of the programme. The Portfolio must mirror the key competencies (knowledge, skills, attitudes) required for the labour market and continuing studies.*

*Since the portfolio is an accumulation of the candidates' ongoing learning across the course of the two-year programme, it must be started at the commencement of the Industrial Technology Syllabuses. The guidelines provided in this document for selecting appropriate tasks are intended to assist teachers/facilitators and candidates in formulating assignments that are valid for the purpose of the SBA (Appendix II). The guidelines provided for the assessment of the assignments are intended to assist teachers/facilitators in awarding marks that are reliable indicators of the achievement of candidates in the SBA component of the Industrial Technology programmes.*

*For the effective delivery and assessment of this syllabus institutions must ensure the:*

1. *Availability of the resources, through partnerships with industries, firms and other institutions.*
2. *Comprehension of the assessment and certification requirements by all students.*
3. *Readiness of candidate to demonstrate his or her knowledge and skills.*
4. *High teaching and assessment standards through the Quality Control Procedures.*
5. *Planning and organisation of authentic work experience opportunities which are critical for the development of competencies which are not achievable in the institution.*
6. *Commencement of the portfolios at the beginning of delivery of the programme.*
7. *The availability of Internal Verifiers\*.*
8. *The Use of Delivery and Assessment plans. These are indispensable quality control measures and are encouraged to be joint activities between the teachers/facilitators and students. They are developed at the beginning of the delivery of the programmes.*
9. *Monitoring of the completion and maintenance of the portfolio and ensuring the demonstration of competencies in all areas.*
10. *The maintenance of the internal records for the portfolio.*

*\*An Internal Verifier is an employee of the institution and is responsible for ensuring the quality of the delivery and assessment of all the sections of the syllabus. The Internal Verifier assists the teachers/facilitators in the preparation of the delivery and assessment schedules and monitors the progress of the portfolio development as well as teachers' and students' record keeping. They support and work at ensuring accuracy and consistency in the application of the learning experience to achieve the acceptable levels of competence.*

## **ASSESSMENT**

*Assessments must produce evidence of the range and depth of skills, knowledge and application taught. Types of assessments may include teacher, peer, authentic and self-assessments. The tasks are to be structured to achieve a balance in both the formative (developmental) and summative (judgemental) roles of assessment.*

### **1. Peer/Group Assessment**

*Peer Assessment aims to develop the students ability to make independent judgements by involving them in evaluating and making decisions on other student's work. It is used as a group work activity involving a variety of assessment methods to develop students' team work and cooperative learning skills.*

## 2. Self-Assessment

*Self-Assessment aims to supplement teachers' assessment. It is an effective resource in allowing students to make judgements about their own learning and in allowing them to work at their own pace.*

## 3. Authentic Assessment

*Authentic assessment aims at providing a clear relationship with the knowledge, skills and attitudes being developed and the delivery and assessment activities. Authentic tasks are real and mirror realistic training which is transparent and evokes a strong commitment to study.*

### **METHODS OF ASSESSMENT**

*These may include:*

1. *oral and written examinations;*
2. *direct observation;*
3. *interviews;*
4. *demonstration of practical;*
5. *dual training (institution and industry. Effective for practicum);*
6. *learning contracts agreement between the staff and students;*
7. *computer-based assessment (provides flexibility in the time, location or even the questions being answered by students. Effective with multiple – choice questions); and,*
8. *portfolio assessment.*

### **PORTFOLIO ASSESSMENT**

*The portfolio is a student-centred communication approach that adequately reflects the teaching and learning experiences through authentic activities. This assessment provides teachers/facilitators an opportunity to participate in the progress of the students in a very broad context. This may include the observation of the students in exploring, experimenting, taking risks, developing creative solutions and learning to assess or make judgements about their own performances. The portfolio places a high premium on quality. It provides a strong feedback loop of continuous evaluation and improvement in teaching and learning. The portfolio is one of the major quality assurance vehicles for the provision of tangible and intangible evidence, attesting to the quality (relevance, validity, reliability) of educational delivery, assessment and outputs.*

*For the Industrial Technology Syllabus, students will compile a portfolio to provide evidence:*

- 1. That clearly shows the students progress. It is a compilation of all the learning experiences throughout the course and it is assessed by the internal verifier.*
- 2. Of the certification requirements (evidence and certificate) for the Caribbean Vocational Qualification (CVQ).*

### **CHARACTERISTICS OF THE PORTFOLIO ASSESSMENT**

*Portfolio Assessment is multi-dimensional in nature and has the following characteristics of quality:*

- 1. It is continuous and ongoing. It provides both formative and summative evaluation opportunities for monitoring the students' progress while they work toward the achievement of the learning outcomes.*
- 2. It uses a wide variety of tangible and intangible evidence (practical and written), reflecting various aspects of the delivery and learning processes.*
- 3. It is reflective; providing students an opportunity to analyse their performance and track the development of their competencies.*
- 4. Assessment results are used to improve the delivery and learning processes.*

### **CHARACTERISTICS OF THE PORTFOLIOS**

***The portfolio is a compilation of students' work based on the teaching and learning experiences and should:***

- 1. reflect the performance outcomes and objectives of the programmes being undertaken (from the beginning of the delivery process to the stage of being competent);*
- 2. focus on the essential competencies which are performance-based;*
- 3. contain samples of work from the commencement of the programme to the end;*
- 4. contain evidence that represent a variety of assessment methods; and,*
- 5. contain the evidence of the students' formative and summative development.*

### **PLANNING THE PORTFOLIO**

*This is a collaborative activity between the teachers/facilitators and students.*

*Steps.*

- 1. Discuss with the students of the importance of the portfolio as a means of monitoring and evaluating their progress.*





2. *Select the entries for the portfolio. These must reflect the learning outcomes and experiences.*
3. *Organise the evidence (cover page, table of contents, performance outcomes, artefacts, literary work, evaluation, reflection). Please see Appendix III for the Portfolio Development process.*
4. *Create an evaluation schedule.*
5. *Maintain and store.*
6. *Reflection on experiences by students. This can take the form of a journal and a learning log.*

### **EVALUATION OF THE PORTFOLIO**

*The teachers/facilitators are encouraged to use a variety of scoring strategies to evaluate the portfolio. The evaluation of the portfolio is a joint activity between the teachers and students. Both are involved in the selection of the criteria that will be used to assess and evaluate the evidence throughout the instructional period (formative) and at the end (summative). The use of a portfolio assessment rubric (cover design, authenticity of evidence, organisation of evidence, completeness, accuracy of information, self-reflective statement) is recommended for the portfolio evaluation.*

### **FEEDBACK**

*Feedback is an integral process in CBETA. High quality feedback consists of the following elements:*

1. *Clear criteria against which to judge the comments.*
2. *Detailed comments which are related to the performance of the students.*
3. *Comments that are geared at improvement.*

### **EVIDENCE FOR THE PORTFOLIO**

*The pieces of evidence MUST depict the candidates' developmental progress in each of the Section from which the evidence is derived. Where possible, it is advised that the Sections of the syllabus be integrated to give evidence of their full coverage.*

*The portfolio pieces must show the integration of CVQ Units where applicable. Teachers are encouraged to use the listing below as a guide to selecting pieces from each Section in the Industrial Technology syllabus:*

### **CORE**

#### **SECTION 1: FUNDAMENALS OF INDUSTRY**

*At least 10 pieces of evidence from Section 1*

1. *The organisation of a selected construction industry.*



2. *The organisation of a selected manufacturing industry.*
3. *Selection of industry codes and standard.*
4. *A set of safety rules to be followed in a workshop or on the worksite.*
5. *Treatment procedure for each of three injuries which can occur in the workshop/worksite (burns, eye injuries, electric shock, bleeding, falls).*
6. *Student duty roster and a maintenance programme for the workshop/worksite (machines, tools, general upkeep).*
7. *A set of photographs of students demonstrating the use of protective gear and equipment while working in the workshop or on a worksite.*
8. *A report on an accident prepared by the student.*
9. *A small business plan.*

## **SECTION 2: DESIGN PRINCIPLES AND PROCESSES**

*At least three (3) pieces of evidence from Section 2*

1. *The design principles, elements and processes.*
2. *Sketching of simple designs in related areas.*
3. *Report on the design analysis of a simple manufactured product.*

## **SECTION 3: INFORMATION COMMUNICATION AND GRAPHIC TECHNOLOGIES**

*At least three (3) pieces of evidence from Section 3*

1. *Samples of projects prepared in the operating principles of a computer.*
2. *A PowerPoint presentation on modern trends in engineering technologies.*
3. *Two projects or assignments from the use of communication devices.*

## **OPTION C: BUILDING AND FURNITURE TECHNOLOGY**

### **SECTION 1: THE NATURAL AND BUILT ENVIRONMENT**

*At least three (3) pieces of evidence from Section 1 that include:*

*Selection of a building and an explanation on how history, materials, culture and climate factors influence its design (Include photographs and site visits).*



## **SECTION 2: SITE WORK OPERATIONS**

*At least five (5) pieces of evidence from Section 2 that include:*

1. *a completed checklist used in selecting a building site (temporary shelter, access road, services, and others);*
2. *pictures/photographs of excavation methods; and,*
3. *pictures/photographs of students laying setting out a building (step by step).*

## **SECTION 3: BASIC ARCHITECTURAL DRAWING**

*At least five (5) pieces of evidence from Section 3 that include:*

1. *drawing projects (pictorial, detailed, exploded assembly, sectional);*
2. *information on and sketches of the various types of carcase construction (framed, framed and panelled, solid end, solid); and,*
3. *a design/redesign of a building component to solve simple functional problems in one of the categories, namely:*

*Categories*

- (a) *Foundations.*
  - (a) *Walls.*
  - (b) *Floors.*
  - (c) *Roofs.*
  - (d) *Stairs.*
4. *evidence of a plan sheet which include isometric drawing; orthographic drawing; list of materials with parts, size, materials and cost; list of steps or procedures.*

## **SECTION 4: TIMBER TECHNOLOGY**

*At least five (5) pieces of evidence from Section 4 that include a:*

1. *research on the conversion of timber;*
2. *research on the seasoning methods of wood; and,*
3. *presentation on timber defects and their treatment.*



## **SECTION 5: BUILDING TECHNOLOGY**

*At least six (6) pieces of evidence from Section 5 that include:*

- 1. labelled sketches of at least six building tools and equipment;*
- 2. a collage or samples of various types of materials used in Carpentry; and,*
- 3. pictures/drawings of students using selected building tools, equipment and operations.*

## **SECTION 6: FURNITURE TECHNOLOGY**

*At least six (6) pieces of evidence from Section 6 that include:*

- 1. pictures/models of completed projects; and,*
- 2. samples of materials used in furniture construction, upholstery and finishing.*

## **PERFORMANCE INDICATORS**

- 1. Portfolios.*
- 2. Checklist.*
- 3. Task Sheet.*
- 4. Job Analysis Sheet.*
- 5. Performance Criteria Sheet.*
- 6. Quality Control Procedures.*
- 7. Training and Assessment Plans.*
- 8. Internal Verifier Records.*
- 9. Internal Competency Records.*
- 10. External Verifiers Records.*
- 11. Moderation Reports.*

### INTEGRATION OF CVQ UNITS FOR THE SBA

*The list presented below have been mapped to the content in the syllabus, teachers are encouraged to use this information as they develop activities and projects for the School-Based Assessment Component of the course:*

#### **CCBCG10102 Level I in General Construction**

- (a) BCGCOR0011A Carry out OH&S requirements.
- (b) BCGCOR0021A Plan and organize work.
- (c) BCGCOR0031A Draw and interpret simple drawings.
- (d) BCGCOR0041A Carry out measurements and calculations.
- (e) BCGCOR0051A Use hand and power tools.
- (f) BCGCOR0061A Use small plant and equipment.
- (g) BCGMAS0101A Carry out concreting to simple forms.
- (h) BCGCOR0111A Handle construction materials and safely dispose of waste.
- (i) BCGMAS0181A Mix cementitious materials (mortar and concrete).





**CCLMF10103 Level I in Furniture Making** - supports the Furniture Technology section of the syllabus.

- (a) LMFFMK0021A Operate basic woodworking machine.
- (b) LMFFMK0031A Use furniture making hand and power tools.
- (c) LMFFMK0122A Set up, operate and maintain basic static machines.
- (d) LMFFMK0161A Construct furniture using leg and rail method.
- (e) LMFFMK0222A Select timbers for furniture production.

**SCHOOL BASED ASSESSMENT**  
**ASSESSMENT PLAN**  
**EXEMPLAR 1 - OPTION C - BUILDING AND FURNITURE TECHNOLOGY**

This School Based Assessment is aligned to Carry out concreting to simple forms (BCGMAS0101A) and Mix cementitious materials (mortar and concrete) (BCGMAS0181A) in the General Construction, Level I (CCBCG10102) Regional Occupational Standard. Carry out OH&S requirements (BCGCOR0011A), use hand and Power Tools (BCGCOR0051A) and use small plant and equipment (BCGCOR0061A) may also be assessed with this assignment.

**CANDIDATE:** \_\_\_\_\_ **ASSESSOR:** \_\_\_\_\_

<b>Elements (BCGMAS0101A)</b> <ul style="list-style-type: none"> <li>Select tools and equipment</li> <li>Erect and strip simple formwork</li> <li>Place and tie reinforcement</li> <li>Place concrete</li> <li>Clean up</li> </ul>	<b>Elements (BCGMAS0181A)</b> <ul style="list-style-type: none"> <li>Plan and prepare work</li> <li>Select and batch materials for mixing</li> <li>Mix concrete</li> <li>Mix mortar</li> <li>Clean up</li> </ul>
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p><b>SIDE ELEVATION CAST CONCRETE BENCH</b></p> </div> <div style="text-align: center;">  <p><b>END VIEW</b></p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;">  <p><b>BOTTOM VIEW BENCH</b></p> </div> <div style="text-align: center;">  <p><b>SECTIONED ANCHORING SYSTEM DETAIL</b></p> </div> </div>	
<b>Work Activities</b>	<b>Assessment Methods</b>
<p>Your school requires additional outdoor seating for use by students during break and lunch sessions. Your building team has been presented with the drawings above and asked to complete five such benches. These benches are to be made of reinforced concrete in-situ and are to be anchored to the ground using reinforced concrete footings. You are required to layout and excavate the footings and install the benches using the required formwork.</p>	<ul style="list-style-type: none"> <li>Practical demonstration</li> <li>Oral questions</li> <li>Finished product evaluation</li> </ul>

Underpinning Knowledge and Skills	Range
<ul style="list-style-type: none"> <li>• Appropriate workplace and equipment safety practices</li> <li>• select and use hand tools and equipment to include levelling equipment accurately and safely</li> <li>• Concrete and formwork materials</li> <li>• Measure, proportion, transport and place concrete in keeping with industry standards</li> <li>• Measure and calculate ratio and proportion</li> <li>• simple formwork and reinforcement components</li> <li>• Select and handle materials appropriate to concreting processes</li> <li>• Use power tools and hand tools</li> <li>• Mix concrete by hand and with machine</li> <li>• Read, interpret and follow instructions</li> <li>• Communicate effectively</li> <li>• Determine range of mortar additives including plasticisers and their application</li> <li>• Work effectively with colleagues to execute task</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Materials.</b> Sand, coarse aggregate, Portland cement, Additives, Colouring (where appropriate)</li> <li>• <b>Simple forms and excavations.</b> Post holes, trench foundations, pad foundations, slabs, pathways, simple concrete aprons, channels, garden edges</li> <li>• <b>Formwork (edging forms).</b> Edge boards, pegs, struts, bracing</li> <li>• <b>Concrete finishes.</b> Wood floated, steel floated and broom brushed</li> <li>• <b>Personal protective equipment.</b> Overalls, boots, hard hat/cap, safety glasses/goggles, gum boots, face masks, waterproof pants and jacket.</li> <li>• <b>Concrete placement.</b> Shovel, wheelbarrow, Chute and pump line</li> <li>• <b>Mixtures.</b> Concrete and mortar mixed to correct specifications</li> <li>• Work is to be undertaken in a team situation or individually under supervision.</li> <li>• Reporting of faults may be verbal or written.</li> <li>• OH&amp;S requirements are in accordance with Statutory requirements</li> </ul>
<p><b>Candidate's Signature:</b> _____ <b>Date:</b> _____</p> <p><b>Assessor's Signature:</b> _____ <b>Date</b> _____</p> <p><b>Internal Verifier's Signature:</b> _____ <b>Date</b> _____</p>	

**SCHOOL BASED ASSESSMENT**  
**EXEMPLAR 1 - OPTION C - BUILDING AND FURNITURE TECHNOLOGY**

**DIMENSIONS OF COMPETENCY**

This School Based Assessment is aligned to Carry out concreting to simple forms (BCGMAS0101A) and Mix cementitious materials (mortar and concrete) (BCGMAS0181A) in the General Construction, Level I (CCBCG10102) Regional Occupational Standard. Carry out OH&S requirements (BCGCOR0011A), use hand and Power Tools (BCGCOR0051A) and use small plant and equipment (BCGCOR0061A) may also be assessed with this assignment.

<b>WORK ACTIVITY:</b>	
Your school requires additional outdoor seating for use by students during break and lunch sessions. Your building team has been presented with the drawings above and asked to complete five such benches. These benches are to be made of reinforced concrete in-situ and are to be anchored to the ground using reinforced concrete footings. You are required to layout and excavate the footings and install the benches using the required formwork.	
<b>TASK SKILLS</b>	<b>TASK MANAGEMENT SKILLS</b>
Candidate has to <ul style="list-style-type: none"> <li>• Interpret activity</li> <li>• Follow health and safety requirements applicable to work environment</li> <li>• Select and accurately use the necessary tools, equipment</li> <li>• Comply with organisational policies and procedures including Quality Assurance requirements</li> <li>• Carry out correct procedures prior to and during construction processes</li> <li>• Mix concrete and mortar to work specifications</li> <li>• Identify and rectify typical faults and problems</li> <li>• Demonstrate safe and effective operational use of tools, plant and equipment</li> <li>• Interactively communicate with others to ensure safe and effective operations</li> </ul>	Prepare/ organise/ co-ordinate by <ul style="list-style-type: none"> <li>• Interpret and plan activity</li> <li>• Select tools, equipment and materials</li> <li>• Apply health and safety procedures</li> <li>• Organise work station</li> <li>• Work in a logical and sequential manner within the required time frame</li> </ul>
<b>CONTINGENCY MANAGEMENT SKILLS</b>	<b>EMPLOYABILITY/ JOB ROLE/ ENVIRONMENT SKILLS</b>
What if ...? <ul style="list-style-type: none"> <li>• Tools and equipment are insufficient or unavailable</li> <li>• Material estimates are inaccurate</li> <li>• There are delays in sourcing materials</li> </ul>	The candidate can ... <ul style="list-style-type: none"> <li>• Collect, analyse and organise information</li> <li>• Communicate ideas and information Plan and organise activities</li> <li>• Work with others and in team</li> <li>• Use mathematical ideas and techniques</li> <li>• Solve problems</li> <li>• Use technology</li> </ul>

**Assessor's Signature** : \_\_\_\_\_ **Date:** \_\_\_\_\_





KEY  
Competent - Range 3 and above  
Not Yet Competent - below Range 3

**SCHOOL BASED ASSESSMENT**  
**EXEMPLAR 1 - OPTION C - BUILDING AND FURNITURE TECHNOLOGY**

**ASSESSOR EVALUATION**

This School Based Assessment is aligned to Carry out concreting to simple forms (BCGMAS0101A) and Mix cementitious materials (mortar and concrete) (BCGMAS0181A) in the General Construction, Level 1 (CCBCG10102) Regional Occupational Standard. Carry out OH&S requirements (BCGCOR0011A), use hand and Power Tools (BCGCOR0051A) and use small plant and equipment (BCGCOR0061A) may also be assessed with this assignment

**Institution/ Centre:** \_\_\_\_\_

**Candidate's Name:** \_\_\_\_\_

ASSESSMENT CRITERIA	ASSESSOR				
	1	2	3	4	5
<b>1. OCCUPATIONAL HEALTH AND SAFETY</b>					
Candidate is appropriately attired in Personal Protective gear at all times					
Occupational Health and Safety (OH&S) requirements for tasks and workplace environment adhered to					
All materials cleaned, stacked and stored for re-use or bundled for removal					
Pour site and surrounds cleared of concrete spills and other debris and surface left in safe condition					
Worksite cleared of debris and unused materials.					
Tools and equipment cleaned, maintained and stored.					
Surface for hand mixing concrete or mortar is safe and prepared according to work instruction					
<b>2. PROCESS</b>					
Tools and equipment selected consistent with job requirements					
Tools and equipment checked for serviceability and any faults reported or rectified					
Drawings accurately interpreted					
Formwork accurately erected					
Reinforcing materials accurately selected					
Reinforcing components safely handled and carried to required position					
Formwork/excavation cleaned of excess material and debris prior to concrete placement.					
Concrete correctly proportioned and mixed and/or safely transported by wheelbarrow and placed under direction					
Pump line/chute controlled and concrete placed as directed					
Formwork accurately stripped on instruction					
<b>3. PRODUCT</b>					
Quality Assurance requirements recognised and adhered to in accordance with company's construction operations					
Surface of concrete finished as directed to specified finish					
Concrete consolidated under direction and screeded to finished levels as directed					
Concrete spread as directed to specified levels					

**Comment/ Feedback:**

---

---

**Rating Scale:**

1. Cannot perform this task.
2. Can perform this task with **constant** supervision and **considerable** assistance.
3. Can perform this task with **constant** supervision and **some** assistance.
4. Can perform this task satisfactorily with periodic supervision.
5. Can perform this task satisfactorily with little or no supervision.

**Assessor's Signature** : \_\_\_\_\_ **Date:** \_\_\_\_\_

**Candidate's Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

### Portfolio Development Guidelines

A portfolio is an organised convenient means of collection and presentation of materials which records and verifies a candidate's learning achievements and relates them to the depth and breadth of work required by each unit of the occupational standards. The depth and breadth of work should include a diversity of exhibits which reflects the following **criteria**:

- Writing, Reading and Comprehension Skills
- Critical Thinking and Problem Solving Skills
- Technology Skills
- Practical Skills
- Teamwork Skills

The outline of the portfolio should include information under the following headings:

- Cover Page
- Title Page
- Table of Contents
- Introduction
- Supporting Evidence (Depth & Breadth of Work)
- Self Assessment/Reflection

#### **Details of EACH Heading**

##### **Cover Page**

- Name of School
- Occupational Area CVQ Level 1
- Assessors Name
- Candidate's Name
- Year

##### **Title Page**

- Caribbean Vocational Qualification
- CVQ Level 1
- Occupational Area
- Year

##### **Table of Contents**

- By units
- Number pages

##### **Introduction**

- Portfolio of candidate to include personal data, background information on education / training experiences and expectations.

### **Supporting Evidence**

Provides information on the key formative and summative assignments / projects undertaken by the candidates to achieve the performance criteria in each unit on the Occupational Standards. All evidence supplied by the candidate should be reviewed by the assessor using the **criteria given**.  
**Evidence must be signed and dated on the date of the review by the assessor.**

#### **Suggestions for supporting evidence:**

- Written Assignment
- Oral Questions (checklist format)
- Projects
- Work Samples
- Research Assignments
- Fieldtrip reports
- Summative evaluation of practical work
- Digital photographs of candidates performing critical tasks

### **Self-Assessment/Reflections**

Allows candidates to rate their performance against the requirements of the relevant unit/s of competency and allows candidates to reflect in writing whether their expectations have been achieved in the particular occupational area.

### **Summary**

*Each candidate* in every occupational area *must* prepare a portfolio which will showcase:

- Growth and development of the candidate during the two year period.

Portfolios *must* be kept for evaluation by the Internal Verifier, External Verifier and the Quality Assurance auditor of the Caribbean Examination Council.

**Western Zone Office**

**13 April 2015**

# CARIBBEAN EXAMINATIONS COUNCIL

Caribbean Secondary Education Certificate®



## INDUSTRIAL TECHNOLOGY

### Specimen Papers and Mark Schemes/Keys

**Specimen Papers:**

- Paper 01
- Paper 02 Option A (Electrical and Electronic Technology)
- Paper 02 Option B (Mechanical Engineering Technology)
- Paper 02 Option C (Building and Furniture Technology)

**Mark Schemes and Keys:**

- Paper 01
- Paper 02 Option A (Electrical and Electronic Technology)
- Paper 02 Option B (Mechanical Engineering Technology)
- Paper 02 Option C (Building and Furniture Technology)

**SPEC 2015/01327010**



TEST CODE **01327010**

**C A R I B B E A N   E X A M I N A T I O N S   C O U N C I L**

**C A R I B B E A N   S E C O N D A R Y   E D U C A T I O N   C E R T I F I C A T E ®  
E X A M I N A T I O N**

**I N D U S T R I A L   T E C H N O L O G Y**

**S P E C I M E N   P A P E R**

**Paper 01 – General Proficiency**

*75 minutes*

**READ THE FOLLOWING INSTRUCTIONS CAREFULLY.**

1. This test consists of 60 items. You will have 75 minutes to answer them.
2. In addition to this test booklet, you should have an answer sheet.
3. Each item in this test has four suggested answers lettered (A), (B), (C), (D). Read each item you are about to answer and decide which choice is best.
4. On your answer sheet, find the number which corresponds to your item and shade the space having the same letter as the answer you have chosen. Look at the sample item below.

Sample Item

In drawings, thin short dashes represent

- (A) adjacent parts
- (B) hidden details
- (C) movable parts
- (D) irregular details

Sample Answer



The best answer to this item is “hidden details,” so answer space (B) has been shaded.

5. If you want to change your answer, erase it completely before you fill in your new choice.
6. When you are told to begin, turn the page and work as quickly and as carefully as you can. If you cannot answer an item, go on to the next one. You may return to this item later. Your score will be the total number of correct answers.
7. You may do any rough work in this booklet.
8. Figures are not necessarily drawn to scale.

**DO NOT TURN THIS PAGE UNTIL YOU ARE TOLD TO DO SO.**

---

Copyright © 2011 Caribbean Examinations Council  
All rights reserved.

1. When a safety hazard cannot be eliminated, students should
  - (A) avoid the hazard
  - (B) ignore the hazard
  - (C) guard or mark off the hazard
  - (D) share the information with other students
2. The MOST common injury causing absence from work is
  - (A) burns
  - (B) back injury
  - (C) broken bones
  - (D) cuts and bruises
3. Workers practice good housekeeping in the workplace to
  - (A) prevent accidents
  - (B) improve productivity
  - (C) prevent equipment failure
  - (D) organise tools and equipment
4. Personal protective equipment (PPE) must be maintained by the
  - (A) worker
  - (B) employer
  - (C) safety officer
  - (D) work supervisor
5. Which of the following types of fire extinguishing materials is BEST used on oil fires?
  - (A) Foam
  - (B) Water
  - (C) Dry powder
  - (D) Carbon dioxide (CO<sub>2</sub>)
6. Which of the following represents the size relationship of the parts of a whole?
  - (A) Line
  - (B) Scale
  - (C) Shape
  - (D) Proportion
7. Colours are said to be contrasting if they are
  - (A) dark in value
  - (B) light in value
  - (C) bright and intense
  - (D) different in lightness and darkness
8. Which of the following factors determine the appropriateness of a design?
  - (A) Aesthetics, functionality, economic, environment
  - (B) Functionality, convention, communication, environment
  - (C) Environment, manufacture, evaluation, economic
  - (D) Communication, evaluation, functionality, solution
9. In which stage of the design process, is detailed costing of a product BEST made?
  - (A) Generating ideas
  - (B) Developing a chosen solution
  - (C) Researching and specifications
  - (D) Planning and realising the chosen solution

- 10.** Detailed orthographic drawings are BEST used to show
- (A) early stages of product development
  - (B) 3D views of a finished product
  - (C) the dimensions of a finished product for manufacturing
  - (D) how mechanical components fit together to make a product
- 11.** Which stage of the design process is likely to involve mathematical models?
- (A) Identifying the problem and the brief.
  - (B) Researching and specifications.
  - (C) Developing the chosen solution.
  - (D) Planning and realising the chosen solution.
- 12.** It is important to annotate freehand sketching to
- (A) explain the thinking behind the visual images
  - (B) show the proposed solution in 3D
  - (C) enable them to be used in production drawing
  - (D) enable numerical manipulation
- 13.** At which stage in the design process, would orthographic drawings be MOST relevant?
- (A) Generating ideas
  - (B) Developing the chosen solution
  - (C) Planning and realising the chosen solution
  - (D) Testing and evaluating the chosen solution
- 14.** The role of a quantity surveyor is to
- (A) prepare working drawings
  - (B) set out a building on a site
  - (C) prepare a bill of quantities
  - (D) manage the finances of a construction project
- 15.** Which of the following members of the building team carries the greatest level of responsibility on a construction site?
- (A) Trade foreman
  - (B) Project manager
  - (C) Contractor
  - (D) Civil engineer
- 16.** A technical worker in construction and manufacturing industries is paid more than a skilled or semi-skilled worker because they have
- (A) a better position
  - (B) highly academic qualifications
  - (C) higher levels of knowledge and skills
  - (D) greater production output



- 17.** A top down structure in an organisational chart shows a
- (A) hierarchical relationship between workers
  - (B) horizontal relationship between workers
  - (C) hierarchical and horizontal relationship between categories of workers
  - (D) hierarchical and horizontal relationship between each worker
- 18.** The role of civil and structural engineering is to produce buildings for
- (A) domestic use only
  - (B) the banking sector
  - (C) industrial use
  - (D) public use
- 19.** Which of the following are standards used in building construction?
- (A) ANSI, BSI, ISO standards
  - (B) CUBIC, CARIFORUM, ISO standards
  - (C) Building regulation, ABNSI, BSI
  - (D) ANSI, CUBIC, ISO standards
- 20.** Which of the following names is given to a group of computers in an organization that are connected to each other?
- (A) The internet
  - (B) An intranet
  - (C) An extranet
  - (D) A subnet
- 21.** In the area of computer communications, smart phones and tablets are connected to computer networks via
- (A) fibre optic cables
  - (B) dial-up network connections
  - (C) GPRS technologies
  - (D) WiFi technologies
- 22.** Which of the following is NOT a form of pictorial drawing?
- (A) Orthographic
  - (B) Isometric
  - (C) Oblique
  - (D) Cavalier
- 23.** Which of the following are used for developing and presenting project work?
- I. PowerPoint
  - II. Autocad
  - III. Prezi
  - IV. Excel
- (A) I only
  - (B) I and II only
  - (C) II and III only
  - (D) I, II, III and IV

**24.** In the area of Information and Communication Technologies, the term multimedia is BEST defined as, “The combined use of

- (A) animations in computer applications only.
- (B) sound and video in computer applications only.
- (C) sound, pictures, video and animations in computer applications.
- (D) sound, pictures, video, animations and text in computer applications.

**25.** Which of the following is the CORRECT sequence in the design of products or services?

- (A) Preliminary design, screening, concept generation, evaluation and improvement, prototyping and final design
- (B) Concept generation, screening, preliminary design, prototyping and final design, evaluation and improvement
- (C) Preliminary design, screening, concept generation, prototyping and final design, evaluation and improvement
- (D) Concept generation, screening, preliminary design, evaluation and improvement, prototyping and final design

**26.** A path made by a moving point is a

- (A) line
- (B) shape
- (C) space
- (D) texture

**27.** Which of the following are three-dimensional forms?

- (A) Cylinders, cubes, spheres, cones
- (B) Circles, squares, rectangles, triangles
- (C) Cylinders, triangles, cubes, cones
- (D) Circles, cylinders, cubes, cones

**28.** Artists create visual weight with

- (A) balance
- (B) emphasis
- (C) pattern
- (D) rhythm

**29.** Which of the following factors MOST influence the success of an innovation?

- (A) Timing, aesthetic, ergonomics
- (B) Marketing, product demand, timing
- (C) Available technologies, economy, durability
- (D) Product demand, available technologies, aesthetics

**30.** When is a design solution MOST appropriate?

- (A) When it is recyclable.
- (B) When it meets the budget.
- (C) When it is multifunctional
- (D) When it meets the needs of the client.

**31.** When using a grinder, the eyes should be protected by

- (A) wearing gloves
- (B) wearing goggles
- (C) holding the work firmly
- (D) holding the work on the tool rest

**32.** Earthing, bonding and protective devices in electrical installations will

- (A) stop circuit overload
- (B) eliminate electric faults
- (C) reduce the risk of electric shock
- (D) reduce the risk of electrical fires

**33.** When must employers identify possible workplace hazards?

- (A) When the need arises
- (B) When directed to by authorities
- (C) Before workers return from lunch
- (D) Before making changes to work practices

**34.** Which of the following should you do, if you see some co-workers doing a job in a way that could cause them to get hurt?

- (A) Ignore them
- (B) Run for cover
- (C) Inform your supervisor
- (D) Tell your co-workers you are concerned and why you are concerned.

**35.** Which of the following should be done if your PPE needs to be repaired?

- (A) Take your PPE home to fix
- (B) Share with a co-worker until yours can be fixed
- (C) Tell your supervisor and get your PPE replaced
- (D) Carry on with your task; it won't matter if you don't use PPE this one time

**36.** Ergonomics is the science of

- (A) worker comfort
- (B) making work simpler
- (C) determining the work attitude to adopt
- (D) fitting the job or work environment to the worker

**37.** Which of the following is NOT a part of the design process?

- (A) Product selection
- (B) Identifying the problem
- (C) Critical analysis of the problem
- (D) Development of working drawings

**38.** Which of the following is NOT a factor in determining the appropriateness of a design?

- (A) Shade
- (B) Aesthetics
- (C) Functionality
- (D) Suitability of material

Item 39 refers to the following statements.

- I. Development of working drawings.
- II. Communication of design ideas.
- III. Selection of the best solution.

**39.** Which of the statements above are stages in the design process?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

**40.** A product developer has completed the prototype of a product he was developing. Which of the following is the next sequential step to completing the design process?

- (A) Analyzing the problem
- (B) Testing and evaluating
- (C) Generating alternative solutions
- (D) Communication of the design ideas

**41.** A product developer is designing a number of products for a client who specifies that the products are to be used by persons of various weights and heights. Which of the following factors should he consider during the design process?

- (A) Economics
- (B) Functionality
- (C) Anthropometrics
- (D) Suitability of material

**42.** The area around machines should be

- (A) free from scraps
- (B) waxed and smooth
- (C) clearly painted in red
- (D) stacked with useful material

**43.** The most effective agent to use when putting out an electrical fire is

- (A) sand
- (B) water
- (C) oxygen
- (D) carbon dioxide

**44.** In mouth-to-mouth artificial respiration, tilting the head backwards ensures

- (A) a clear airway into the victim's lungs
- (B) a good supply of blood to the victim's brain
- (C) effective breathing in position for the rescuer
- (D) automatic rise and fall of the victim's chest

**45.** Which of the following should be carried out LAST when treating an unconscious person who has had an electric shock?

- (A) Treating burns
- (B) Loosening tight clothing
- (C) Keeping airways to the lungs clear
- (D) Administering artificial respiration

**46.** The immediate action which should be taken to assist a person suffering from the effect of toxic fumes is to

- (A) seek medical assistance
- (B) apply artificial respiration
- (C) open all doors and windows
- (D) remove the person from the danger

**47.** Which of the following devices is MOSTLY used to input data to a computer system?

- (A) UPS
- (B) Keyboard
- (C) Mouse pad
- (D) Floppy disk

**48.** Computer-aided manufacturing is the use of computer software to

- (A) reduce the amount of labour intensive activities
- (B) control the manufacture of high quality parts
- (C) move work pieces around the manufacturing plant
- (D) control machine tools and related machinery in the manufacturing of work pieces

Item 49 refers to the following statements.

- I. Create a faster production process.
- II. Use only the required amount of material.
- III. Produce components and tooling with more precise dimensions.

**49.** Which of the statements above are purposes of computer-aided manufacturing?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

**50.** Which of the following operations is NOT done using computer numerically controlled machines?

- (A) Milling
- (B) Turning
- (C) Filing
- (D) Plasma cutting

**51.** Entrepreneurship is the capacity and willingness to

- (A) create a business opportunity
- (B) manage a business belonging to someone else
- (C) take a business beyond the development stage
- (D) develop, organize and manage a business venture

**52.** Which of the following is NOT a characteristic of an entrepreneur?

- (A) Low work ethic
- (B) Good technical skills
- (C) Key personal attributes
- (D) Strong managerial competencies

**53.** Which of the following individuals is responsible for the design of private and commercial buildings?

- (A) Architect
- (B) Civil engineer
- (C) Quantity surveyor
- (D) Structural engineer

Item 54 refers to the following tradesmen in the construction industry.

- I. Mason
- II. Electrician
- III. Upholsterer

**54.** Which of the tradesmen listed above are involved in building a domestic dwelling house?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

**55.** Which of the following groups of tradesmen are responsible for applying finishes to buildings?

- (A) Painters, machine operators, fitters, plumbers
- (B) Painters, plumbers, carpenters, electricians
- (C) Fitters, plumbers, machine operators, carpenters
- (D) Welders, electricians, carpenters, fitters

Item 56 refers to the following statements.

- I. Reduces greenhouse gas emissions
- II. Reduces the amount of waste sent to landfills and incinerators
- III. Prevents pollution by reducing the need to collect new raw materials

**56.** Which of the statements are benefits of recycling?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

**57.** Which of the following is NOT a method of recycling?

- (A) Reusing
- (B) Screening
- (C) Composting
- (D) Energy recovery

Item 58 refers to the following statements.

- I. Requires minimum land.
- II. Can be operated in any weather.
- III. Refuse volume is reduced considerably.

**58.** Which of the above statements are advantages of incineration?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

**59.** Group project work completed by some students was displayed on the school's intranet. What benefit does this have over publishing the work on the internet?

- (A) Work cannot be copied.
- (B) The intranet is safe from viruses.
- (C) Hyperlinks to other websites cannot be used.
- (D) The projects remain private within the school.

**60.** In information technology, WAN stands for

- (A) Wide Array Net
- (B) WAP Area Network
- (C) Wide Area Network
- (D) Wireless Area Network

**END OF TEST**

CSEC Industrial Technology – Specimen 2015		
Item	Key	Syllabus Reference
1	C	1:5.1
2	B	1:5.1
3	A	1:5.1
4	A	1:6:a (viii)
5	C	1:6: d (iii)
6	D	2:1:6
7	D	2:2:b & c
8	A	2:4:c(ii)
9	B	2:3:c
10	C	2:3:e
11	C	2:3:e
12	A	2:3:c
13	B	2:3:d
14	C	1:4:a(iii)
15	B	1:4:a
16	C	1:3
17	C	1:2:a (i)
18	D	1:1:b (iii)
19	A	1:5.5:a
20	B	3:2:a (i)
21	D	3:3:a
22	A	3:4: a(i)
23	B	3:2:a (iv)
24	D	3:1
25	D	2:3
26	A	2:2:a
27	A	2:1:f
28	C	2:2:a
29	B	2:2 (v)
30	D	2:5:c
31	B	1:6:a(viii)
32	C	1:5.2:c
33	D	1:5.1:a (i)
34	D	1:5.1:d
35	C	1:6:a (ix)
36	D	2:4:e
37	A	2:3
38	A	2:4
39	D	2:3
40	B	2:3
41	C	2:4
42	A	1:6:c (i)
43	D	1:6:d (iii)
44	A	1:6:f (iv)



CSEC Industrial Technology – Specimen 2015		
Item	Key	Syllabus Reference
45	A	1:6:f (iii)
46	D	1:6:i
47	B	3:2:a (iv)
48	D	3:6:b
49	D	3:6:b
50	C	3:6:c
51	D	1:4:b (i)
52	A	1:4:b
53	A	1:4:a 9 (ii)
54	A	1:4:a (i)
55	B	1:4:a (i)
56	D	1:6:b (iii)
57	B	1:6:b (iii)
58	D	1:6:b (ii)
59	D	3:3:a (i)
60	C	3:3:a (il)

**SPEC 2015/01337020**



**TEST CODE 01337020**

**C A R I B B E A N E X A M I N A T I O N S C O U N C I L**

**C A R I B B E A N S E C O N D A R Y E D U C A T I O N C E R T I F I C A T E<sup>®</sup>  
E X A M I N A T I O N**

**OPTION A – ELECTRICAL AND ELECTRONIC TECHNOLOGY**

**SPECIMEN PAPER**

**Paper 02 – Technical Proficiency**

*2 hours 10 minutes*

**READ THE FOLLOWING INSTRUCTIONS CAREFULLY.**

1. This paper consists of FIVE compulsory questions.
2. Each question is worth 18 marks.
3. All working must be CLEARLY shown.
4. Use sketches where necessary to support your answers.
5. Silent non-programmable calculators may be used.
6. You are advised to take some time to read through the paper and plan your answers.

**DO NOT TURN THIS PAGE UNTIL YOU ARE TOLD TO DO SO.**

---

Copyright © 2012 Caribbean Examinations Council  
All rights reserved.

**Answer ALL Questions.**

- 1.** (a) (i) State Ohm's law in words and symbols. **(2 marks)**
- (ii) Explain briefly the term 'resistivity of a material'. **(2 marks)**
- (iii) Explain briefly the term 'temperature coefficient of a material'. **(2 marks)**
- (b) Two resistors of 10 ohms and 40 ohms are connected in parallel. A third resistor of 5 ohms is connected in series with the combination and a direct current supply of 240 volts is supplied to the ends of the complete circuit.
- (i) Produce a circuit diagram of the complete circuit. **(6 marks)**
- (ii) Calculate the current in each resistor. **(3 marks)**
- (iii) Calculate the total resistance in the circuit. **(3 marks)**
- Total 18 marks**
- 2.** (a) (i) State the difference between primary and secondary cells. **(2 marks)**
- (ii) State TWO safety precautions which should be observed when charging secondary cells. **(2 marks)**
- (iii) State the TWO **main** indicators of a FULLY charged lead-acid cell and describe ONE instrument that can be used to measure ONE of the indicators. **(2 marks)**
- (b) A 6 ohm resistor is connected across a lead-acid battery. The potential difference across the battery terminals is 20 V for the open-circuit condition and 18 V when the circuit is closed.
- (i) Using the symbol for a lead-acid cell, produce a drawing showing the number of cells and polarity of each cell and the battery. **(3 marks)**
- (ii) Produce a circuit diagram of the complete circuit when it is in the closed condition. **(3 marks)**
- (iii) Calculate the internal resistance of the lead-acid battery. **(3 marks)**

- (iv) Calculate the charging current required to charge a 100 AH battery at the 8-hour charging rate.

**(3 marks)**

**Total 18 marks**

3. (a) (i) State Lenz's law and Faraday's law of electromagnetic induction.

**(2 marks)**


- (ii) Define mutual inductance and self-induction in electrical circuits.

**(2 marks)**

- (iii) Define the term 'electrostatic screening in transformers'.

**(2 marks)**

- (b) Figure 1 shows the incomplete sketch of a compound wound direct current motor circuit. The missing windings are shown separately.



**Figure 1**

- (i) In your answer booklet, draw the complete circuit, insert the windings A and B in their positions in the motor circuit, and show the polarity of the direct current supply to the motor.

**(3 marks)**

- (ii) Produce circuit drawings for series, shunt and compound connected direct current machines.

**(3 marks)**

- (iii) State TWO different ways in which the speed of a motor can be increased.


**(3 marks)**

- (iv) Explain the effect on the performance of the motor if terminals 1 and 2 are interchanged.

**(3 marks)**


**Total 18 marks**

4. Figure 2 shows an electric lamp which is controlled by the switches  $S_1$ ,  $S_2$ ,  $S_3$  and  $S_4$ .



**Figure 2**

- (a) (i) Name THREE semi-conductor devices which are used as fast switching elements in the construction of logic circuits. (3 marks)
- (ii) Name the TWO logic gates that can replace the four switches and the combinational gate that can replace the switching arrangement in the circuit. (3 marks)
- (iii) Using the three switches,  $S_2$ ,  $S_3$  and  $S_4$ , as inputs and the electric lamp as an output, draw the truth table of the circuit. (Assume that the open state of the switches is represented by logic 0, and the closed state is represented by logic 1 and that the state of switch  $S_1$ , is logic 1 or is closed.) (6 marks)
- (b) A logic circuit is shown in Figure 3.




**Figure 3**

A, B, C and D represent inputs to the circuit. Derive expressions for output

- (i) E  
(ii) F  
(iii) G (6 marks)

**Total 18 marks**

5. Figure 4 shows the electrical floor plan of a building with items labelled 1 to 10.



**Figure 4**

- (a) (i) In your answer booklet, write the numbers 1, 2, 3, 4, 5 and 6. Next to EACH number, write the name of the electrical item it represents. **(3 marks)**
- (ii) Explain briefly the MAIN function of any THREE electrical items named in (a) (i) above. **(3 marks)**
- (b) (i) Using standard drawing symbols, produce a single line drawing of a three-phase, four-wire industrial electrical installation that shows the supply authority's service entrance, energy meter, main control, main distribution board, power control and lighting control. **(6 marks)**

(ii) State ONE electrical safety test that must be conducted on all new installations **before** the power supply is connected to the circuit.  
(1 mark)

(iii) Outline the procedure for conducting insulation resistance tests between the conductors, and between the conductors and earth in a completed electrical installation.

(5 marks)

**Total 18 marks**

**END OF TEST**

**C A R I B B E A N   E X A M I N A T I O N S   C O U N C I L**  
**H E A D Q U A R T E R S**

**C A R I B B E A N   S E C O N D A R Y   E D U C A T I O N   C E R T I F I C A T E<sup>®</sup>**  
**E X A M I N A T I O N**

**O P T I O N   A   –   E L E C T R I C A L   A N D   E L E C T R O N I C   T E C H N O L O G Y**

**P A P E R   0 2   –   T E C H N I C A L   P R O F I C I E N C Y**

**S P E C I M E N   P A P E R**

**S O L U T I O N S   A N D   M A R K   S C H E M E**



-2-

**Solutions – Question 1**

- (a) (i)
- Ohm's law

The current (I) flowing in a circuit varies directly to the voltage (V) and indirectly to the resistance (R) at a constant temperature.

Relationship:

$$1 = \frac{V}{R} \quad \text{OR} \quad V = IR \quad \text{OR} \quad R = \frac{V}{I}$$

**(2 marks)**


- (ii) The resistivity of a material is the resistance of a unit cube of the material measured across opposite faces of the cube.

**(2 marks)**

- (iii) The temperature coefficient of a material is the increase in the resistance of a one ohm resistor of the material when it is subjected to a rise in temperature of one degree centigrade.

**(2 marks)**

- (b) (i)

**(6 marks)**

Parallel connection	<b>2 marks</b>
Series connection	<b>1 mark</b>
Supply voltage	<b>1 mark</b>
Series-parallel connection	<b>2 marks</b>

- (b) (ii) Current through each resistor

$$I_t = V_s / R_t$$

$$= 240 / 13 = 18.46 \text{ amps} = \text{current through the 5 ohm resistor}$$

**(1 mark)**

Voltage across the parallel group

$$8 \text{ ohms} \times 18.46 = 147.69 \text{ V}$$

Current through 40 ohm resistor

$$147.69 / 40 = 3.69 \text{ amps}$$

**(1 mark)**

-3-

Current through 10 ohm resistor  
 $147.69/10$   
 $= 14.769$  amps

**(1 mark)**

$$(b) \quad (iii) \quad \frac{1}{R_p} = \frac{1}{40} + \frac{1}{10} = \frac{1}{40} + \frac{4}{40}$$

$$= \frac{5}{40} = \frac{1}{8}$$

$$R_p = 8 \, \Omega$$

$$R_T = 8 \, \Omega + 5 \, \Omega$$

$$= 13 \, \Omega$$

**(3 marks)****Total 18 marks****Solutions – Question 2**

(a) (i) The primary cell cannot be recharged while the secondary cell can be recharged. **(2 marks)**

(ii) The room must be well ventilated

The charging rate by the manufacturer should be observed.


Correct polarity must be observed when connecting cells to charger device.

**1 mark each for any TWO (2 marks)**

- (iii)
- Lead — acid cell consists of two sets of plates immersed in an electrolyte of dilute sulphuric acid.
  - The plates are constructed in the form of lead grids which serve as a frame to support the active paste; a mixture of lead oxides and sulphuric acid.
  - During charging the active material is converted to lead dioxide on the positive electrode and to spongy lead on the negative electrode.

**(2 marks)**


(b) (i)



Open circuit – 20 V  
 Closed circuit – 18 V

**(3 marks)**

(b) (ii)

**(3 marks)**

(b) (iii)

$$\begin{aligned}
 I &= \frac{V}{R} \\
 &= \frac{18}{6} \\
 &= 3 \text{ amps}
 \end{aligned}$$

**(3 marks)**

(b) (iv)

$$\begin{aligned}
 r &= \frac{v}{I} = \frac{(\text{open ckt} - \text{closed ckt})^v}{I} \\
 &= \frac{20-18}{3} \\
 &= \frac{2}{3} \\
 &= 0.67 \, \Omega
 \end{aligned}$$

Battery capacity = A × HRS  
 Capacity = AH

$$\text{Charging current} = \frac{100 \text{ AH}}{8 \text{ HOURS}}$$

$$\text{Charging Current} = 12.5 \text{ A}$$

**(3 marks)****Total 18 marks**

**Solutions – Question 3**


- (a) (i) Lenz's law: The induced electromotive force produces a current that opposes the motion producing it. **(1 mark)**

Faraday's law: Relative motion between a conductor and lines of magnetic force so that the conductor cuts lines of force and e.m.f is induced in the conductor. **(1 mark)**

- (ii) When charging current in a circuit induces an e.m.f in the circuit, the induced emf is a self-induced e.m.f. **(2 marks)**


- (iii) Earthed metal screen between the windings of the transformer to reduce the capacitive effect of the windings. **(2 marks)**

- (b) (i)



**(3 marks)**

- (ii)



**(3 marks)**

-6-

(iii) To increase the speed, increase the supply voltage or increase the fluid strength.  
(3 marks)

(iv) The direction of rotation will change.  
(3 marks)


**Total 18 marks**

#### **Solutions – Question 4**

(a) (i) Three semiconductor devices are: transistors, thyristors and Silicon Control Rectifiers  
(3 marks)

(ii) Two logic gates: AND Gate, OR Gate  
NAND/NOR  
(3 marks)

(iii) Equivalent logic circuit



S <sub>2</sub>	S <sub>3</sub>	S <sub>4</sub>	Output (Lamp)
0	0	1	0
0	1	0	0
0	1	1	0
1	0	0	0
1	0	1	1
1	1	0	1
1	1	1	1

**(6 marks)**

-7-

- (b) (i) At E:  
 $E = A + B$   
**(2 marks)**
- (ii) At F:  
 $F = C.D$   
**(2 marks)**
- (iii) At G:  


$$\overline{G = (A+B) + (C.D)}$$
**(2 marks)**

**Total 18 marks****Solutions – Question 5**

- (a) (i) (1) Wall lamp  
 (2) Socket outlet  
 (3) Fluorescent lamp  
 (4) Two-way switch  
 (5) Electric meter  
 (6) Earth  
**1 mark for every TWO (3 marks)**
- (ii) (1) Wall lamp is a filament lamp installed on a wall.  
 (2) Socket outlet is used to connect portable appliances to the electric supply.  
 (3) Fluorescent lamp is used to produce electric lighting.  
 (4) Two-way switch is used to switch a lamp on and off from two positions.  
 (5) Electric meter is used to measure the amount of electrical energy used by the consumer.  
 (6) Earth — connects the installation to the general mass of earth.  
**1 mark each for any THREE (3 marks)**

-8-

(b) (i)

**1 mark each****(6 marks)**

- (ii) Earth-fault loop impedance test  
(Recheck) polarity test using a voltmeter or approved test lamp

Functional testing:

Operation of protective devices (for example, residual current device – RCD)

**(1 mark)**

- (iii)
1. Remove all lamps.
  2. Close all switches and circuit breakers.
  3. Disconnect appliances.
  4. Test between the phase conductor and earth for every distribution circuit.
  5. Test between the neutral conductor and earth for every distribution circuit.

**(1 mark each)****(5 marks)****Total 18 marks**

**SPEC 2015/01347020**



**TEST CODE 01347020**

**CARIBBEAN EXAMINATIONS COUNCIL**

**CARIBBEAN SECONDARY EDUCATION CERTIFICATE®  
EXAMINATION**

**INDUSTRIAL TECHNOLOGY**

**OPTION B – MECHANICAL ENGINEERING TECHNOLOGY**

**SPECIMEN PAPER**

**Paper 02 – Technical Proficiency**

*2 hours 10 minutes*

**READ THE FOLLOWING INSTRUCTIONS CAREFULLY.**

1. This paper consists of FIVE compulsory questions.
2. Each question is worth 18 marks.
3. Use sketches where necessary to support your answers.
4. Silent non-programmable calculators may be used.
5. You are advised to take some time to read through the paper and plan your answers.

---


**DO NOT TURN THIS PAGE UNTIL YOU ARE TOLD TO DO SO**

Copyright © 2013 Caribbean Examinations Council ®  
All rights reserved.





2. Figure 2 shows a threaded hole in a component. The hole was threaded using M10 X 1.50 mm taps. While carrying out the threading operation a tap broke in the hole and had to be removed before the job could be completed.




**Figure 2**

- (a) (i) List the steps of procedure to be followed to reduce the risk of tap breakage while threading the hole in a component. **(6 marks)**
- (ii) Explain ONE method of removing a broken tap from a partially threaded hole. **(3 marks)**
- (b) (i) List any THREE types of cold chisels used in the workshop. **(3 marks)**
- (ii) Explain the use of each of the THREE types of cold chisels named in (b) (i) above. **(3 marks)**
- (iii) List THREE precautions that should be observed while using a chisel in the workshop. **(3 marks)**

**Total 18 marks**

3. Figure 3 shows a component that is to be produced on the centre lathe from a piece of mild steel stock 32 mm in diameter by 105 mm long.



**Figure 3**

- (a) With the aid of sketches, list the steps of procedure for making the component. **(6 marks)**
- (b) List the tools to be used in the procedure in (a) above. **(2 marks)**
- (c) Explain the procedure for producing the knurled section of the component in (a) above. **(4 marks)**
- (d) State TWO precautions to be observed while producing the knurl in (c) above. **(2 marks)**
- (e) Calculate the spindle speed that is to be used to produce the section marked 'A' on Figure 3, if the cutting speed of the material is 30 m/min. **(2 marks)**
- (f) State TWO safety precautions that should be observed while working on the centre lathe.

**(2 marks)**

**Total 18 marks**


4. (a) An oxy-acetylene torch was lit and a sooty flame was produced.
- (i) Sketch the sooty flame. **(2 marks)**
  - (ii) Name the sooty flame. **(1 mark)**
  - (iii) Explain the reason for the sooty particles. **(2 marks)**
- (b) Explain the procedure for lighting the torch and adjusting it to produce an oxidizing flame, assuming the cylinder valves are open. **(4 marks)**
- (c) Copy the following table into your answer booklet and complete the welding and brazing columns to match the factor column.

Factor	Welding	Brazing
1. Filler rod material		
2. Type of flame		Carburizing
3. Fusion of work pieces		

- (3 marks)**
- (d) A steel bar is to be formed by welding two shorter lengths each of diameter 15 mm using the metal arc welding process. With the aid of sketches, list the steps of procedure to be followed to ensure strength and dimensional accuracy of the finished product. **(4 marks)**
- (e) State TWO safety precautions to be observed when using oxy-acetylene welding equipment. **(2 marks)**

**Total 18 marks**

5. Figure 4 shows the general outline of an incomplete arrangement of a hoist and hook unit. The shaft, B, which is placed horizontally, supports the hook, C, and is held in position by a housing.



**Figure 4**

**You are required to design:**

- (a) A housing for the shaft which can be made by fabrication or casting
- (b) A method of attaching the hook, C, to the shaft, B

Your design should clearly show the following:

- (i) The shaft, A, in position in the housing and supported by two bronze bushings inserted into the housing  
(6 marks)
- (ii) The shaft, B, free to rotate about its axis so as to facilitate the swinging movement of the hook, C, as indicated by arrow E and free to rotate through 360° as indicated by arrow F  
(6 marks)
- (iii) A means of retaining the shaft, B, in the housing in order to prevent axial movement  
(6 marks)

**Total 18 marks**

**END OF TEST**

**CARIBBEAN EXAMINATIONS COUNCIL  
HEADQUARTERS**

**INDUSTRIAL TECHNOLOGY**

**OPTION B – MECHANICAL ENGINEERING TECHNOLOGY**

**PAPER 02 – TECHNICAL PROFICIENCY**

**SPECIMEN MARK SCHEME**

Industrial Technology  
Option B – Mechanical Engineering Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUES.	Knowledge and Comprehension	Marks		Use of Knowledge	Marks		Practical Skills	Marks	
		B/D	Total		B/D	Total		B/D	Total
1.	(a) (i) <u>List of tools and equipment</u> - Surface plate - Surface gauge - Scriber - Divider - Hammer - Rule - Protractor	2		(b) (i) <u>Procedure for cutting out</u>  - Centre punch  - Chain drill  - Chisel/Hacksaw  - File	4		(a) (ii) <u>Procedure for Marking out</u>  1. Coat with layout die.  2. Mark all horizontal lines.  3. Scribe all vertical lines.  4. Locate and mark radii.  5. Locate and draw circles.  6. Mark angles.  7. Outline template.	6	
	(c) (i) <u>Safety precautions when marking out</u> - Do not mark the surface of the surface plate - Place tools in centre of table			2					
	(c) (ii) <u>Safety precautions when cutting out slots</u>  - Wear gloves - Wear goggles - Do not remove chips with bare hands	2			<b>Two marks for 3 in sequence; One mark for 2 in sequence</b>			6	
				6			6		6



Industrial Technology  
Option B – Mechanical Engineering Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUES.	Knowledge and Comprehension	Marks		Use of Knowledge	Marks		Practical Skills	Marks	
		B/D	Total		B/D	Total		B/D	Total
2.	(b) (i) <u>Types of cold chisels</u> - Flat - Cape or cross-cut - Round nose - Diamond point  <b>Any three – 1 mark each</b>	3		(a) (ii) <u>Removal of broken tap</u> - Tap extractor - Use of EDM machine to burn tap - Use a pliers if enough tap is exposed  (b) (ii) <u>Use Of Chisels</u> - Flat to cut flat sheets, small rivets, bolts and nuts - Cape/cross-cut to clean out grooves - Round nose to cut round grooves and correct the start of wrongly drilled holes - Diamond point to chip in corners  <b>Any three – 1 mark each</b>	3		(a) (i) <u>Steps of Procedure</u>  1. Select correct tap and drill bit. 2. Drill required hole. 3 Start tap squarely. 4. Use taps in sequence. 5. Back-up to break chips. 6. Use lubricant.  <b>1–6 in sequence 6 marks</b>  <b>1–5 in sequence 5 marks</b> <b>1–4 in sequence 4 marks</b> <b>1–3 in sequence 3 marks</b>  <b>1–2in sequence 2 marks</b>  <b>1 mark for every 3 not in sequence</b>	6	
	(b) (iii) <u>Precautions</u> - Remove mushroom from head of chisel - Hold chisel firmly and correctly - Maintain correct angle  <b>1 mark each</b>								

Industrial Technology  
Option B – Mechanical Engineering Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUES.	Knowledge and Comprehension	Marks		Use of Knowledge	Marks		Practical Skills	Marks	
		B/D	Total		B/D	Total		B/D	Total
3.	(b) <u>Tools for making component</u>			(c) <u>Procedure for producing knurl</u>			(a) <u>Steps of procedure for making component</u>		
	<ul style="list-style-type: none"> <li>- Facing tool</li> <li>- Right hand turning tool</li> <li>- Centre drill</li> <li>- Parting tool</li> <li>- Knurling tool</li> <li>- Tailstock centre</li> </ul> <b>Any three – 1 mark each</b>	2		<ul style="list-style-type: none"> <li>- Select required knurling tool.</li> <li>- Centre knurling tool.</li> <li>- Set spindle speed to <math>\frac{1}{4}</math> turning speed.</li> <li>- Bring tool in contact with work.</li> <li>- Engage automatic feed.</li> <li>- Feed tool and reverse direction of travel until depth is achieved.</li> </ul> <b>6 in sequence – 4 marks</b> <b>5 in sequence – 3 marks</b> <b>4 in sequence – 2 marks</b> <b>3 in sequence – 1 mark</b>	4		<ul style="list-style-type: none"> <li>1. Face</li> <li>2. Turn A</li> <li>3. Chamfer</li> <li>4. Turn material</li> <li>5. Face</li> <li>6. Centre drill</li> <li>7. Cut to dia. 30</li> <li>8. Cut 6 mm gap, 4 deep</li> <li>9. Chamfer area to be knurled</li> <li>10. Set compound slide for taper</li> <li>11. Cut taper</li> <li>12. Knurl</li> </ul> <b>12 in order – 6 marks</b> <b>10 in order – 5 marks</b> <b>8 in order – 4 marks</b> <b>6 in order – 3 marks</b> <b>4 in order – 2 marks</b> <b>2 in order – 1 mark</b>	6	
	(d) <u>Precautions while producing knurl</u>			(e) <u>Calculation of spindle speed</u>					
	<ul style="list-style-type: none"> <li>- Ensure tool is on centre.</li> <li>- Ensure correct speed.</li> <li>- Ensure both rollers are in contact with work.</li> </ul> <b>Any two – 1 mark each</b>	2		$\frac{CS \times 1000}{\pi D}$ <b>1 mark</b>  $\frac{30 \times 1000}{3.142 \times 20}$ <b>1 mark</b>  $= 478 \text{ rpm}$	2				

QUES.	Knowledge and Comprehension	Marks		Use of Knowledge	Marks		Practical Skills	Marks	
		B/D	Total		B/D	Total		B/D	Total
3.	(f) <u>Safety precautions</u> - Ensure the chuck key is not left in the chuck - Do not wear loose clothing - Wear goggles  <b>Any two – 1 mark each</b>	2							
			6			6			6

Industrial Technology  
Option B – Mechanical Engineering Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme


QUES.	Knowledge and Comprehension	Marks		Use of Knowledge	Marks		Practical Skills	Marks													
		B/D	Total		B/D	Total		B/D	Total												
4.	(c)	3		(b) <u>Lighting and adjusting torch to get an oxidizing flame</u>	4		(d)  <u>SKETCH</u>	4													
	<table><tr><th>FACTORS</th><th>WELDING</th><th>BRAZING</th></tr><tr><td>Filler rod material</td><td>Same</td><td>Different</td></tr><tr><td>Type of flame</td><td>Neutral</td><td>Carburizing</td></tr><tr><td>Fusion of pieces</td><td>Fusion</td><td>No fusion</td></tr></table>			FACTORS			WELDING			BRAZING	Filler rod material	Same	Different	Type of flame	Neutral	Carburizing	Fusion of pieces	Fusion	No fusion	<ul style="list-style-type: none"><li>- Open acetylene valve about half turn.</li><li>- Ignite acetylene with torch lighter.</li><li>- Open oxygen needle valve.</li><li>- Adjust both valves to get desired flame (more oxygen).</li></ul>	<u>Steps of procedure</u> 1. Chamfer ends. 2. Support in angle iron. 3. Clamp pieces. 4. Make root pass. 5. Remove slag/clean. 6. Make series of passes. 7. Repeat steps 5 – 6 until cavity is filled.
	FACTORS			WELDING			BRAZING														
	Filler rod material			Same			Different														
Type of flame	Neutral	Carburizing																			
Fusion of pieces	Fusion	No fusion																			
<b>Five correct – 3 marks</b> <b>Every 2 correct (less than 5) – 1 mark each</b>	<b>4 in order – 4 marks</b> <b>3 in order – 3 marks</b> <b>2 in order – 2 marks</b>	<b>5/6 in order – 4 marks</b> <b>4 in order – 3 marks</b> <b>3 in order – 2 marks</b> <b>2 in order – 1 mark</b>																			
(e) <u>Safety Precautions</u> <ul style="list-style-type: none"><li>- Wear goggles.</li><li>- Wear gloves.</li><li>- Remove all combustibles.</li><li>- Point flame away from body.</li></ul> <b>Any two – 1 mark each</b>	(a) (iii) <u>Reason for sooty flame</u> Only acetylene is burning. Little or no oxygen is in the mixture of gases. High carbon content.	(a) (i) <u>Sketch the sooty flame</u>																			
	(a) (ii) <u>Name the sooty flame</u> Luminous	1	6		2			2	6												

Industrial Technology  
Option B – Mechanical Engineering Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUES.	Knowledge and Comprehension	Marks		Use of Knowledge	Marks		Practical Skills	Marks	
		B/D	Total		B/D	Total		B/D	Total
5.	<u>Drawing</u>			<u>Mechanisms/Methods</u>			<u>Function</u>		
	Neatness	2		Shaft A in housing supported by bushings.	2		Shaft “A” in housing supported by bushings.	2	
	Clarity of details	2		Shaft A free to rotate to facilitate swinging of hook and rotation through 360°.	2		Shaft “B” free to rotate to facilitate swinging of hook and rotation through 360°.	2	
	Proportionality	2		Shaft is retained in housing.	2		Shaft is retained in housing.	2	
			6			6			6

Industrial Technology  
Option B – Mechanical Engineering Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

POSSIBLE SOLUTION TO QUESTION 5



TEST CODE **01357020**

**SPEC2015/01357020**

**C A R I B B E A N E X A M I N A T I O N S C O U N C I L**

**CARIBBEAN SECONDARY EDUCATION CERTIFICATE®  
EXAMINATION**

**INDUSTRIAL TECHNOLOGY  
OPTION C – BUILDING AND FURNITURE TECHNOLOGY**

**SPECIMEN PAPER**

**Paper 02 – Technical Proficiency**

*2 hours 10 minutes*

**READ THE FOLLOWING INSTRUCTIONS CAREFULLY.**

- 1.** This paper consists of FIVE compulsory questions.
- 2.** Use sketches when necessary to support your answers. All sketches should be done to proportion.
- 3.** Silent non-programmable calculators may be used.
- 4.** You are advised to take some time to read through the paper and plan your answers.

**DO NOT TURN THIS PAGE UNTIL YOU ARE TOLD TO DO SO**

---

Copyright © 2013 Caribbean Examinations Council  
All rights reserved.

## BUILDING AND FURNITURE TECHNOLOGY

### LIST OF FORMULAE

Candidates should refer to the following list of formulae for assistance in answering questions.

#### ROOF CALCULATIONS

##### TRUE LENGTH OF COMMON RAFTER WITH OVERHANG

- Overhang = Rise/Run = X/overhang  
Value of X = (Rise × Overhang)/Run  
Value of X + Original Rise = Total Rise  
Run + Given Overhang = Total Run
- $\frac{\text{Rise}}{\text{Span}} = \text{Pitch}$
- Pitch × Span = Rise  
(Pythagoras' Theorem)
- The Length of Rafter =  $\sqrt{\text{Total Rise}^2 + \text{Total Run}^2}$

#### STAIR DESIGN CALCULATIONS

Formula for calculating tread and rise dimensions

- $2R + T \text{ OR } 2R + G = 550 \text{ mm to } 700 \text{ mm}$

Where R = rise, G = going and T = tread

#### CONCRETE BLOCK WALL CALCULATIONS

- $\frac{\text{Area of Wall}}{\text{Area of Block}} = \text{No. of blocks}$

#### MOISTURE CONTENT OF TIMBER

- % Moisture Content =  $\frac{\text{Wet Weight} - \text{Dry Weight}}{\text{Dry Weight}} \times 100$

#### DEPTH OF FLOOR JOIST

- $\frac{\text{Span in mm}}{24} + 50 \text{ mm} = \text{Depth in (mm)}$




**Answer ALL Question.**

**This paper contains metric dimensions only. You should work your answers in the metric system.**

1. Figure 1 shows the floor plan of a small building that is constructed with 150 mm hollow concrete block walls. The dimensions are as indicated on the plan. The floor is 100 mm thick reinforced concrete slab on grade. The building is covered with a hip roof which has a rise of 1.4 m and the rafters are placed at 400 mm centres. The overhang is 300 mm all around. The sizes of the members are as follows.

- Rafters 50 mm × 150 mm
- Fascia 25 mm × 250 mm
- Wall plate 50 mm × 100 mm. Bolted to the ring/belt beam which is 150 mm wide × 250 mm deep

(NOTE: The eave is not boxed and the roof is covered with corrugated (zinc) galvanized sheets.)




**Figure 1. Floor Plan**

- (a) Produce a neat, labelled single-line sketch of the plan of the roof portion outlined in Figure 1. **(6 marks)**
- (b) (i) List, in sequence, **THREE** processes involved in safely excavating a strip foundation with a depth of 1.4 metres. **(3 marks)**
- (ii) Name **THREE** tools or pieces of equipment required for digging a strip foundation manually. **(3 marks)**
- (c) A foundation is to be built on a gentle sloping site.
- (i) Name, with reason, a suitable foundation to be used at this site. **(2 marks)**
- (ii) Produce a drawing which illustrates your answer to (c) (i). **(4 marks)**

**Total 18 marks**

- 2.** (a) State **TWO** reasons for stripping a building site. **(2 marks)**
- (b) State **TWO** temporary services a well-managed building site should provide. **(2 marks)**
- (c) State **TWO** functions of the external walls of a building. **(2 marks)**
- (d) (i) Explain how corner profile boards are positioned when setting out a small building **(4 marks)**
- (ii) Explain, with the aid of drawings, **ONE** method of ensuring that the corners of a small building are at 90°. **(2 marks)**
- (e) Figure 2 shows a panel door



**Figure 2. Panel Door**


Make a neat sketch of the horizontal section X-X

**(6 marks)**

**Total 18 marks**

3. (a) State FOUR functions of a window. **(4 marks)**
- (b) Make a single line sketch of
- (i) a louvre window
  - (ii) a casement window
  - (iii) an awning window **(6 marks)**

- (c) **Figure 3** shows two doors labelled A and B.




**Figure 3. Two doors**

Using labels A and B, name EACH of the doors shown in Figure 3. **(2 marks)**

- (d) A stair has a total rise of 2.6 m. It has risers 200 mm in height and treads 250 mm in width. Calculate the
- (i) total number of risers in the staircase
  - (ii) total number of treads in the staircase
  - (iii) total going of the staircase. **(6 marks)**

**Total 18 marks**

4. Figure 4 shows the side view of a surface planer or jointer with three parts labelled X, Y and Z.




**Figure 4. Side view of surface planer**

- (a) Name EACH labelled part of the surface planer. **(3 marks)**
- (b) (i) List THREE factors which create the smoothness of a planed surface on the jointer. **(3 marks)**
- (ii) Explain, in sequence, with the aid of sketches, the cutting of a 6 mm deep by 15 mm wide rebate on the jointer. **(3 marks)**
- (c) Explain briefly, and with the aid of a sketch, the position of a worker's hands in relation to the surface planer or jointer when
- (i) starting a cut
- (ii) halfway through the cut
- (iii) completing the cut. **(3 marks)**
- (d) (i) List THREE operations other than rebating that can be carried out on the jointer. **(3 marks)**
- (ii) Give a possible cause for EACH of the following problems when using the jointer:
- a) The stock chips at the end of the operation
- b) The stock chips at the start of the operation
- c) The cutter not making contact with the stock

**(3 marks)**

**Total 18 marks**

5. Figure 5 shows a small panel door for a cupboard. The frame is 19 mm thick and is grooved to receive a plywood panel.



**Figure 5. Panel door**

- (a) (i) State the most appropriate joint that should be used to connect the rails and stiles of the door. **(1 mark)**
- (ii) Name THREE types of ironmongery necessary for the functioning of this door. **(3 marks)**
- (iii) State the purpose of any TWO of the types of ironmongery mentioned in (a) (ii). **(2 marks)**
- (b) Make a labelled isometric sketch of EACH of the following before cutting the joint:
- (i) The setting out of a rail **(6 marks)**
- (ii) The setting out of a stile
- (c) Describe, in sequence, the steps taken to form the part to be cut at the end of ONE rail. **(6 marks)**


**Total 18 marks**

**END OF TEST**

**CARIBBEAN EXAMINATIONS COUNCIL  
HEADQUARTERS**

**INDUSTRIAL TECHNOLOGY  
OPTION C – BUILDING AND FURNITURE TECHNOLOGY  
PAPER 02 – TECHNICAL PROFICIENCY  
SOLUTION & MARK SCHEME 2015  
SPECIMEN PAPER**

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme


QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
1 (a) (i)	<p>PLAN VIEW OF HIP ROOF</p>  <p>Sketch: Hip rafters – 1 Jack rafter – 1 Crown rafter – 1 Ridge – 1 Common rafter – 1 Labelling – 1</p>	-	-	6	
			-	-	
	<b>SUB TOTAL</b>	-	-	6	6

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
<b>1 (b) (i)</b>	<ul style="list-style-type: none"> <li>• Select correct method, tools, equipment.</li> <li>• Excavate trench</li> <li>• Timbering must be installed to prevent this side from caving in when digging the required depth</li> </ul> <p style="text-align: right;"><b>(First three in sequence - 3 marks)</b> <b>(First two in sequence - 2 marks)</b> <b>(First one in sequence - 1 mark)</b></p>	<b>3</b>			
<b>(b) (ii)</b>	<p><b>TOOLS AND EQUIPMENT</b></p> <p>Excavation work manually</p> <ul style="list-style-type: none"> <li>– Pick axe</li> <li>– Spade or shovel</li> <li>– Wheel barrow</li> </ul> <p style="text-align: right;"><b>(1 mark each)</b></p>	<b>3</b>			
	<b>SUB TOTAL</b>	<b>6</b>	<b>-</b>	<b>6</b>	<b>12</b>




Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
<p><b>1 (c) (i)</b></p> <p><b>(ii)</b></p>	<p>Step foundation (1 mark)</p> <p>Reason – To reduce the amount of excavation and materials required to produce an adequate foundation (1 mark)</p>		<p>1</p> <p>1</p>		
	 <p>Step Foundation on a Sloping Site</p> <p>Step foundation – 2</p> <p>Reinforcement – 2</p> <p>(4 marks)</p>		4		
	<b>TOTAL</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>18</b>



Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
<b>2</b>	<b>(a)</b> Reasons for Stripping a Building Site <ul style="list-style-type: none"> <li>• To remove vegetation such as bushes and shrubs</li> <li>• To remove rocks and boulders in the area where the building is to be set out</li> <li>• To clear trees and bushes</li> <li>• To remove termite nests</li> </ul> <p style="text-align: right;"><b>(1 mark each for any TWO)</b></p>	2			
	<b>(b)</b> Temporary Services <ul style="list-style-type: none"> <li>• A supply of fresh water</li> <li>• A toilet</li> <li>• An electrical supply</li> <li>• A telephone</li> </ul> <p style="text-align: right;"><b>(1 mark each for any TWO)</b></p>	2			
	<b>(c)</b> Functions of External Walls of a Building <ul style="list-style-type: none"> <li>• Enclose the building</li> <li>• Protect the inside of the building from the elements</li> <li>• Support the roof and upper floors</li> </ul> <p style="text-align: right;"><b>(1 mark each for any TWO)</b></p>	2			
	<b>SUB TOTAL</b>	<b>6</b>	<b>-</b>	<b>-</b>	<b>6</b>

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
2 (d) (i)	<p>Position of Corner Profile Boards When Setting Out</p>  <p>Corner profiles</p> <p>Alternative profile</p> <ul style="list-style-type: none"> <li>• Locate the position. (1 mark)</li> <li>• Measure the position on the ground and place peg to mark. (1 mark)</li> <li>• Check that lines are at right angles to the proposed wall position. (1 mark)</li> <li>• Run lines from the centre to the pegs. (1 mark)</li> </ul>				
	SUB-TOTAL	6	4		10




Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
2 (d) (ii)	<p>Method of Squaring a Small Building During Setting Out</p> <p>(1) Method – 3 : 4 : 5 (2) Method – Builders' Square</p>  <p>Builder's square</p>  <p style="text-align: right;">(2 marks for sketch and label of any method)</p>		2		
	<b>TOTAL</b>	<b>6</b>	<b>6</b>	<b>2</b>	<b>14</b>

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
2 (e)	<div>RAISED &amp; FIELD PANEL</div> <div>GROOVES</div> <div>MUNTIN</div> <div>STILE</div> <div>Section X-X of Panelled Door</div> <div>Sketch:</div> <div><div>Stile</div><div>– 1</div></div> <div><div>Muntin</div><div>– 1</div></div> <div><div>Panels</div><div>– 1</div></div> <div><div>Grooves</div><div>– 1</div></div> <div><div>Horizontal Section</div><div>– 1</div></div> <div>1 mark each for any FOUR (4 marks)</div>				
	TOTAL	6	6	6	18

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
<b>3 (a)</b>	Function of Windows	<b>4</b>			
	<ul style="list-style-type: none"> <li>- Through vision/privacy</li> <li>- Ventilation</li> <li>- Outside view</li> <li>- Lighting (natural)</li> <li>- Decoration</li> </ul> <p style="text-align: right;"><b>(1 mark EACH – maximum 4 marks)</b></p>				
<b>(b)</b>	Single Sketches of Windows			<b>6</b>	
	<div style="text-align: center;">  <p><b>AWNING WINDOW</b></p> </div> <div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">  <p><b>CASEMENT WINDOW</b></p> </div> <div style="text-align: center;">  <p><b>LOUVRE WINDOW</b></p> </div> </div> <p style="text-align: right;"><b>(2 marks each) (6 marks)</b></p> <p style="text-align: right;"><b>SUB TOTAL</b></p>				
		<b>4</b>	<b>-</b>	<b>6</b>	<b>10</b>

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme


QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
<b>3 (c)</b>	Names of Doors  (A) - Ledged, braced and battened (match boarded) (B) - Flush door  <b>(1 mark each – 2 marks)</b>				
<b>(d) (i)</b>	Total number of risers equal $2.600/200 = 13$ risers  <b>(2 marks)</b>				
<b>(ii)</b>	Since there is going to be one tread less than the number of risers, total number of treads equal $13 - 1 = 12$ treads.  <b>(2 marks)</b>				
<b>(iii)</b>	Total going = $12 \times 250 = 3.000$ m.  <b>(2 marks)</b>				
	<b>TOTAL</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>18</b>

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme


QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
<b>4. (a)</b>	Parts of Planer/Jointer  X – REAR (outfeed) Table Y – FENCE Z – FRONT (infeed) Table  <div style="text-align: right;"><b>(1 mark each)</b></div>	<b>3</b>			
<b>(b) (i)</b>	Factors that determine smoothness of a planed surface  - Diameter of cutter lead - Number of knives - Number of revolutions per minute - Feed speed  <div style="text-align: right;"><b>(1 mark each for any THREE)</b></div>	<b>3</b>			
<b>(b) (ii)</b>	Procedure for cutting a rebate  - Adjust the power 15 mm from the edge of the knife - Adjust the front infeed table 6 mm down			<b>3</b>	
	<b>SUBTOTAL</b>	<b>6</b>	<b>-</b>	<b>3</b>	





Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
(c)	<p><b>Sketch</b></p>  <p>Position of hands on plane</p> <p>(i) Both hands pressing stock on from table (ii) Left hand moved over on rear table pressing stock down (iii) Right hand with push stick/block to finish</p>			3	
(d) (i)	<p>Bevel Clamper Tongues Taper</p> <p>(1 mark each for any THREE)</p>		3		
(d) (ii)	<p>a) Outfeed table too high b) Outfeed table too low c) Both tables too high</p> <p>(1 mark each)</p>		3		
	<b>TOTAL</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>18</b>

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
<b>5 (a) (i)</b>	Joint Haunched Mortice & Tenon Joint	<b>1</b>			
<b>(ii)</b>	Ironmongery Hinge Straight Lock (cupboard lock) Catches Knob (Handle)  (1 mark each for any THREE)	<b>3</b>			
<b>(iii)</b>	Purpose Hanging the door Locking the door Keeping the door closed Operating and closing the door  (1 mark each for any TWO)	<b>2</b>			
<b>5 b (i)</b>	Setting out of a rail  	<b>(2 marks for sketch) (1 mark for any TWO labels)</b>		<b>3</b>	
	<b>SUB TOTAL</b>	<b>6</b>		<b>3</b>	

Industrial Technology  
Option C – Building and Furniture Technology  
Paper 02 – Technical Proficiency  
Specimen Mark Scheme

QUESTION	SOLUTION	MARKS			
		KC	UK	PA	TOTAL
5 b (ii)	<p>Setting out the stile</p>  <p>(2 marks for sketch) (1 mark for any TWO labels)</p>			3	
5 (c)	 <p>Pictorial      2 Haunch        1 Tenon          1 Groove        1 Proportion    1</p> <p style="text-align: right;"><b>TOTAL</b></p>		6		
		6	6	6	18

CARIBBEAN EXAMINATIONS COUNCIL

REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATION

MAY/JUNE 2010

BUILDING TECHNOLOGY  
OPTION 1 – WOODS  
TECHNICAL PROFICIENCY

## **GENERAL COMMENTS**

The number of candidates sitting the examination was approximately 1,776 and 83 per cent of them received Grades I–III. Candidates did quite well on the practical project of the School-Based Assessment (SBA) but some were weak in the written project. Competencies requiring focused attention are Knowledge and Application which are tested on Paper 01 (Multiple Choice) and Paper 02 (Essay/Structured Response/Problem- Solving Questions).

## **DETAILED COMMENTS**

### **Paper 01 – Multiple Choice**

Candidates' performance on this paper improved marginally above that of 2009. Based on the common selection of certain items, the need for greater coverage of the theoretical aspects of the unit cannot be overemphasized.

### **Paper 02 – Structured Response /Essay Questions**

Paper 02 was a structured response paper with three sections namely, A, B, and C.


- |           |   |
|-----------|---|
| Section A | This section had a compulsory question based on Module C7.1– Introduction to Drawing. The question was worth 40 marks.  |
| Section B | This section comprised five questions based on Modules C2, C3, C5, C6.1—Materials— and C6.2—Ironmongery. Candidates were required to attempt three questions from this section.                                   |
| Section C | This section had three questions based on Modules C4, Upholstery, Module 6.3, Basic Cabinet Making, and Module C6.7, Household Furniture. Candidates were required to answer only one question from this section. |

The mean score on this paper was 51.21 out of a total of 120 marks.

### **Section A**

#### **Question 1**

This question, based on Module C7—Drawing and Design—was compulsory. For Parts (a) and (b), primary focus was given to Objectives C7.1:5–7 from the Introduction to Drawing section of the module while Parts (c) and (d) focused on Objective C7.2:5 from the Introduction to Design section. The question required candidates to demonstrate drawing and design skills using either free hand or ruler-assisted sketches. Candidates were presented with a pictorial view of a small work table with the structural framing to be designed using timber. The dimensions for the table were: length – 1250 mm, width – 600 mm and height – 750 mm. The table top should be built using 19 mm plywood and finished with plastic laminate.



**Figure I. A Small Work Table**

Part (a) required candidates to show the following orthographic views of the table:

- i. A typical front elevation
- ii. A typical plan view showing all main hidden details
- iii. A typical end view

In Part (b), candidates were required to indicate the title and add two main dimensions for each orthographic view produced.

For Part (c), candidates were asked to name and sketch the most suitable joint to show the

- i. connection of the table leg and bottom rail
- ii. connection of the middle slat and bottom rail
- iii. connection between the top rail and table leg.

In Part (d), candidates were required to produce a sketch to explain one procedure that could be used to fasten the table top to the frame. Most candidates scored 60 per cent or more of the marks allocated to this part of the question.

In response to Parts (a) (i), (ii) and (iii), 60 per cent of the candidates were able to correctly interpret the drawing and produce the required orthographic views. However, some candidates showed weaknesses in distinguishing between orthographic and pictorial views or front elevation and end elevation.

In Part (b) (i), most candidates were able to correctly identify and label the views required. A few of the candidates did not include the titles for the orthographic sketches that they produced.

For Part (b) (ii), some of the candidates were not able to appropriately dimension the sketches to show two main dimensions. Some candidates did not score well in this areas as they either did not give dimensions or gave unrealistic dimensions.


In Part (c), most of the candidates provided satisfactory responses. They were able to sketch suitable joints for the connection at (i) or (iii) respectively. However, some candidates found it difficult to indicate the most appropriate joint at (ii) to show the connection of the middle slat and bottom rail. Some candidates sketched other joints for the connection which were not designed to resist the lateral pressure which may be encountered between these two members. In general, many candidates identified a range of joints of varying suitability but were not able to illustrate them with either pictorial or orthographic sketches.

The use of appropriate models and artifacts to illustrate the use of joints in specific applications need to be reinforced in the classroom. Models in either assembled or exploded forms should be kept on display in the workshops and used as teaching aids and for reference purposes. Candidates should also be taught good sketching skills and be allowed to practise these skills and produce pictorial and orthographic views of various woodwork components.


In Part (d), candidates performed fairly well. They were familiar with fastening principles required to anchor the table top to the frame but failed to produce suitable sketches to illustrate them.

Candidates should be given sufficient time to communicate their understanding of the components of Cabinetry and Furniture Construction in graphical form.

The expected responses to question 1 were:



(iii)




(b) (ii) Typical dimensions are as follows:


- Top length – 1250 mm
- Width – 600 mm
- Height – 750 mm
- Frame – 1150 x 500 mm
- Overhang – 25 to 50 mm
- Table top thickness – 19 mm
- Leg – 50 to 75 mm

(c)

(i)




(ii)



### Mortise & Tenon Joint


(iii)



### Haunch Mortise & Tenon joint



(d)



## Section B

### Question 2

This question assessed candidates' knowledge and application of Module C2—Hand Tools and Bench Work. Specific focus was given to the objectives under Module C2.1—Planning and Layout—in relation to layout tools.

Part (a) (i–v) required candidates to state two uses each of the Try square, Sliding bevel, Marking gauge, Mortise gauge and Marking knife.

The general responses to this part of the question indicated that most of the candidates were familiar with layout tools and had a fair understanding of their uses in furniture work. However, some candidates could not distinguish between the use of the mortise and marking gauge while others had difficulty indicating the use of the sliding bevel.

Based on the responses to this question, it is necessary for students to spend quality time on the layout component of projects they undertake in the workshop. This will help them to better appreciate the use of various layout hand tools. In addition, greater emphasis needs to be placed on helping students to correctly use layout tools to produce joints, shapes and intricate designs on wood surfaces.

For Part (b), candidates were asked to produce neatly labelled sketches of three of the tools indicated in Part (a).

More than 50 per cent of the candidates were not able to use suitably labelled sketches to decipher between the marking gauge and mortise gauge respectively. This resulted in some candidates producing poor responses to this part of the question.


The expected responses to Question 2 were:

2 (a)


- (i) **Try Square**—used for *marking lines at right angles (90 degrees) to surfaces* and for *checking the squareness* of framework being assembled.
- (ii) **Sliding Level**—used for *marking dovetails* and for *testing bevels and chamfers*.
- (iii) **Marking gauge**—used for *marking lines along the grain*, these lines being parallel to a given surface. Use for *marking parallel lines* when bringing wood to uniform width and thickness.
- (iv) **Mortise gauge**—used for *marking double parallel lines for tenons, mortises, bridle joints* and grooves.
- (v) **Marking knife**—used for *razor edge marking of lines* for dovetail and housing joints.

2 (b)


**Try Square**




**Marking Gauge**



**Sliding Bevel**



**Mortise Gauge**



**Marking Knife**



### Question 3

This question targeted Module C3—Machine Operations—of the syllabus. Candidates' knowledge and application of the wood-turning lather was assessed based on objectives related to safety practices, uses and turning principles.

Part (a) required that candidates list five safety rules that should be observed when operating the wood turning lathe.

For Part (b) candidates were required to state five items that may be produced on the wood turning lathe.

In Part (c), candidates were required to explain five operational procedures required for preparing and fixing wood stock between the live and dead centres of the lathe for turning.

More than 60 per cent of the candidates who responded to Part (a) were able to state appropriate safety rules to be adhered to when operating the lathe. Nevertheless, some candidates were unable to respond appropriately regarding safe practices to be followed when preparing to use the lathe.

If candidates are to perform operations such as spindle turning and faceplate turning on the lathe they must be fully cognizant of the safety rules governing its use. Thorough explanations need to be given regarding safe practice in the use of the wood-turning lathe among other machines in the workshop. Greater emphasis should also be placed on the varied uses and correct procedures to be followed in operating the lathe. In addition, the instructional process will have to entail frequent demonstrations and regular supervised practice. Observation of safety in using this and all woodwork machines must be emphasized at all times.

The responses to Part (b) clearly indicated that this part of the question was well favoured by the candidates. Only a few candidates found it difficult to identify the five different items correctly.

Part (c) of the question was fairly well done as approximately 50 per cent of the candidates were able to explain the procedures required in preparing and fixing a piece of stock for turning on a wood turning lathe.


Responses to this question include the following:

- (a) Safety rules that should be observed when preparing to operate the wood turning lathe.
  - (i) Do not wear loose fitting clothing or jewelry which could get caught in the revolving stock.
  - (ii) The tail stock should be checked to ensure that the stock is tight.
  - (iii) Position the tool rest so that it suits the cutting action of the wood turning tool.
  - (iv) Ensure that the motor speed is the correct one for the size of stock being turned.
  - (v) Goggles or face shields must be used to protect the operator from flying chips.
  - (vi) Avoid resting unused tools on the lathe as they might cause injury or become damaged when they fall.
- (b) Items which may be produced on the lathe
  - (i) Rolling pins
  - (ii) Table legs
  - (iii) Lamp stems
  - (iv) Fruit bowls
  - (v) Cups
  - (vi) Tool handles
- (c) Steps involved in preparing and fixing stock between the live and dead centres
  - (i) Square and mark diagonals at both ends of the stock to be turned.
  - (ii) Use a bradawl to make starter holes at the centre of the diagonal lines at each end.
  - (iii) For hardwoods, make saw kerfs in one end to receive the pronged or live centre. For softwoods use a mallet to knock the pronged centre in one end of the stock.
  - (iv) Insert the shank of the pronged centre in the headstock spindle and slide down the tail stock.
  - (v) Carefully position the dead centre in the hole made by the bradawl.
  - (vi) Lock the tailstock then adjust the dead centre into the wood by tightening with the tailstock hand wheel.
  - (vii) Test grip by spinning with the hand and make necessary adjustment to prevent binding at the dead centre.

#### Question 4

This question assessed candidates' knowledge and application of Furniture Construction—Ironmongery Module C6.2. The specific sub-modules tested were C6.2:1, C6.2:3 and C6.4:6 respectively.

In Part (a), candidates were asked to list the correct names for the ironmongery labelled as **A–D** in Figure 2.




**Figure 2. Types of Ironmongery**

For Part (b), candidates were required to satisfy two requirements, namely:

- produce neat, labelled sketches of the Tee Hinge, Butt Hinge and Decorative Hinge
- indicate the most suitable use for each hinge

For Part (c) (i), candidates were asked to reproduce the sketch given in Figure 3 to show the position of the butt hinge indicated in (b) (ii).



**Figure 3. Door and Frame**

Part (c) (ii) required candidates to indicate the correct height for the hinge from the top of the door to the upper part of the hinge.

For Part (a), candidates had some difficulty supplying the correct name for the ironmongery labelled **B** which represents the cupboard lock. Many candidates confused this lock with a typical mortise lock.

Candidates need to be able to distinguish among various types and uses of locks, and correctly select locks for household uses. Most of the candidates were able to satisfactorily state the names of the ironmongery labelled **A**, **C** and **D**. The responses indicated that they were more familiar with these types of ironmongery.

Part (b) was generally well known to candidates. Most candidates were able to score satisfactory marks on this part of the question. Some of them showed weaknesses in sketching the types of hinges.

If candidates are to obtain maximum scores on items involving the production of neat, well-proportioned sketches of ironmongery among other components, much practice in sketching is required.

Part (c) (i) was satisfactorily done by candidates who were familiar with the use and installation of the butt hinge. Candidates were able to position the hinge correctly between the stile and frame.

For Part (c) (ii), most candidates were able to indicate the correct height of the hinge in reference to the door top.



The expected responses to this question were:

(a)


- A) Back flap hinge
- B) Cupboard lock/Drawer lock
- C) Ball catch
- D) Cupboard Door Knob/Handle

(b)


- i. **Tee hinge:** This hinge is mainly used for out-building doors such as barns, storage rooms and gates.



- ii. **Butt hinge:** This is used on panel and flush doors to secure them to their frames without the screws being exposed.




- iii. **Decorative hinges:** As their name suggest, these are special hinges that may be used on house doors, cabinet doors, the lids of chest wardrobe fitments etc.



### Question 5

The objectives of this question, based on Module C6.1 of the syllabus, materials, were to test candidates' knowledge of the types of defects commonly occurring in timber as well as the anatomy of a tree.

Part (a) asked candidates to state the names of the five types of defects labelled A–E in Figure 4.



**Figure 4. Types of Wood Defects**

For Part (b) (i–iii), candidates were required to produce a typical sketch of the cross-section of a tree trunk and identify the annual rings, the heartwood and cambium layer.

Part (c) required candidates to explain the function of the leaves, cambium, bark, heartwood and sapwood in relation to the growth of the tree.

For Part (a), most candidates found it difficult to identify the diagram showing the defect labelled as 'B'.

Most candidates scored well on Part (b) in that they were able to produce the sketch desired and indicated the correct locations of the annual rings and the cambium. Some candidates seemed to confuse the position of the heartwood with the sapwood. The position for the heartwood was therefore incorrectly indicated in some instances. This resulted in a few of the candidates failing to receive maximum marks for this part of the question.


Part (c) was generally well done. Candidates' responses to this part of the question indicated that they were very familiar with the anatomy of a tree and how the function of each part contributed to the growth of the tree.

The expected responses to this question were:

(a)

- A Bowing
- B Spring
- C Cup-shake/Ring Shake
- D End splits, Split/check
- E Winding/Twisting

(b)



(c) The **leaves** take in carbon dioxide from the atmosphere. Photosynthesis takes place because of the sunlight and this assists in the production of food for the tree.

The **cambium layer** lies between the bark and the wood and forms the new wood and new bark as a result of the enlargement and division of the cells, both radially and tangentially.

The **bark** protects the living bark from sudden temperature changes, prevents the evaporation of water, the entry of injurious insects and protects the tree from injury by animals.

The **heartwood's** purpose is to support the tree and is the part of the tree most resistant to decay and attack by insects and fungi.

The **sapwood** allows the transportation of mineral salts to all parts of the tree.

### Question 6

This question assessed candidates' familiarity with Module C5—Finishes candidates were required to demonstrate their knowledge of the types, components and application of various types of finishes.

Part (a) of the question required candidates to list three types of furniture finishes. For Part (b), candidates were required to state three reasons for applying finishes to furniture.

Part (c) (i–ii) asked candidates to list four ingredients required for the manufacture of paint and to state ONE function of each ingredient given.

In Part (d) (i), candidates were required to provide brief explanations of the steps to be followed in preparing wood surfaces for paint. Part (d) (ii) required candidates to outline three steps to be adhered to achieve quality painted surfaces.

Approximately 70 per cent of the candidates who attempted this question were able to provide satisfactory responses. There were clear instances where candidates found it difficult to decipher between preparatory finishing materials and final finishes.

Candidates must be able to clearly distinguish between materials required to prepare surfaces for a desired finish as opposed to those to be applied following preparatory work.

The general response to Part (b) was poor. Candidates did not rationalize well in stating three important reasons for the application of finishes.

Part (c) (i) was satisfactorily done. Candidates were able to identify the appropriate components used in the manufacture of paints. Part (c) (ii) presented difficulty for some candidates as they were not able to explain the function of each component in the manufacturing process of paint.

Candidates need to be fully aware of the components and manufacturing process used to acquire various finishes if they are to be able to use them safely. Finishes such as oil-based paint and varnish for example, with flammable and toxic properties, must be known to candidates who must interact with these materials.

While Part (d) (i) was satisfactorily done by most candidates, they encountered difficulty with Part (d) (ii) in which they were required to explain the steps needed to achieve quality painted surfaces. Much practice in the use of applied finishes should be encouraged in the workshop. The knowledge to be gained will enable candidates to proficiently apply various finishes to both interior and exterior furniture to marketable standards.

The expected responses to this question were:

(a) Types of furniture finishes

1. Paint
2. Varnish/polyurethane
3. Wax polish
4. Clear lacquer
5. Wood stains
6. Sealer
7. Shellac
8. Linseed oil
9. Teak oil
10. Plastic laminate



(b) Reasons for applying finishes to furniture:

1. It preserves the life of the material by protecting it from moisture and other elements.
2. It enhances the appearance of the material being coated especially if the material does not possess an attractive grain structure.
3. Protective coverings such as varnish and oil-based paints provide a surface that can be easily cleaned.

(c) (i) Four paint ingredients/components

1. Drier
2. Pigment
3. Solvent
4. Binder/Vehicle

(c) (ii) The function of the ingredients/components

**Drier**—these are substances added to oils to speed up oxidation and the curing process.

**Pigment**—this is a fine powder added to a liquid base to provide colour.

**Solvent**—this is a liquid mixture which dissolves certain materials.

**Binders on Vehicles**—this provides the suspension flush for the pigment and also act to bind the pigment to the surface being provided.

(d) (i) Three steps to be followed in preparing wood for painting (any three of the following)

1. Remove loose knots and plug the holes with wood pellets/filler.
2. Punch any nail holes below the surface.
3. Fill all indentations with wood filler/putty.
4. Sand properly using appropriate grade sandpapers.
5. Treat knots with a coat of shellac polish to prevent resin exuding.

(d) (ii) Steps to achieve quality painted surfaces


1. **Primer coating:** This first coating should be well worked into the material to provide a base for the subsequent coatings. Filling and light sanding are required.
2. **Undercoating:** Apply two coats of coloured matte/undercoating paint. Lightly sand with very fine grade sandpaper to maintain a smooth surface between coats.
3. **Top/Final coating:** The final coating should be applied once the undercoating has sufficiently dried. It can be applied either by a brush or a spray gun.

## Section C

### Question 7


This question required that candidates demonstrate their knowledge of Module C4—Upholstery—with primary focus on Module C4.1—Tools and Materials.

Part (a) assessed candidates' general knowledge of the types and uses of upholstery tools. In Part (a) (i), candidates were given three upholstery tools in Figure 5 and asked to state the name for each, while Part (a) (ii) required that they state the function of these tools for upholstery work.




**Figure 5. Upholstery Tools**

Part (b) assessed candidates' knowledge of upholstery material. In Part (b) (i), candidates were given two diagrams in Figure 6 showing springs used for upholstery work and asked to state the name for each, while Part (b) (ii) required that they state how each was specifically used for this craft.



**Figure 6. Upholstery Springs**

Part (c) assessed candidates' ability to outline, in correct sequence, five steps for making and fitting a padded seat for the stool given in Figure 7.



**Figure 7. Frame of Stool with Webbing in Place**

Part (a) (i) was widely known. Candidates who responded to this part of the question readily identified the tools labelled **X** and **Z** but found great difficulty recognizing the tool labelled **Y**. Part (a) (ii) of the question was generally well done. Candidates knew the functional requirements for the tools they identified.

Most candidates misinterpreted the tool labelled **Y** for a paint brush. Their responses disclosed that they were not familiar with its use for general upholstery work.

For Parts (b), (i) and (ii), candidates were able to identify the spring labelled **A** but many had difficulty labelling spring **B**.

Candidates' responses to Part (b) (ii) were poor. This may be a result of their inability to readily identify the springs shown in Figure 6. The difficulty experienced by candidates affected their ability to correctly indicate the function/application of Spring **B** in particular, for upholstery work. Greater effort needs to be placed on the Upholstery Module of the syllabus if candidates are to perform well on the questions related to it.

Part (c) (ii) was satisfactorily done by most candidates.

Systematic instruction should be given to candidates to enable them to appropriately apply the principles and techniques required for the production of upholstery work. Visits to factories and workshops would also help candidates to observe how upholstery skills are applied.

The expected responses to this question were:

(a) (i)

X – Shears/Scissors

Y – Strainer/ Web Stretcher/Tensioning Tool

Z – Tack Hammer

(a) (ii)

**Shears** are used for cutting fabrics

**Strainers** are used for tensioning webbing

**Tack Hammer** is used for driving and removing tacks and nail

(b) (i)

A – Tension Spring

B – Coil Spring

(ii)

Coil spring – used in high quality work and installed vertically

Tension spring – used in cheaper furniture and installed horizontally

(c) Five sequential steps to make and fit padded seat to frame are:

1. Cut hessian 25 mm larger than top.
2. Strain hessian over the edges and secure with tacks.
3. Select padding (foam/sponge) and cut 4–6 mm larger than stool.
4. Measure and cut suitable covering material to cover the padding and extend beyond the thickness.
5. Secure padding with tacks.

### Question 8


This question assessed candidates' knowledge and application of Module C6.4 — Household Furniture. Objectives tested from this module were C6.4:4 and C6.4:5, respectively.

Part (a) (i) required candidates to name and produce sketches of suitable widening joints that could be used to join boards to achieve a table top width of 900 mm. For Part (a) (ii), candidates were asked to name the tool used to hold boards when making widening joints.

In Part (b), the elevation of a wall shelf made from solid timber boards was given in Figure 8.

Candidates were asked to

- (i) give the name for a joint that is suitable to join the shelves to the vertical sides of the shelf and
- (ii) explain, with the aid of sketches, three steps required to make this joint.



**Figure 8. Wall Shelf**

Many of the candidates who responded to Part (a) (i) were able to name and produce three suitable sketches of appropriate widening joints applicable to achieve the width of 600 mm required for the table top. Candidates also responded well to Part (a) (i).

For Part (b) (i), candidates' responses were satisfactory. Their responses confirmed that they were quite knowledgeable of the use of various joints that were appropriate to join the shelves to the sides of the shelving unit.

Part (b) (ii) was not well done. Candidates found it difficult to adequately explain, with the aid of illustrations, three steps to be taken to produce the housing joint.


It is imperative for candidates to obtain adequate shop practice in the fabrication of various woodworking joints. This knowledge should assist them to select and produce appropriate joints for various components required in both cabinet making and household furniture.

The expected response to this question were:


(a)

(i) Names and sketches of three typical widening joints


Dowelled joint




Alternate sketch




Slot-screwed joint




Alternate sketch



Long tongue and groove joint



Rebated Joint



(a)


(ii) **Sash Cramps** can be used to hold the boards together.

(b) (i) Stopped housing/through housing joint

(b) (ii) Steps required to make the joint named in b (i)

1. Layout the trench leaving space for the stop.
2. Layout the shelf removing the space for the stop.
3. Cut the clearance hole with a chisel.
4. Saw the sides.
5. Remove waste with a paring chisel.
6. Level the bottom with hand router.


(b) (ii)



**Diagram showing steps to produce a Housing Joint**

### Question 9

This question assessed the objectives and content detailed in Modules C6.3 – Cabinet Making. Specific sections addressed were C6.3:2 and C6.3:4. Candidates were presented with a drawing of a cabinet frame in Figure 9 representing a bathroom cupboard.



**Figure 9. Frame for a Bathroom Cupboard**

In Part (a) (i), candidates were required to state three suitable materials for making the top for the cabinet. Part (a) (ii) assessed their ability to choose three waterproof finishes suitable to overlay a wooden top.

Part (b) (i) assessed candidates' ability to describe four processes to be followed to fabricate the top to fit the cabinet frame. Part (b) (ii) assessed candidates' understanding of six steps to be followed to apply a waterproofing material to the wooden top indicated in (a) (ii).

For Part (b) (iii), candidates were required to state four reasons special care should be taken when selecting a wooden product for use in the bathroom.

For Parts (a) (i) and (ii) approximately 50 per cent of the candidates were able to identify suitable materials to fabricate the cabinet top but were unable to provide appropriate responses of suitable materials to be used for waterproofing it.

The responses of candidates who attempted Part (b) of the question were not convincing. Many of them could not adequately explain the procedures required for (b) (i) and (ii) correctly, and, in some cases, confused the processes.

For Part (b) (iii), approximately 50 per cent of the candidates provided suitable reasons for the need to be precautionous in selecting wood product for use in the bathroom.

In addition to the preparation of materials list and bill of quantities, projects undertaken by students will require them to conduct even deeper planning and analysis so work can be organized logically. This will include careful study of environmental factors such as moisture content which may impact material resources available to them. These phases should supersede students' engagement in the fabrication and finishing processes. Much time therefore needs to be spent on product or project analysis to cement these vital skills.

In addition, time also needs to be spent on the execution phases of projects. All projects to be undertaken by students could be designed in such a way that they mirror the requirements of the School-Based Assessment. This approach should give students the opportunity to develop an even greater understanding and appreciation for the processes involved in design and production as used by furniture manufacturers. This will also enable them to make a smoother transition to the workplace.

The expected responses to this question were:

(a) (i) Materials suitable for making the top of the cabinet

1. Plywood
2. Marine plywood
3. Granite
4. Concrete board
5. Solid timber

(a) (ii) Water proofing materials that can be used to cover a wooden top

1. Plastic laminate
2. Plastic coating
3. Tiles
4. Paint
5. Varnish

(b) (i) Processes for preparing the top to fit the cabinet

1. Measure to correct length and width of top
2. Layout overlaps
3. Square and cut material to correct size
4. Cut out opening for the basin
5. Fit the top to the cabinet

(b) (ii) Processes for affixing the waterproofing material to the wooden top

If plastic laminate is used as surface finish:

1. Cut strips for edges
2. Glue on strips
3. Trim strips flush with the top
4. Spread contact glue on the top and laminate and allow to dry to touch
5. Affix laminate to top
6. Trim the edges

OR

If clear/transparent finish is used as surface finish:

1. Fill holes/cracks
2. Sand
3. Seal/prime surface
4. Sand/wipe
5. Apply finish coat

OR

If using ceramic tile or similar material as surface finish:

1. Cut strips for edges
2. Fasten strips to edges
3. Mix tile adhesive
4. Spread adhesive to area to be tiled
5. Lay/Place tiles
6. Apply grout
7. Clean surface of tiles

(b) (iii) Reasons one must be careful about selecting a wood product for use in the bathroom

1. The wood can absorb moisture
2. The wood can rot easily
3. The wood can disintegrate
4. The wood may be difficult to keep clean on its own

### **School-Based Assessment (SBA)**

#### **Rationale**

The SBA component of the Building Technology, Woods option measured the practical skills not tested on the multiple choice and free-response papers (papers 1 and 2).

The assignments set for the SBA were intended to deepen students' knowledge and help them achieve competency in skills required in the Building/Woodwork industry and which are within the competence of secondary school students.

By focusing on processes as well as product, the SBA component was designed to allow students to demonstrate improvement in skills over a period of time and for their teachers' involvement in the process.



## **Requirements**

Each candidate was required to complete a practical and a written assignment during terms four and five of the two-year course (terms one and two of the examination year). The practical assignment was worth 90 marks and the written assignment was worth 30 marks.

## **Practical Assignment**

For the practical assignment, candidates were required to construct a project designed to utilize the skills and knowledge covered in the syllabus. Candidates were given the option to choose one project from a list of three preset requirements provided by CXC. All dimensions for the project were given in millimetres (mm) unless otherwise stated. The project was not to exceed the dimensions of 700 mm long x 400 mm deep. Dimensions omitted were left to students' discretion.

Each student was expected to:

- i) Provide a plan sheet for the project which should have included the following:
  - a) drawings and/or sketches
  - b) steps of procedure
  - c) a bill of materials
  - d) a list of tools and equipment to be used.
- ii) construct a project

The particulars of the project had to be approved by the teacher prior to commencement.

## **Written Assignment**

The written assignment took the form of a report of about 1000–1200 words based on the Common Module: Career Opportunities. Students were required to write on the topic set by CXC for each examination. The topic was based on the following themes in the module:

- i) Job Search
- ii) Career Choice
- iii) Industrial Visits
- iv) Profile of Engineer or Inventor

Students were assessed on accuracy of information, clarity of presentation, the use of technical language and knowledge of career opportunities in the Building Technology industry as outlined in the Common Module of the unit.

**C A R I B B E A N   E X A M I N A T I O N S   C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATION**

**MAY/JUNE 2010**

**BUILDING TECHNOLOGY  
OPTION II – CONSTRUCTION**

**Copyright 2010 Caribbean Examinations Council  
St Michael, Barbados  
All rights reserved.**

## GENERAL COMMENTS

This year, 2010, 1 912 candidates wrote the Building Technology Construction examination. This was 25.29 per cent more than the 1526 who wrote the examination in 2009. Of these, 81 per cent obtained Grades I – III compared with 2009.

The Building Technology examination consists of three papers:

Paper 01 – Multiple Choice (consisting of 60 items)

Paper 02 – Structured Restricted Response (essay questions)

Paper 03 – School-Based Assessment (SBA)

Candidates performed creditably on the practical projects of the SBA; however, the written assignment continues to present a challenge. There appears to be a degree of uncertainty on the part of both teachers and students in terms of the correct format in which the SBA should be presented. Perhaps the mark scheme needs to be modified in order to simplify the marking of the written assignment.

Candidates seemed knowledgeable in a wide range of topics in the syllabus but were unable to apply that knowledge when required to do so in the application questions in Paper 02. The conclusion therefore is that not enough practical time is allocated for candidates to develop competencies that would allow them to improve their overall performance in the examination. This issue must be addressed urgently in order to sustain comparable performances in successive examinations.

It is hoped that teachers will use the practical assignment to teach more of the related building principles, technologies and science inherent in the various modules in the syllabus.

- (1) Question 1 of the examination is compulsory and is based on Modules D5 – D9 which covers walls, floors, roofs, doors, windows and stairs. This question is worth 40 marks. Over the years, approximately 30 per cent of the candidates would complete this question. This inevitably impacts negatively on the overall performance of Paper 02. There is need for a critical analysis of the factors contributing to the poor performance of candidates on Question 1.

Discussions on the above mentioned issue between the examination committee and the diverse group of examiners and assistant examiners from a large cross section of the Caribbean revealed that the major factors are:

- Candidates lack the prerequisite knowledge of the constructional procedures and techniques used to put building components together for example, doors, windows, floors, roofs and stairs. This hinders their ability to respond to questions requiring them to produce sectional sketches of those building components. Unfortunately the need to produce sectional sketches is inevitable because Section 1 of the syllabus deals specifically with details/sectional drawings of building components and Question 1 is designed to test candidates' skills in that area.

- Candidates' poor drawing/sketching skills continue to hinder their ability to perform creditably, especially on Question I. The skill of producing and interpreting detailed sectional drawings/sketches is one that must be fully developed by all candidates with an interest in the field of Building Construction. Drawing/sketching is the language of the construction industry. Therefore, every effort must be made to equip candidates with good drawing/sketching skills.
- (2) Candidates must be reminded to use the drawing paper attached to the answer booklet to answer **only** the compulsory question 1, in Section A. This point may be reiterated as it continues to cause problems during the marking exercise.

## **DETAILED COMMENTS**

### **Paper 01 - Multiple Choice**

This paper comprised a total of 60 multiple choice items based on all the theoretical aspects of the syllabus. Candidates responded reasonably well to most of the questions. However, their responses to some of the questions clearly suggested that they were not adequately prepared for the examination. Teachers should note the units, specific objectives and related content indicated in the syllabus and use this to ensure that students are adequately prepared for the examination.

### **Paper 02 - Structured Restricted Response Essay Questions**

This was a free response paper with three sections A, B and C. Each question received equal weighting for the profile dimensions Knowledge and Application.

- |           |  |
|-----------|--|
| Section A | This consisted of one compulsory design question based on Modules D5 – D9 of the syllabus.<br><br>The question is worth 40 marks   |
| Section B | This contained five questions based on Modules D2 – D10 of the syllabus of which candidates were expected to answer three questions. The questions were worth 20 marks each. |
| Section C | This comprised three questions based on Modules D11 – D13 of the syllabus of which candidates were expected to answer one question. The question is worth 20 marks.          |

## Section A

### Question 1




Figure 1. Floor plan




Figure 2. Door and frame

This was a compulsory design question which comprised five parts designed to test candidates' knowledge and understanding of best practices adopted in the construction industry when working on

- i) doors and door frames
- ii) walls
- iii) timber staircases

Candidates were presented with a floor plan and the front elevation of a panelled door and frame (see Figures 1 and 2).

Part (a) tested candidates' ability to demonstrate their understanding of the constructional details of a panelled door and frame. This part of the question required candidates to produce a sketch of a vertical section of the door and frame at A-A on the floor plan. Details of the foundation and walls were not required.

Candidates who were better prepared for the examination performed creditably. However, weaker candidates found this question very challenging. Though they encountered difficulties producing the sketch of the vertical section, they were able to produce correct details of the foundation, wall and roof which were not required.

Parts (b) (i) and (ii) tested candidates' knowledge of the type of door and its respective parts. This part of the question was generally well done. However, weaker candidates referred to 'Muntin' as 'Mullion' and 'Middle Rail' as 'Intermediate Rail'. Also, candidates named the parts of the door frame as part of the door. The question particularly asked candidates to label six parts of the door in Figure 2 (not the door and frame).

Part (c) tested candidates' ability to demonstrate an understanding of the constructional details of a window opening in a wall. This part of the question required candidates to produce a labelled sketch of a vertical section through the wall at section C-C on the floor plan to show details of the Concrete Sill and Lintel. Details of the window and frame were not required. This was generally well done.

Parts (d) (i), (ii) and (iii) tested candidates' knowledge of anti-capillary grooves, their purpose and where they can be found in buildings. Many candidates showed little or no knowledge of this constructional feature. This may be because it is not being taught. Teachers are therefore encouraged to teach all the topics in the syllabus (Note the section of the syllabus that deals with anti-capillary grooves is D8.2: 6).

Part (e) tested candidates' understanding of wooden stair constructional techniques.

Part (e) required candidates to

- (i) produce a labelled vertical section of the stair at B-B on the plan view in Figure 1 to show how one riser and one tread are connected together, and
- (ii) give the function of a riser, tread, headroom, handrail, balustrade and newel post in relation to stairs.

See appendix 1 for sample responses to Question 1.

## **Section B**

### **Question 2**

This was one of the popular questions in Section B. It tested candidates' knowledge and understanding in the areas of

- (i) site preparation and
- (ii) basic site management

Part (a) required candidates to list five factors affecting the choice of a building site. This part of the question was very well done.

Part (b) (i) required candidates to list five reasons for hoarding a building site and (b) (ii) required them to write brief explanatory notes for each reason given in (b) (i). This part of the question was a bit challenging for candidates, perhaps because of their inability to express themselves properly in writing.

In Part (c), candidates were asked to state three reasons for stripping a building site, candidates performed very well on this part. Part (d) required candidates to give one example of a temporary service and one example of a temporary shelter. This part posed a problem for the weaker candidates who were in the habit of simply listing temporary services and shelters.

This was one of the popular questions in section B.

See appendix 2 for sample responses to Question 2.

### Question 3

This was a very popular question. It tested candidates' knowledge and understanding of different building materials and their uses in the construction industry, for example timber, concrete, mortar and plastics.

Part (a) required that candidates sketch a cross-section of a tree trunk and label six parts. This was generally very well done. However, in labelling, some candidates did not correctly identify the parts.

Parts (b) (i) and (ii) required candidates to define the terms *concrete* and *mortar*. Generally, the question was well done. However, in their responses weaker candidates omitted stating that the ingredients are 'mixed in correct proportion'.

Part (c) asked candidates to explain the term *moist curing* as it relates to concrete. This was not very well done as candidates demonstrated very little knowledge of this concept in building construction.

Part (d) required candidates to list four properties of plastics used in the building construction industry. This part of the question was very well done.

See appendix 3 for sample response to Question 3.

### Question 4

This question tested candidates' knowledge and understanding of foundations and their functions. It also tested their knowledge of different types of brick bonds, functions of external walls and the meaning of the term *proportioning* as it relates to concrete.

Part (a) required candidates to use labelled sketches to illustrate Simple Strip foundation, Raft foundation and Pad foundation. The lack of drawing skill displayed by candidates hindered their chances of performing well on this part of the question.

Part (b) required candidates to state two functions of a foundation. This part of the question was very well done. In Part (c), candidates were asked to list three different types of brick bonds. Candidates did not perform as expected on this question. They listed a series of incorrect names.

Part (d) required candidates to state three functions of the external walls of a building. The response to this part of the question was good. For Part (e) candidates were asked to define the term *proportioning* as it relates to concrete. Most candidates displayed a good knowledge of the term *proportioning*.

See appendix 4 for sample responses to Question 4.

### Question 5

This was the least popular choice in Section B. It tested candidates' knowledge and understanding of floors (both reinforced concrete and timber), their functions and construction.

In Part (a), candidates were asked to produce a neatly labelled sketch to show a vertical section through a reinforced concrete ground floor with a 19 mm cement sand screed. Candidates perform well on this part of the question.

Part (b) required candidates to state five functional requirements of floors. The better candidates performed well on this part. The weaker candidates found it difficult to list five functional requirements of floors, perhaps because of their inability to express themselves properly.

Part (c) required candidates to state two methods of strutting as they relate to upper timber floors. Performance on this part of the question was not very good as candidates seemed to have little knowledge of strutting.

Part (d) required candidates to list three members of a timber floor. This was well done.

The overall response to this question was very poor.

See appendix 5 for sample responses to Question 5.

### Question 6

This question tested candidates' knowledge and understanding of different types of roofs and their construction.

Part (a) required candidates to produce single line diagrams to illustrate Lean-to roof, Gable roof, Close couple roof, Hip roof and Hip and valley roof and identify them by inserting the correct names next to each sketch. This part of the question was generally well done.

Part (b) required candidates to state three advantages of trussed roof construction over other types of construction systems. Candidates responded well to this part of the question.

In Part (c), candidates were required to name four different types of roof coverings. This was well done.

Part (d) required candidates to name three members of a close couple roof. Candidates did not seem to have a good understanding of the structural members of a close couple roof.

See appendix 6 for sample responses to Question 6.



## Section C

### Question 7

This question tested candidates' knowledge and understanding of drainage systems.

In Part (a), candidates were asked to write brief explanatory notes on the purpose of a *soakaway*. For Part (b), they were asked to briefly explain two advantages and two disadvantages of (i) a combined system of drainage and (ii) a separate drainage system.

Part (c) required candidates to explain the following terms: *cesspool, surface-water drain, sewer, sewage and drain pipe*.

Candidates seemed to have very little knowledge of drainage systems and terms associated with drainage. This, perhaps, may be owing to a lack of exposure to the topic. Teachers should use field trips to allow their students to gain knowledge in that important area of building construction.

See appendix 7 for sample responses to Question 7.

### Question 8

This question tested candidates' knowledge and understanding of the duties of the members of the building team and the building trades on a construction project/site.

Part (a) required candidates to explain the functions of the following members of the building team: *client, architect, contractor, engineer and quantity surveyor*.

Part (b) asked candidates to state two functions of each of the following persons in the building trades: *carpenter, electrician, plumber, painter and mason*.

This was a very popular question in Section C and candidates seemed to have performed reasonably well on both parts.

See appendix 8 for sample responses to Question 8.

### Question 9

This question tested candidates' knowledge and understanding of architectural features from Britain and the USA that have influenced the design of buildings in the Caribbean. It also tested candidates' knowledge of factors that influence building design.

Part (a) required candidates to explain five factors that influence the design of a building. In Part (b), building features from Britain and the USA that have influenced building design in the Caribbean were explored.

Very few candidates attempted this question. This has been the trend over the years and this may be the result of the topic not being taught.

See appendix 9 for sample responses to Question 9.

### **School-Based Assessment (SBA)**

The SBA is intended to be a diagnostic, formative and summative assessment tool. Students can present their best efforts once the suggested time frame is followed by teachers. The new format requiring both a practical and written project should be taken seriously if students are to develop the intended competencies.

Students are required to complete two assignments during terms four and five (terms one and two of the examination year) and each candidate is required to complete

- (i) One practical project to be selected from a list of three published by CXC. This will be worth 90 marks for profile dimension 3 (Practical Ability).
  - (ii) *A written assignment set by the classroom teacher in keeping with the guidelines outlined by CXC and based on the Common Modules D1, D14 and D15. This will be worth 30 marks for profile dimension 3 (Practical Ability).*
1. This year's moderation analysis revealed that, across territories, *many candidates' written reports were reproductions of a single report*. Also, some candidates seem to be reusing previous years' reports. This unacceptable practice may have negatively affected candidates' overall scores. Teachers' assessment of the written reports appeared to be quite generous and in some instances, contrary to the suggested mark scheme.
  2. A major aspect of the SBA practical project is design which entails drawing, material, various machines, manual processes and the evaluation of various methods and systems in Building Technology. This aspect of the programme must be managed by the teacher, if students are to derive maximum benefit such as drawing skills and the ability to relate theory to practice.

The format developed to ensure that the skills are organized systematically includes the following:

1. Preliminary considerations (usually a statement of what the student wants to do)
2. Preliminary design
3. A pictorial sketch of the project idea
4. Production of a set of working drawings (orthographic, including sectional views)
5. Estimating the quantities and types of material and cost
6. Selecting appropriate materials (or suitable alternatives)
7. Selecting tools and machinery
8. Developing a plan of operations
9. Implementing a plan of operations, in order to complete the project
10. Supervision of team members and coordination of various operations

Item 10 is very important. A series of practical exercises should be developed by the teacher and administered to students. While this is being done, the teacher should observe the students and identify those who exhibit a greater sense of responsibility and mastery of the related skills. These individuals should be used to assist or lead small groups (3–5) in completing larger and more difficult projects.

### **RECOMMENDATIONS TO TEACHERS**

General recommendations to teachers for previous years are repeated here for those who are new and for those who may not have seen them before. However, all teachers are encouraged to pay attention to the suggestions which follow in an effort to improve students' overall performance in the examination.

1. Students must be encouraged to read the examination questions carefully and follow instructions precisely as valuable time can be wasted producing work that will not produce extra marks.
2. Students should be given opportunities to produce more detailed sectional sketches so as to assist in improving their knowledge and understanding of vertical and horizontal sections of buildings and building components.
3. Staircase details, design (stair calculations) and construction require serious attention. In this regard, it is suggested that teaching aids be used, for example, models and charts should be displayed in the laboratories/workshops depicting different types of stairs, building regulations pertaining to stairs, labelled sectional sketches of stairs (both wooden and concrete).
4. Where possible, students should practice setting out buildings of different shapes both on flat and sloping sites on the school's campus if no other site can be found.
5. Where possible, field trips should be organized to a cement plant and other manufacturing plants related to the construction industry. Plastic, for example, is a widely used material in the construction industry. Most plumbing pipes and a wide range of fittings (for example, electrical conduits and concrete forms) are made of plastic. Teachers should therefore expose students to these materials very early.
6. Types of floor finishes should be taught theoretically and practically.
7. Students should be constantly reminded that all sketches must be labelled as marks are always awarded for labelling.
8. Charts showing different types of brick bonds should be displayed in the lab/workshop.
9. Sanitary appliances, plumbing fixtures, drainage and sewage disposal are very important to the overall functioning of buildings. Therefore, the relevant sections of the syllabus which deal with these must be taught thoroughly.


10. Most communities in the Caribbean have historic buildings in existence. They are either of timber or brick construction. Students should be encouraged to visit them and observe their architectural design and main features. Recommendations 8 and 9 will enable candidates to improve their responses to questions in Section C of the syllabus.
11. Particular attention should be paid to Question 1 in Paper 02. This question is worth 40 marks and usually requires candidates to produce a number of detailed sketches. Candidates who are not skilled at sketching are likely to find this question very challenging. Therefore, teachers are encouraged to provide students with opportunities/activities to help them develop their sketching skills. **NOTE: Always remind students that only Question 1 should be done on the drawing paper provided for the examination. All other questions must be done in the answer booklet.**
12. Since scale drawing is no longer required, candidates must note that well-proportioned sketches should be produced. Additionally, candidates must acquire a good knowledge of constructional details of both wooden and concrete structures in order to perform well on the question.
13. Where a section of the syllabus proves to be beyond the delivery capabilities of the teacher, it is suggested that he/she solicits the help of resource persons to assist. **NOTE: This is especially important when the section contain hands-on practical work.**

## Appendix 1


### Section A

#### Sample responses to Question 1

1. (a) Vertical Section of door and frame at A-A on plan of Figure 1




- (b) (i) Correct name of door in Figure 2  
Four Panel Door
- (ii) Six parts of the door in Figure 2
- |                |                |
|----------------|----------------|
| 1. Top rail    | 2. Middle rail |
| 3. Bottom rail | 4. Panel       |
| 5. Stile       | 6. Muntin      |
- (c) Labelled vertical section showing details of concrete sill and lintel at Section C-C on the floor plan in Figure 1.



- (d) (i) Explanation for the term 'anti-capillary groove':
- Anti-capillary groove refers to the grooves that are strategically placed in concrete or wood which will extend beyond the exterior part of a building or structure.
- (ii) Purpose of anti-capillary grooves:
- To prevent water or moisture from getting into a building or structure by ensuring there is a break which would allow water to drip off.
- (iii) Two places where anti-capillary grooves can be found:
- Anti-capillary grooves can be found on the under sides of concrete sills and beams, drips, door and window frames.

- (e) (i) Labelled vertical section of the stair at B-B showing how one riser and one tread are joined to each other.



Functions:

1. Riser – encloses the space between two consecutive treads in a flight. It also gives support to the tread.
2. Tread – provides a platform for climbing the stair.
3. Headroom – the clear vertical height measured from the ceiling to the nosing of the step which provides unobstructed access from floor to floor.
4. Handrail – provides support to the user when climbing or descending the stair.
5. Balustrade – provides protection to the sides of the stair so persons do not fall off at a height.
6. Newel post – provides support for the handrail and the staircase.

## Appendix 2

### Section B

#### Sample responses to Question 2

2. (a) Factors affecting the choice of a building site.

- |                            |             |
|----------------------------|-------------|
| - Accessibility            | - History   |
| - Climate                  | - Soil type |
| - Availability of services | - Zoning    |
| - Regulations              | - Cost      |
| - Topograph                | - Aspect    |

(b) (i) Reasons for hoarding:

- Public protection
- Material/equipment protection
- Security
- Reduces vandalism
- Prevents interruption

(ii) Explanatory notes for reasons given:

Public protection – to reduce the risk of accidents by keeping activities on the site away from outside persons.

Material/equipment protection – to reduce theft of materials.

Security – to ensure workers and equipment are safe on the site.

Reduces vandalism – prevents persons from interfering or destroying items on the site.

Prevents interruption – persons or animals from the outside would not be able to distract workers on the site.

(c) Reasons for stripping a building site:

1. Removal of top soil
2. Reducing instability of top soil
3. Removal of vegetation

(d) Examples of temporary services:

1. Light
2. Water
3. Telephone


Examples of temporary shelters:

1. Site office
2. Toilet
3. Changing room

### Appendix 3

#### Sample responses to Question 3

(a) Sketch of cross-section of tree trunk with six parts labelled



(b) (i) Definition for concrete and its use:

A mixture of cement, sand, gravel and water in the correct proportion to form a paste that can be moulded into any shape. Concrete is used to make columns, beams, etc.

(ii) Definition of mortar and its use:

Cement, sand and water mixed in correct proportion. Mortar is used for making beds, for laying bricks and for rendering masonry walls.

(c) Explanation of the term 'moist curing':



This is a process of wetting concrete that has set to ensure that the process of hydration continues to develop the required strength of the concrete and prevents shrinkage due to rapid drying of the concrete.

- (d) Properties of plastics used in the building construction industry

They are:


- |                   |   |
|-------------------|---|
| (i) Lightweight   | (vi) Rustproof                          |
| (ii) Strong       | (vii) Can revert to their natural state |
| (iii) Pliable     |   |
| (iv) Waterproof   |   |
| (v) Non-conductor |   |

#### Appendix 4


##### Sample responses to Question 4

Labelled sketches


- (a) (i) Simple strip foundation



- (ii) Raft foundation



(iii) Pad foundation



(b) Functions of foundation:

- (i) Distributes loads
- (ii) Anchors the building
- (iii) Provides stability

(c) Different types of brick bonds:

- (i) Flemish bond
- (ii) English bond
- (iii) Stretcher bond

(d) Functions of external walls of a building:

- (i) Encloses a building
- (ii) Protection from the elements
- (iii) Load bearing


(e) Definition of the term 'proportioning' as it relates to concrete:

This is a method of measuring the ingredients of a concrete mix to maintain consistency in strength and durability.

## Appendix 5

### Sample responses to Question 5

(a) Labelled sketch of a vertical section through a reinforced solid concrete ground floor with a 19 mm cement sand screed



(b) Functional requirements of floors

The floor should be:

- |           |                           |
|-----------|---------------------------|
| 1. Stable | 4. Resistant to wear      |
| 2. Even   | 5. Durable                |
| 3. Level  | 6. Aesthetically pleasing |

(c) Two methods of strutting as they relate to upper timber floors:

1. Solid strutting
2. Herring bone strutting


(d) Three members of a timber floor:

1. Wall plate
2. Common joist
3. Joist hangers
4. Floor boards
5. Binder


## **Appendix 6**

### Sample responses to Question 6


(a) Single line diagrams of different types of roofs.




**LEAN-TO ROOF**




**GABLE ROOF**



**CLOSED COUPLE  
ROOF**



**HIP ROOF**



**HIP & VALLEY ROOF**

(b) Advantages of truss roof construction over other types of construction systems:

- (i) Easy to fabricate
  - (ii) Less time needed to erect
  - (iii) Costs less
  - (iv) Quality can be controlled
  - (v) Stronger
- (c) Types of roof covering:

- (i) Corrugated galvanized sheets
  - (ii) Asphalt shingles
  - (iii) Roof tiles
  - (iv) Slate
  - (v) Wood shingles
- (d) Parts of a close couple roof:
- (i) Common rafter
  - (ii) Ridge
  - (iii) Tie
  - (iv) Wall plate
  - (v) Fascia board

## **Appendix 7**

### **Section C**

#### Sample responses to Question 7

- (a) Explanatory notes on the purpose of a 'soakaway':

This is a pit dug in permeable ground which receives the water discharge from the roof and paved areas of building and allows the water to percolate into the surrounding subsoil

- (b) Advantages and disadvantages of a combined system of drainage and a separate drainage system

- (i) Advantages of a combined system of drainage:

- Very easy to maintain
- All drains are flushed when it rains
- It is impossible to connect to the wrong sewer

Disadvantages of a combined system of drainage

- All discharge must pass through the sewage treatment installation
- When it rains heavily there is the possibility of overflow of the septic tank

- (ii) Advantages of a separate drainage system:

- One sewer receives the surface water discharge and conveys this directly to suitable out fall without treatment
- There is no chance of over flow during heavy rains

Disadvantages of a separate drainage system:

- There is the risk of connecting to the wrong sewer line
- Soil drains are not flushed during heavy rains

(c) Explanation of drainage terms:

- (i) Cesspool – an underground chamber constructed for the reception and storage of foul water from the building until it is emptied.
- (ii) Surface – water drain – drain designed to carry only surface water, rather than soil or waste.
- (iii) Sewer – pipe or closed channel that carries sewage.
- (iv) Sewage – domestic waste matter that is carried away by water in a system of sewer drains.
- (v) Drain pipe – pipe designed to carry waste water or sewage from the building.

## **Appendix 8**

### Sample responses to Question 8

(a) Functions of the members of the Building Team

Client – the person who commissions the work and directly or indirectly employs everybody on the project.

Architect – engaged by the client as his/her agent to design, advise and ensure that the project is keeping within cost and complies with the design.

Contractor – employed by the client on the architect's advice to carry out the constructional works. He takes his instructions from the architect.

Engineer – a specialist such as a structural engineer employed to work with the architect on particular aspects of the design.

Quantity surveyor – engaged to prepare bills of quantities, check tenders, prepare interim valuations and advise the architect on the cost of variations.

(b) Function of members of the building trades:

Carpenter – erects structural framework and constructs roofs

Electrician – carries out wiring works and installation of fixtures

Plumber – lay pipes, install taps, toilet bowls, etc.

Painter – responsible for finishing the building by applying paint, wall paper, etc.


Mason/tiler – works with concrete and mortar, lay concrete blocks, plaster walls etc.

## Appendix 9

### Sample responses to Question 9

- (a) Factors influencing the design of a building:
- (i) History – history of the site, is it prone to flooding or land slide? Is it built-up? What was its previous use?
  - (ii) Material – choice and availability of materials
  - (iii) Culture – influences the shape and style of the structure. Family custom.
  - (iv) Climate – wet, hot, cold, windy, would determine where windows or balconies are placed in a building
  - (v) Cost – determines affordability
- (b) Labelled sketches illustrating different **French** or **English** architectural features that have influenced building design in the Caribbean

Brickwork – is still in use in the Caribbean, so is the *wooden casement window*. *The steep roofs* have been adopted since we build roofs which are covered with shingles. *Arches* are very common throughout the Caribbean so are *staircases with balusters*, all of which are from British and French cultures.





**CARIBBEAN EXAMINATIONS COUNCIL**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATION**

**MAY/JUNE 2011**

**BUILDING TECHNOLOGY  
TECHNICAL PROFICIENCY EXAMINATION  
OPTION I – WOODS**

## **GENERAL COMMENTS**

The number of candidates who entered for the Building Technology Option I – Woods examination was 2581. This was in excess candidates of the 2010 entry, by 220 or 9.3 per cent.

The number of candidates sitting the Technical Proficiency examination was 2184 with approximately 90.02 per cent of the candidates receiving Grades I–III. This is in contrast to 2010 when 1942 candidates wrote the examination and 1794 or 92.37 per cent obtained Grades I–III.

Candidates did quite well on the practical project of the School-Based Assessment (SBA) component but some were weak in the written project. Competencies requiring focused attention are Knowledge and Application, which are tested on Paper 01 (Multiple Choice) and Paper 02 (Essay/Structured Response/Problem-Solving Questions).

## **DETAILED COMMENTS**

### **Paper 01 – Multiple Choice**

Candidates' performance on this paper improved marginally above that of 2010. Based on the common selection of certain items, the need for greater coverage of the theoretical aspects of the unit cannot be overemphasized.

### **Paper 02 – Structured Response Essay Questions**

This was a structured response paper with three sections: A, B and C.

- |           |   |
|-----------|---|
| Section A | This section had one compulsory question based on Module C, Drawing and Design — Introduction to Drawing. This question was worth 40 marks.   |
| Section B | This section comprised five questions based on Modules C2, C3, C5, C6.1 — Materials and C2 — Ironmongery. Candidates were required to attempt three questions from this section.                              |
| Section C | This section had three questions based on Modules C4 — Upholstery, Modules 6.3 — Basic Cabinet Making and C6.7 — Household Furniture. Candidates were required to answer only one question from this section. |

The mean score on this paper was... out of a total of 120 marks.


### **Section A**

#### Question 1

This was a compulsory question based on Module C7 — Drawing and Design. The question required candidates to demonstrate drawing and design skills using either free hand or ruler-assisted sketches to produce pictorial geometry. It also required the analysis, design and/or selection of suitable materials and joints for furniture to be used in school or at home. This question was attempted by approximately 90 per cent of the candidates of which 80 per cent provided satisfactory responses.

Part (a) focused primarily on sub-modules C7.1:6–7 from Module C7 — Introduction to Drawing. Parts (c), (d) and (e) focused on sub-modules C7.2:1–3 and 5 from Module C7 — Introduction to Design. Candidates were presented with an incomplete front elevation of a storage cabinet of length 1850 mm, depth of 550 mm and height of 900 mm (Figure 1). The carcass of the cabinet should be made from 19 mm plywood. More specifically, the question required candidates to produce a neat pictorial sketch (either in oblique, isometric or perspective form) of the completed storage cabinet to show:

- (i) the design of a timber framed door fitted with 3 mm glass for the section labelled **B**
- (ii) three drawers for the sections labelled **C**, **D** and **E**
- (iii) the given shelves



**Figure 1. Elevation of an incomplete storage cabinet**

Part (a) was generally well done by candidates. Conversely, weaker candidates encountered difficulty correctly interpreting the given drawing. Candidates should spend quality time to produce suitable sketches of pictorial and orthographic views of various woodwork components.

For Part (b), candidates were required to produce a neat rule-assisted sketch to show an exploded view of the joint shown as **A** in Figure 1. This part of the question was generally well done by candidates. Weaker candidates had difficulty scoring well in this area.

Part (c) required candidates to state four types of ironmongery that may be used for the door and three drawers of the cabinet. The responses provided by most candidates were satisfactory. Only about 20 per cent of candidates failed to acquire maximum marks for this part of the question.

In Part (d), candidates were asked to suggest two types of finishes that would be appropriate for the cupboard. This part of the question was attempted by 90 per cent of the candidates of which 70 per cent provided satisfactory responses. Some candidates provided partial responses to this question and this prevented them from acquiring maximum marks.


For Part (e), candidates were asked to name a suitable joint for each of the following situations in relation to the storage cabinet:

- (i) The connection of the drawer front to the drawer sides
- (ii) The connection of the drawer back to the drawer sides
- (iii) The connection of the drawer bottom to the drawer front or sides
- (iv) Connecting the top rail to the side panel
- (v) Securing the top of the cabinet to the side panel
- (vi) Where the drawer rail meets the side panel


For this part of the question, 50 per cent of the candidates provided satisfactory responses. There remains some level of difficulty for candidates to both assess and correctly supply joints of desirable quality, functionality and durability. The use of appropriate models in either assembled or exploded forms should be kept on display in the shops to be used as teaching aids and also for reference purposes. In addition to the general project given for their SBA, students should be given a number of related small projects to sharpen their design and interpretation skills and improve their practical ability. Adequate time should also be provided to engage students in discussion on best practice in areas such as techniques of design, materials and construction, and elements of a good design (Module C7).

The expected responses to Question 1 (a – e) were as follows:

- (a) Candidates had the option to use oblique, isometric or other suitable pictorial methods to produce the sketch of the completed cabinet showing three drawers, a framed glass door, front overhang and shelving.




**Oblique Drawing of the Completed Cabinet**



**Isometric Drawing of the Completed Cabinet**

(b) Joint at B



### **Stopped Housing Joint**

Other joints to be used are: through housing or dovetail housing.

(c) Suitable ironmongery for the three drawers and the door

Drawer: knob/handle, pull, drawer tracks/slides (mechanical drawer rails)

Door: catch (ball, spring, magnetic), cupboard lock, butt/concealed/decorative hinge, pull

(d) Suitable finishes include:

- (i) Plastic laminate
- (ii) Paint
- (iii) Varnish/stain
- (iv) Polish
- (v) Lacquer

(e) Joints applicable for the storage cabinet are as follows:

- (i) lapped dovetail joint, rebate joint
- (ii) housed joint, dovetail joint, butt joint
- (iii) grooved joint
- (iv) barefaced mortice and tenon, rebate joint, lapped dovetail
- (v) dowelled joint, housed joint
- (vi) stopped housing joint, pinning joint

## **Section B**

Candidates were required to answer three questions from this section of the paper.

### Question 2

This question assessed candidates' knowledge and application of skills relating to Module C5 — Finishes. Specific focus was given to sub-modules C5.1 — Types of Finishes and C5.2 — Preparation of Finishes. This question was attempted by 80 per cent of the candidates of which 60 per cent provided satisfactory responses.

Part (a) required candidates to list six types of finishes that could be applied to indoor furniture. This part of the question was generally well done by candidates. Weaker candidates had difficulty differentiating between finishes and preparatory materials such as shellac and wood sanding sealer. A component such as pigment (used in the manufacture of paint) was also cited as a finish by some candidates. Based on the responses to this question, candidates need to spend quality time learning about various types of finishes applicable to furniture work.

Part (b) required candidates to briefly explain five steps that would be required to prepare a wooden surface to receive a natural finish. A number of candidates were not able to explain the steps satisfactorily. Some candidates failed to mention the final sanding or dusting which are generally required prior to the application of the natural finish. Candidates should be able to clearly distinguish between materials required to prepare surfaces for a desired finish as opposed to those to be applied following preparatory work.

For Part (c), candidates were required to provide four reasons why surface preparation was necessary prior to applying furniture finishes. Approximately 60 per cent of the candidates who attempted this part of the question were able to provide satisfactory responses. The responses from the remaining 40 per cent were inappropriate and seemed to suggest that they were limited in their knowledge and so could not provide an acceptable rationale in answering this part of the question. In general, students should be given more shop practice of the steps in the procedures required for the preparation and application of furniture finishes. This should include the reasons for preparing furniture surfaces for various applied finishes in keeping with the objectives and contents of Module C5.

The expected responses to this question were:

- (a) Types of finishes:
  - (i) Paint
  - (ii) Varnish – polyurethane/spar
  - (iii) Wax
  - (iv) Clear lacquer
  - (v) Stain
  - (vi) French polish
  - (vii) Linseed oil
- (b) Five steps in preparing wood surface for a natural finish:
  - (i) Remove loose knots and plug holes with wood pellets
  - (ii) Punch any nails below the surface of the furniture
  - (iii) Use wood filler to cover all indentations and blemishes
  - (iv) Treat all knots with knotting compound (Shellac) to prevent resin from bleeding
  - (v) Apply wood sanding sealer in preparation for finishing material
  - (vi) Sand properly using appropriate grade abrasive paper to produce a smooth finish
  - (vii) Dust furniture prior to applying finishing material
- (c) Rationale for preparing furniture for applied finishes:
  - (i) To remove marks made by tools such as scratches
  - (ii) To remove indentations
  - (iii) To create a surface that would ensure adhesion of the finishing materials
  - (iv) To achieve uniformity when using different coloured timber

### Question 3

This question was generated from sub-module C6.1 of Module C6 — Furniture Construction — and sub-module C2.4 of Module C2 — Hand Tools and Laying Out. The question was attempted by approximately 70 per cent of the candidates of which 40 per cent provided satisfactory responses. Candidates' knowledge and application of the principles to be applied to furniture manufacturing from timber selection to fabrication were tested. More specifically, the question required candidates to select appropriate adhesives and metal fasteners for use in the construction of timber components. For Parts (a) and (b), candidates were given a scenario relating to the construction of patio furniture (1 table and 4 chairs) for outdoor use.

Part (a) required candidates to state two suitable timbers to be used to construct the patio set. This part of the question also required that they provide one justification for each timber selected to construct the patio set. Most candidates who attempted this question provided satisfactory responses. However, the justifications for some of the timber types selected by candidates were generally weak.

Part (b) was divided into two parts: (i) and (ii). Part (b) (i) required candidates to name two suitable wood glues that may be used in the production of the patio set.

Some candidates had difficulty selecting glues that were waterproof. Candidates' responses suggested that they did not take into consideration the exposure that the furniture would have to the elements. A number of candidates could not decipher between waterproof adhesives as opposed to those that were not. Candidates need to be more familiar the conditions requiring the use of various types of glues.

Part (b) (ii) required candidates to name two types of materials that can be used to produce screws for exterior use. This part of the question also required candidates to provide one justification for each material named. This question was attempted by 70 per cent of the candidates who also provided satisfactory responses. Weaker candidates were not able to rationalize why these materials were suitable for outdoor furniture. The properties of the materials to be used as fasteners for the outdoor furniture would have to be considered here.

Part (c) was divided into three sections. This part of the question required candidates to produce graphical illustrations to show the application of selected fasteners to join timber components. This part of the question was difficult for most candidates. Part (c) (i) required candidates to use sketches to show four steps to be followed to insert a countersunk head screw into a lap joint created from hardwood timber. Most candidates had difficulty graphically illustrating the principles required to prepare the screw hole to accommodate the screw.

For Part (c) (ii) of the question, candidates were required to illustrate graphically, how dovetail nailing is used to connect the top of a wooden box to the sides. The responses from candidates for this part of the question were weak. Part (c) (iii) of the question required them to illustrate graphically, how parallel nailing is used to secure a bench top to a frame. Approximately 50 per cent of the candidates who attempted this part of the question responded satisfactorily. Given this apparent weakness, it is essential that students are given sufficient time to become familiar with, and apply various types of fasteners related to Module C2 of the syllabus. Content delivery should be so designed to enable students to develop proficiency in the knowledge and application of skills essential for this learning level.

Expected solutions for this question include but were not limited to the following:

(a) Two suitable timbers for the patio set:

- (i) Purple heart, Cedar, mahogany,
- (ii) Green heart, Treated pine, Oak

Reason for selection

The timbers are

- (i) weather resistant
- (ii) wear resistant
- (iii) insect resistant

(b) (i) Suitable glues:

- (i) Casein glue
- (ii) Formaldehyde
- (iii) Epoxy resin
- (iv) Melamine resin
- (v) Polyvinyl acetate (with waterproof additive)

(b) (ii) Materials for screws exposed to the elements:


- (i) Brass
- (ii) Stainless steel
- (iii) Aluminum
- (iv) Copper

Reasons for material choice:


- (i) Brass is corrosion resistant
- (ii) Stainless steel is strong and corrosion resistant
- (iii) Aluminum is corrosion and erosion resistant
- (iv) Copper is also corrosion and erosion resistant

(c)


(i) Process to insert a Countersunk screw



(ii) Dovetail Nailing



(iii) Parallel Nailing





#### Question 4

This question assessed candidates' knowledge of sub-module C6.2 — Ironmongery — from Module C6 of the syllabus. It tested candidates' knowledge of various types of hinges and their applications. This question was only attempted by 40 per cent of the candidates. The question was divided into three sections: (a), (b) and (c). Part (a) required candidates to state the most appropriate use for ironmongery such as butt hinge, tee hinge, back flap hinge and the tower bolt. Most candidates provided appropriate uses for the butt and tee hinges respectively. However, the responses from some of the candidates regarding the use of the tower bolt were generally weak. Perhaps the most considerable challenge for most candidates was in stating the specific use of the back flap hinge. The weak responses to this part of the question underscore the need for candidates to acquire greater exposure to ironmongery in both theory and practice.

For Part (b), candidates were required to give two terms generally used to describe the cut made in wood to accommodate hinges. A number of candidates who responded to this part of the question gave varying terminologies in answer to this part of the question. Only 40 per cent of candidates who attempted this part of the question provided satisfactory responses. The weaker candidates may have had difficulty correctly interpreting this part of the question.

Part (c) required candidates to describe five major steps that should be followed to correctly fit a pair of butt hinge to a framed cabinet door. As much as 50 per cent of the candidates who responded to this part of the question demonstrated that they were familiar with the process.

A number of candidates encountered difficulty responding to this part of the question. Students should be given adequate instruction and shop practice in the principles and processes used to install various types of ironmongery to fully satisfy the requirements given in Module C6 of the syllabus. Content delivery should be so designed to enable students to develop proficiency in the knowledge and application of skills essential for this learning level.

The responses expected from candidates were:

- (a) Appropriate uses of ironmongery:
  - (i) Butt hinges: these are used on Panel and Flush doors to secure them to their frames without the screws being exposed.
  - (ii) Tee hinges: these are mainly used for out-building doors such as barns, storage rooms and gates.
  - (iii) Backflap hinge: these are usually fixed or used on the front of a writing desk and on the leaves of drop-leaf tables.
  - (iv) Barrel Bolt: this device is used to hook one side of a pair of doors in position so that the other pair can be locked in place.
- (b) Terms used to describe the indentation to seat a butt hinge:
  - (i) recess
  - (ii) gain
  - (iii) rebate
  - (iv) housing

- (c) Five steps to be followed to fit a pair of butt hinges to a framed cabinet door:
- (i) Position the hinges in line with the top and bottom rails.
  - (ii) Mark the hinge length on the hanging stile edge and on the front face of the carcass.
  - (iii) Gauge the hinge width and half its thickness between these lines. This defines the length, width and depth of the recess/gain desired.
  - (iv) Use a chisel and mallet to cut out the recess/gain in both the stile and the carcass.
  - (v) Fit the hinges to the stile and fix it in place with one screw each.
  - (vi) Position and fit the hinges to the face of the carcass with one screw each.
  - (vii) Test the fitting, make necessary adjustments then fix the remaining screws.

### Question 5

This question was developed with reference to the objectives and contents of sub-module C3.1 — The Circular Saw — from Module C3 — Machine Operations. This question tested candidates' knowledge and skills concerning the safe operation of the Circular Saw. It was attempted by 90 per cent of the candidates of which 60 per cent provided satisfactory responses. This question was divided into two sections: (a) and (b). Part (a) (i) of the question required candidates to list five safety rules to be observed prior to using the table saw while Part (a) (ii) focused on the safety procedures to follow during the use of this machine. More than 60 per cent of the candidates who responded to these parts of the question were able to state appropriate safety rules to be adhered to prior to operating and during the use of the circular saw. However, weaker candidates gave general safety rules as opposed to specific ones to be adhered to during the use of the table saw.

Candidates need to become fully cognizant of the safety rules governing the use of the table saw. Instructors need to place greater emphasis on explaining the versatility of the table saw and the correct procedures to be followed to safely operate it. In addition, the instructional process must necessitate frequent demonstrations and regular supervised practice of the correct use of this and all other wood working machines.

Part (b) required candidates to explain five simple steps that should be followed to cut a piece of stock to length, using the circular saw. This part of the question was misinterpreted by a considerable number of candidates. This question stated specifically that the stock should be cut *on* the circular saw. The responses seemed to suggest that some candidates were either experiencing difficulty understanding the question or were not familiar with the use of this saw. A number of candidates were not able to distinguish among the compound mitre saw (chop saw), radial arm saw and the circular saw, while others had difficulty distinguishing between the table saw and the portable circular saw. Either way, candidates need to acquire competence in the knowledge and application of woodwork machines, their operations, and the safety principles related to their use. The use of instructional aids in the form of instructional videos of machine operations is an excellent teaching strategy to cover woodworking machines. These videos may also be used as supplementary material in cases where the wood workshop is poorly equipped with stationary tools.

Expected responses to this question included but were not limited to the following:

- (a)
- (i) Before using the table/circular saw
    - (i) Before using the circular saw, you should be fully instructed on how it is operated.
    - (ii) Check that the machine is disconnected prior to performing setting up activities.
    - (iii) Check to ensure that the saw blade is in good working condition before use.
    - (iv) Ensure that the guard and fence are correctly set up and held securely in place.
    - (v) Make sure that push sticks, push blocks and other required safety devices are available for use.

- (ii) During the use of table saw
  - (i) Never feed timber into the circular saw until the blade has reached maximum speed.
  - (ii) Avoid passing your hand over the blade during cutting activities.
  - (iii) Never make adjustments to the saw while it is in motion.
  - (iv) Assume an appropriate stance when engaged in cutting operations.
  - (v) Always use a push stick when ripping narrow pieces of boards.
  - (vi) Always use the mitre gauge when performing cross cutting operations.
- (b) Five simple steps to be followed to cut a piece of stock to length on the circular saw
  - (i) Measure and mark off the length of the stock with a square.
  - (ii) Place the mitre gauge in the groove/slot on the table and adjust it to the correct angle.
  - (iii) Adjust the height of the saw blade 1.5 to 3 mm above the thickness of the stock.
  - (iv) Push the fence out of the way and position the stock on the table holding it firmly against the mitre gauge.
  - (v) Hold the stock firmly against the mitre gauge and slide it to the blade and align it to cut on the waste side.
  - (vi) Turn on the saw and slide the stock towards the blade to make the cut.

#### Question 6

This question assessed candidates' knowledge and application of sub-module C2.3 — Joint Construction — from Module C2, Hand Tools and Laying Out. It was attempted by approximately 60 per cent of the candidates of which 50 per cent provided satisfactory responses.

Part (a) required candidates to produce a neat sketch of the following wood joints:

- (i) Tongue and Groove
- (ii) Mitre
- (iii) End lap
- (iv) Rebate
- (v) Bridle

Of the number of candidates who attempted this part of the question, 60 per cent performed at a satisfactory level. However, most of these candidates were not able to produce appropriate sketches to represent the given joints. In some instances, graphical representations of the joints were partially done. As a result, some of the candidates were not able to achieve the maximum score. Time should be reserved during the teaching/learning process to enable students to become competent in both identifying and graphically producing common types of wood joints.


For Part (b), candidates were required to state two applications for each of the joints listed in Part (a). The general response to this part of the question was weak. Some candidates experienced difficulty expressing themselves fully in stating applications for the joints. The knowledge and application of woodworking joints is fundamental in the design and fabrication of furniture for production. There should be full coverage of all the objectives and contents of Module C2 of the syllabus. Classroom instruction should be so designed to enable students to become proficient in the knowledge and uses of woodworking joints commonly used for fabrication purposes. This will enable students to develop proficiency in the knowledge and application of skills essential for this learning level.

Typical examples of required joints in response to the question were:


(a) (i) Tongue and Groove joint




(ii) Mitre Joint




(iii) End Lap Joint



(iv) Rebate Joint



(v) Bridle Joint



(b) Any two of the following applications for joints were appropriate:

Tongue and Groove Joint

- (i) Table top
- (ii) Floor boards
- (iii) Gates

Mitre Joint

- (i) Picture frames
- (ii) Plinth
- (iii) Corner of boxes

### End Lap Joint

- (i) Joining corners
- (ii) For light frame construction

### Rebate Joint

- (i) Used to provide recess on door jambs to accommodate doors
- (ii) Used on the corners of boxes
- (iii) Allow double doors to close flush
- (iv) Used on floor boards for widening purposes
- (v) Joining drawer sides to drawer face/front

### Bridle Joint

- (i) Used for corners
- (ii) Applicable for frames
- (iii) As framing — where table leg meets a rail away from the end

## Section C

Candidates were required to answer one question from this section of the paper.

### Question 7

This question assessed candidates' knowledge and application of Module C6 — Furniture Construction — with specific focus on sub-module C6.4, Household Furniture. This question was attempted by approximately 30 per cent of the candidates of which 40 per cent provided satisfactory responses.

This question was divided into four parts: (a), (b), (c) and (d). Part (a) asked candidates to state three advantages for using built-up timber/plywood over solid timber. Part (b) required candidates to produce a sketch showing a three-plywood with emphasis placed on the grain direction of each veneer. For Part (c), candidates were asked to state two reasons why edge treatment/lipping should be used when plywood edges are exposed.

Part (d) required the production of sketches to illustrate appropriate edge treatments to given situations.

Part (d) had two sub-sections. In Part (d) (i), candidates were asked to use sketches to show two methods required to apply lipping to a flush door while Part (d) (ii) required that they show two methods to be used to treat the edges of a counter or table top.

This question was not attempted by most candidates. Manufactured boards are used in the fabrication of furniture and other components by leading manufacturers and a number of woodwork shops. Candidates should become adequately exposed to the usage of, and care to be applied when using this material. Greater adherence should therefore be placed on the full coverage of the objectives and contents of Module C3 of the syllabus. Content delivery should be so designed to enable students to develop proficiency in the knowledge and application of skills essential for this learning level.

The responses expected for this question were:

- (a) Three advantages of using manufactured boards over timber
  - (i) Built-up material is much stronger than the solid stock.
  - (ii) Built-up material is much wider than the solid stock.
  - (iii) There is little or no shrinkage problem in the built-up material.
  - (iv) Built-up material is resistant to splitting.

### Rationale for advantages

- (i) The change of grain direction of each veneer/layer contributes to the added strength.
- (ii) Because of the built-up techniques, by gluing-up a number of pieces together materials can be made wider or thicker.
- (iii) The veneers or layers are placed at right angles and glued together, this technique eliminates movement and shrinkage.
- (v) The gluing of layers to each other at right angles makes spitting impossible.

(b) Diagram of 3-plywood showing Veneer directions




(c) Any two of the rationale below were appropriate

- (i) Edge treatment such as lipping conceals unattractive and porous grains.
- (ii) It protects plywood edges from peeling.
- (iii) It improves the beauty of corners.
- (iv) It is used to provide strength to plywood edges.


(d) (i) Edges of hollow core flush doors




(ii) Edge of counter or table top



corner guard



half round



flat strip

### Question 8

This question was based on the objectives in sub-module C6.3 — Basic Cabinet Making — from Module C6, Furniture Construction. It was divided into three parts: (a), (b) and (c). Part (a) had two sub-sections while Part (c) had three sub-sections. Of the number of candidates who attempted this question, approximately 60 per cent of them provided satisfactory responses while 40 per cent provided weak responses.

For Part (a) (i), candidates were required to explain the difference between framed construction and carcass construction, while Part (a) (ii) required that they use suitable sketches to show each construction approach. For Part (a) (i), the responses from candidates who had some level of exposure to furniture construction were satisfactory. Weaker candidates encountered difficulty explaining the difference between the two construction approaches. Only 50 per cent of the candidates produced satisfactory responses for Part (a) (ii) of the question.

In Part (b), candidates were given an example of household furniture and asked to list four other types. This part of the question was generally well done. As was expected, candidates were quite familiar with various types of household furniture. For Part (c) (i), candidates were presented with the elevation of a wardrobe. They were required to state suitable joints to be used at the points labelled A and B on the given drawing. Candidates' responses to this part of the question were satisfactory. Part (c) (ii) required candidates to name two materials suitable to construct the wardrobe. This part of the question was generally well done by candidates. Part (c) (iii) asked candidates to state two suitable types of doors that could be used to enclose the wardrobe. This part of the question was attempted by 70 per cent of the candidates of which 65 per cent provided satisfactory responses.

Expected responses to this question included but were not limited to the following



(a) (i) Frame construction (Panel-assembled Frame)

- (i) The frame has four corner joints faced with hard wood/plywood to form a flush face
- (ii) Inner edges may be rebated to form a picture frame
- (iii) Ploughed grooves are used to enable solid wood panels to fit in the frame to form paneled doors



Carcase construction (Box-like Construction)

- (i) It consists of sides a top, a base and a back lid.
- (ii) The top is sometimes screwed to the top rails.
- (iii) Housed joints may be used if shelves are needed.

(ii)



**Sketch showing Framed Construction (Panel Assembled to a Frame)**



**Sketch showing Carcase Construction (Box-like Construction)**

- (b) The four types of household furniture included but were not limited to the following:
- (i) Chest of drawers
  - (ii) Dresser
  - (ii) Dining set (chairs, table)
  - (iii) Coffee table
  - (iv) Bookshelf
  - (v) Entertainment centre
- (c) (i) Suitable joints for A and B:
- A – Lapped joint, butt joint  
B – Butt joint, dowelled joint, dovetail joint, housing joint
- (ii) Two materials for constructing the wardrobe included but were not limited to:
- (i) Plywood
  - (ii) Medium density fibre board
  - (iii) Timber
  - (iv) Other materials such as metal and plastic.
- (iii) Two types of doors to enclose the clothing compartment of the wardrobe included but were not limited to:
- (i) Bi-fold door (jalousie type, panelled type)
  - (ii) Flush door
  - (iii) Sliding door

### Question 9

This question required candidates to demonstrate their knowledge of Module C4 — Upholstery — with primary focus on sub-module C4.1, Tools and Materials. It was attempted by 65 per cent of the candidates 50 per cent of which gave satisfactory responses. This question contained three parts: (a), (b) and (c). It tested candidates' knowledge and application skills of upholstery materials, tools and fabrication processes. Candidates were given a pictorial drawing of an upholstered stool with sections removed to reveal the upholstery materials used in its construction. Selected members of the upholstery section of the stool were labelled A – E.

Part (a) required candidates to name the members labelled A – E in the drawing.

For Part (b), candidates were asked to list the names of five tools generally used for upholstery. This part of the question was generally well done.

In Part (c), candidates were asked to briefly explain five processes to be followed in applying the final covering material labelled B on the given drawing of the upholstered stool. Responses from 50 per cent of the candidates who attempted this part of the question were satisfactory. Weaker candidates had difficulty articulating the procedures required to apply the covering material and, in some cases, confused the processes. Field trips to upholstery furniture factories and workshops should be arranged by teachers to help students to concretize the theory and shop practice covered during classroom instruction. Teachers are referred to the objectives and contents of Module C4 of the syllabus.



The expected responses to this question were:

- (a) Names of labelled members
  - (A) Loop button
  - (B) Fabric cover
  - (C) Foam — plastic or latex
  - (D) Welts, piping
  - (E) Burlap
- (b) Five types of Upholstery tools
  - (i) Webbing stretcher
  - (ii) Ripping chisel
  - (iii) Pins and tacks
  - (iv) Electrical foam cutter
  - (v) Upholsterer's hammer
  - (vi) Stapling gun
  - (vii) Sewing machine
  - (viii) Cushion-filling machine
  - (ix) Hot melt adhesives
  - (x) Spring end-forming tool
  - (xi) Hot ring and hog ring pliers
  - (xii) Needle (regulator)
  - (xiii) Scissors
  - (xiv) Shears
- (c) Five of the following processes may be followed in applying the covering material:
  - (i) List each piece of fabric needed. Record the width and length of each piece of fabric and the number of pieces that size.
  - (ii) Give each piece of fabric a name so that it is clearly identified.
  - (iii) Measure each piece of fabric in the order in which they appear on your list. This will help prevent missing a piece.
  - (iv) Using a tape measure, add four inches extra for parts to be pulled around a frame and tacked. Allow 2 inches for parts that will be pulled tight with fabric stretcher. Allow ½ inch for each seam required or for tacking to a wood frame.
  - (v) Pull the material tightly over the surface to be covered.
  - (vi) Measure the width first. The pattern in the fabric must run across the width.
  - (vii) Lay out the measurements of each part on paper. (This forms a pattern for each part.)
  - (viii) Cut these patterns to size bearing in mind those needing allowance.
  - (ix) Pin the patterns on the fabric. (Be certain to observe the direction the design in the fabric will run. Place the patterns so that the design runs in the direction desired. The nap of the fabric should be raised).

### **Paper 03 – School-Based Assessment (SBA)**

#### **Rationale**

The SBA component of the Building Technology — Woods option measured the practical skills not tested on the multiple choice and free response papers (Papers 01 and 02).

The assignments set for the SBA were intended to deepen students' knowledge and help them achieve competency in skills required in the Building/Woodwork industry and which are within the competence of secondary school candidates.

By focusing on processes as well as product, the SBA component was designed to allow students to demonstrate improvement in skills over a period of time and for their teachers' involvement in the process.

### **Requirements**

Each candidate was required to complete a practical and a written assignment, during terms four and five of the two-years' course (terms one and two of the examination year). The practical assignment is worth 90 marks and the written assignment is worth 30 marks.

### **Practical Assignment**

For the practical assignment, students were required to construct a project designed to utilize the skills and knowledge covered in the syllabus. Students were given the option to choose one project from a list of three provided by CXC to meet preset requirements. All dimensions for the project were given in millimetres (mm) unless otherwise stated. The project was not to exceed the dimensions of 700 mm long x 400 mm wide x 400 mm deep. Dimensions omitted were left to the students' discretion.

Each student was expected to

- (i) provide a plan sheet for the project which must include the following:
  - a) drawings and/or sketches
  - b) steps of procedure
  - c) a bill of materials
  - d) a list of tools and equipment to be used
- (ii) construct a project

The particulars of the project had to be approved by the teacher prior to commencement.

### **Written Assignment**

The written assignment took the form of a report of about 1000–1200 words based on the Common Module: Career Opportunities. Students were required to write on the topic set by CXC for each examination. The topic was based on the following themes in the module:

- (i) Job Search
- (ii) Career Choice
- (iii) Industrial Visits
- (iv) Profile of Engineer or Inventor

Students were assessed on accuracy of information, clarity of presentation, the use of technical language and knowledge of career opportunities in the building technology industry as outlined in the Common Module of the unit.

## **RECOMMENDATIONS TO TEACHERS**

General recommendations to teachers for previous years are repeated here for those who are new and for those who may not have seen them before. However, all teachers are encouraged to pay attention to the suggestions which follow in an effort to improve students' overall performances in the examination.

1. Students must be encouraged to read the examination questions carefully and follow instructions precisely, as valuable time can be wasted in producing work that will not produce extra marks.

2. Students must be encouraged to take both aspects of the SBA (the written assignment and the practical project) very seriously as the SBA accounts for a very large portion of the overall marks in the Building Technology examination. For more information on the importance of this aspect of the examination see pages 8–9 of the amendment to the syllabus in Industrial Technology which is placed at the back of the Industrial Technology syllabuses of May/June 2002.
3. Students should be given opportunities to produce more detailed sectional sketches which will assist in improving their knowledge and understanding of vertical and horizontal sections of furniture components.
4. Details and construction processes require serious attention. In this regard, it is suggested that teaching aids (models, videos and charts) should be used in the laboratories/workshops where applicable to depict different approaches related to specific modules of the syllabus that have complex processes.
5. Where possible, field trips should be organized to furniture manufacturing plants and factories, which produce materials for furniture, to concretize the processes taught during classroom instruction.
6. Students must be constantly reminded that all sketches must be labelled where marks are awarded for labelling.
7. Particular attention should be paid to Question 1 in Paper 02. This question is worth 40 marks and usually requires students to produce a number of detailed sketches. Students who are not skilled at sketching are likely to find this question very challenging. Therefore, teachers are encouraged to provide students with opportunities/activities to help them develop their sketching skills. Note: *Always remind students that only Question 1 should be done on the drawing paper provided for the examination. All other questions must be done in the answer booklet.*
8. Since scale drawing is no longer required, students must note that well proportioned sketches should be produced. Additionally, students must acquire a good knowledge of furniture fabrication processes in order to perform well on the question.
9. Where sections of the syllabus prove to be beyond the delivery capabilities of the teacher, it is suggested that he/she solicit the help of subject experts. Note: *This is especially important when the section contain hands-on practical work which may not be applicable in the workshop.*

**C A R I B B E A N      E X A M I N A T I O N S      C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
CARIBBEAN SECONDARY EDUCATION CERTIFICATE® EXAMINATION**

**MAY/JUNE 2013**

**BUILDING TECHNOLOGY  
TECHNICAL PROFICIENCY  
OPTION I – WOODS**

**Copyright © 2013 Caribbean Examinations Council  
St Michael, Barbados  
All rights reserved.**

## **GENERAL COMMENTS**

The number of candidates who wrote the examination was 2 311, approximately 81 per cent of them earned Grades I–III. Candidates did quite well on the practical project of the School-Based Assessment (SBA) but some were weak in the written project. Competencies requiring focused attention are Knowledge and Application, which are tested on Paper 01 (Multiple Choice) and Paper 02 (Essay/Structured Response/Problem Solving).

## **DETAILED COMMENTS**

### **Paper 01 — Multiple Choice**

This paper consisted of 60 multiple choice items. Candidates' performance on this paper improved marginally above that of 2012. The mean score was 33.7 compared with 29.0 for 2012. The highest score attained by any one candidate was 56 compared with 50 for 2012. The lowest score attained was four.

### **Paper 02 — Structured Response Essay Questions**

This is a structured response paper with three sections: A, B, and C.


- |           |  |
|-----------|--|
| Section A | This section has one compulsory question based on Module C, Drawing and Design: Introduction to Drawing. This question is worth 40 marks.  |
| Section B | This section comprises five questions based on Modules C2, C3, C5, C6.1 – Materials, and C2 – Ironmongery. Candidates were required to attempt three questions from this section.                              |
| Section C | This section had three questions based on Modules C4 – Upholstery, Modules 6.3 – Basic Cabinet Making, and C6.4 – Household Furniture. Candidates were required to answer only one question from this section. |

The mean score on this paper was 46.6 compared with 35.6 in 2012. The highest score attained on this paper was 111 compared with 99 for 2012, while the lowest score attained was zero.

## Section A

### Question 1

This was a compulsory question based on Module C7 – Drawing and Design. It was designed to test candidates' knowledge and application of drawing and design skills for the production of either free-hand or ruler-assisted sketches of pictorial and orthographic views. It also required the analysis, design and/or selection of suitable materials and joints for furniture to be used for household purposes. Candidates were presented with an incomplete elevation of a storage cabinet. The length of the stand was given as 2000 mm, width 550 mm and height 850 mm, as shown in Figure 1. This question was worth 40 marks.



**Figure 1. Elevation of incomplete storage cabinet**

Part (a) required candidates to use a suitable labelled, free-hand or rule-assisted sketch to produce a pictorial view (either in oblique, isometric or perspective form) of the completed cabinet. The specific requirements for this drawing required that candidates include three drawers with handles and chamfered edges, a cupboard door with fixed glazing, handles positioned appropriately on the door and drawers, and four major dimensions.

A total of 91 per cent of the candidates attempted this compulsory question. Candidates' performance on this part of the question was much improved in comparison to previous years. Those who were well prepared illustrated good drawing and interpretation skills. However, candidates who were not fully exposed to design and drawing techniques encountered some level of difficulty to correctly produce the required pictorial view. Although candidates were required to use free-hand or ruler-assisted sketches to produce the required pictorial view, a few of them deviated by using computer-aided drafting software to do so. This was an anomaly to the normal practice. Furthermore, some of the candidates were not able to show the glazing symbol on their drawing solutions. Most candidates were able to show two or more dimensions on their drawings.

Although there are marked improvements in drawing skills, some students are still not being adequately exposed to all aspects of drawing and design principles and especially the fundamentals of lines, dimensioning, sketching techniques, types of material symbols and pictorial drawing. Students need to be adequately exposed to good comprehension and interpretive skills if they are to do well on questions prepared from the Drawing and Design module of the syllabus.

For Parts (b) (i) and (ii) of the question, candidates were required to make neat illustrative sketches of joints to be used for points A and B as indicated in Figure 1 as well as name each of them. This question was designed to test candidates' knowledge of joints used for cabinet work. Candidates provided satisfactory responses for these parts of the question.

Part (b) (iii) required candidates to name two types of joints that could be used to obtain the width of the cabinet. The responses provided by most candidates were generally unsatisfactory. The selection of suitable types of widening joints presented challenges for candidates. The need for candidates to be closely coached in the knowledge and understanding of the subject content is critical to their becoming proficient. In addition, the need for quality time to be spent honing their drawing skills to produce suitable sketches of various wood work components in both pictorial and orthographic forms cannot be over-emphasized.

In Part (c) candidates were asked to name two types of manufactured boards. This part of the question was generally well done. Only a small number of candidates could not distinguish between solid timber and manufactured board.

Part (d) had two sub-sections (d) (i) and (ii). Part (d) (i) asked candidates to state two materials that could be used to cover the back of the cupboard. Most candidates were able to provide at least one suitable material for the covering while others supplied materials that were eccentric to standard practices in the field. For Part (d) (ii), most candidates provided appropriate fasteners. However, there were cases where candidates provided unrelated sketches to aid their responses. Therefore, they could not obtain maximum marks.


Parts (e) (i) to (iii) required candidates to name two suitable portable power tools, two hand tools, and two types of finishes respectively. This part of the question was popular. For Parts (i) and (ii), candidates were able to provide suitable responses for power tools and hand tools respectively. However, for Part (e) (iii) some candidates struggled to provide suitable finishing materials to be used for the top of the cabinet to achieve beautification and hygiene. Therefore, instructors are being encouraged to continue to improve the process of preparing projects that will encourage students to plan, organize and apply design and interpretation skills to improve their practical ability and competence in furniture and all related fabrications.

The mean score on this question was 21.3, with one candidate earning full marks. Seventy-six per cent of candidates earned marks ranging from 16 to 40 on the question. Five candidates scored zero.

The expected responses to Question 1 (a) to (e) are as follows.

Candidates had the option to use oblique, isometric or other suitable pictorial methods to produce a suitable sketch of the completed storage cabinet. A typical example is shown below.

(a) (i–vi)




**Figure 2. Pictorial drawing of the completed storage cabinet**

(a) (vii) The dimensions should include any four of the following:


- Length — 2000 mm
- Overall height — 850 mm
- Width = 550 mm
- Thickness of top = 20–25 mm
- Width of cupboard 400–500 mm
- Height of cupboard = 620–700 mm
- Width of shelf = 700–1000 mm
- Height of shelves = 300–350 mm
- Width of drawers = 450–550 mm
- Height of drawers = 200–250 mm
- Baseboard = 75–100 mm

(b) (i–ii) Sketches and names of suitable joints for ‘A’ and ‘B’ respectively.

**Part A**




Stopped housing joint




Through housing joint

**Part B**



Long and short shoulder mortise and tenon joint



Haunched mortise and tenon joint

**Figure 3. Suitable joints for parts A and B**



(b) (iii) Two suitable widening joints.

- Loose tongue and groove
- Dowel
- Rebate
- Spline
- Tongue and groove
- Slot and screw
- Feathered plough

(c) Two types of suitable manufactured boards.

- Plywood
- Medium density fibre board
- Blockboard
- Laminboard
- Particle board
- Fibreboard
- Other suitable manufactured boards

(d) (i) Two materials to cover the back of the cabinet:

- 3 mm plywood
- Hardboard
- Other suitable types are accepted

(ii) Two ways/means to secure the covering:

- Nails
- Screws
- Staples
- Glue

(e) (i) Two portable power tools:

- Router
- Belt sander
- Electric drill
- Planner
- Stapler
- Nail gun
- Jig saw
- Circular saw

(ii) Two hand tools:

- Try square
- Mallet
- Hand plane
- Mortise chisel
- Screw driver

(iii) Type of finishes:

- Varnish/Polyurethane
- Plastic laminate (Formica)
- Oil-based paint

## Section B

Candidates were required to answer three questions from this section of the paper. Each question was worth 20 marks.

### Question 2

This question assessed candidates' knowledge and application of skills related to Modules C2 and C5, Fasteners and Finishes, of the syllabus. This was the most popular of the optional questions in this section and was attempted by 72 per cent of the candidates. Candidates' responses to this question were generally satisfactory.

In Part (a) candidates were required to list four different types of fasteners that are used in furniture manufacturing. Most candidates who responded to this part of the question provided appropriate responses.

For (b), candidates were asked to describe, in sequence, five surface preparation processes for wooden furniture receiving a clear coat finish, while (c) asked them to state four reasons why these processes were significant. In general, the responses to this part of the question were satisfactory.

In Part (d) candidates were asked to list two ingredients that are used in the manufacture of paint. This part of the question was not satisfactorily done by candidates. Sound knowledge and understanding of the ingredients used in the manufacture of various types of finishes and their characteristics are fundamental to their use in furniture application.

The mean score for this question was 8.3, with no candidate gaining full marks. Fifty-nine per cent of candidates who attempted this question earned marks ranging from 8 to 19.

The expected responses to Question 2 (a) are given below.

(a) The four types of fasteners should include:

- Screws
- Nails/tacks
- Bolts
- Glue
- Staples
- Corrugated fasteners
- Dowels

(b) Five sequential processes for surface preparation:

- Remove loose knots and plug holes with wood pellets
- Punch nails below the surface of the furniture
- Use wood filler to cover all indentations and blemishes
- Sand properly using appropriate grade abrasive paper to produce a smooth finish
- Treat all knots with a coat of knotting compound (Shellac) to prevent resin from bleeding

(c) Four reasons for surface preparation:

- To remove marks made by tools
- To remove all scratches
- To remove indentations
- To create a surface that would ensure adhesion of the finishing materials
- To achieve uniformity when using timbers of different colours.

(d) Ingredients used in the manufacture of paint include but are not limited to:

- Pigment
- Dryer
- Solvent
- Vehicle

### Question 3

This question was designed to test candidates' knowledge of suitable materials for furniture construction. It also sought to test their understanding of suitable materials for making fastening devices and the application of fasteners to join two pieces of materials. This question was attempted by 60 per cent of candidates, of whom 30 per cent provided satisfactory responses. The mean score on this question was 6.6, with three candidates earning full marks. Thirty-eight per cent of candidates who attempted this question scored between 8 and 20 marks.

Candidates' performance on Part (a) (i) was generally good. However, for Part (a) (ii), they experienced difficulty when trying to justify their choice of materials. Weak responses suggested that candidates were not familiar with the factors used for choosing appropriate materials for furniture construction.

Part (b) was divided into two parts. Part (b) (i) required candidates to name a suitable type of wood glue for use on outdoor furniture and give a reason for their choice. A number of candidates struggled to furnish a specific glue type to resist the elements and therefore could not provide a reason for its selection. Instead of identifying specific types of glues for the given situation, many candidates supplied generic names such as 'ponal' and 'gorilla' as types of glues. The glues should be identified by their properties and characteristics.

Part (b) (ii) required candidates to state two types of materials that are used to make screws for outdoor furniture and to give a reason for the selection of each material. While they were able to provide types of materials that could be considered to make the screws, they were not able to give pragmatic reasons for their choice.

Part (c) required candidates to use illustrative sketches to show the correct method for applying: (i) a countersunk head screw to secure a table top to a rail, (ii) dovetail nailing as opposed to screws, and (iii) a suitable joint to connect stool legs and rails. Candidates encountered some difficulty distinguishing between a dovetail joint and dovetail nailing. Teachers are encouraged to not only teach the theoretical aspect of the topics, but also the associated practical activities.

Expected responses for this question are given below.

(a) (i) Two suitable timber materials include but are not limited to:

- Purple heart
- Cedar
- Green heart
- Treated pine (WPP)
- Mahoe

(a) (ii) Reason for selecting the wood for outdoor use include but are not limited to:

- Weather resistance
- Insect resistance
- Density of the material (hardwood)
- Durability of the material

(b) (i) One suitable glue for outdoor furniture:

- Poly vinyl acetate (PVA)
- Epoxy resin

(b) (ii) Two suitable materials for screws include but are not limited to:


- Brass
- Stainless steel
- Copper, lead etc.

(b) (ii) Reasons for selecting material for each screw:


- Brass is corrosion resistant
- Stainless steel is strong and corrosion resistant

3 (c) (i–iii) Illustrative sketches:



(i) Countersunk head screw application



(ii) Dovetail nailing



(iii) Mortise and tenon joints



Question 4

This question assessed candidates' knowledge of sub-module C6.2, Ironmongery. This question tested candidates' knowledge and application of hinges that are used in furniture manufacturing. A total of 36 per cent of the candidates attempted this question. The mean score for this question was 8.0, with no candidate achieving full marks. Fifty-nine per cent of candidates scored marks ranging from 8 to 18. The question was divided into three parts.

Part (a) was further divided into four parts, (i–iv). This part of the question required candidates to state two uses each for four types of hinges, namely: (i) back flap, (ii) tee, (iii) cranked cabinet, and (iv) decorative hinge. The responses given by some of the candidates to Part (a) (i) were generally weak. This type of ironmongery appears to have been overlooked by some teachers. For Part (a) (iii), the responses from candidates indicated that they were very familiar with the uses for that type of hinge.

In Part (b), candidates were asked to name two tools that could be used to cut out the recess in frames to fit a pair of butt hinges. Candidates who responded to this part of the question provided satisfactory responses.

The final part of this question, Part (c), required candidates to explain the processes involved in fitting a pair of butt hinges to a cabinet door. Several candidates struggled to explain the processes in a sequential manner. In general, the responses seemed to indicate that greater emphasis needs to be placed on the application of various types of ironmongery through classroom instruction and lab practice.

The responses expected from candidates are given below:

- (a) Two uses of each type of hinge:
- i. Backflap hinge
    - used on the front of a writing desk
    - used on the leaves of prop-leaf tables.
  - ii. Tee hinge
    - used on out buildings with garage doors and shed doors
    - used on light gates
  - iii. Cranked cabinet hinge
    - used to enable door to be open free of the cabinet carcass
    - to enable easy removal or repair of door
  - iv. Decorative hinge
    - used where high quality décor is required
    - used on trinket boxes, chests, jewellery boxes
- (b) Any two types of cutting hand tools:
- Tenon saw
  - Bevelled-edge chisel
  - Portable router
  - Mallet
- (c) Any five of the following sequential steps for fitting a pair of built hinges to a framed cabinet door accepted:
- Position the hinges in line with the top and bottom rails.
  - Mark the hinge length on the hanging stile edge and on the front face of the carcass.
  - Gauge the hinge width and half its thickness between these lines. This defines the length, width and depth of the gain desired.
  - Use a chisel and mallet to cut out the recess in both the stile and the carcass.
  - Fit the hinges to the stile and fix it in place with one screw each.
  - Position and fit the hinges to the face of the carcass with one screw each.
  - Test the fitting, make necessary adjustments then fix the remaining screws.

### Question 5

This question tested candidates' knowledge and ability to apply the skills related to the use of stationary woodworking equipment as described in Module C3 — Machine Operation. This question was attempted by 64 per cent of the candidates, 39 per cent of whom provided satisfactory responses. The mean score was 6.7, with one candidate achieving full marks. The question was divided into two parts, (a) and (b).

Part (a) focused on safety principles related to the jointer and was divided into two sub-parts (a) (i) and (a) (ii). For Part (a) (i), candidates were asked to list five safety rules to be observed prior to using the jointer while Part (a) (ii) asked for a listing of safety practices to follow when using the jointer. These parts of the question were well known to candidates. However, the responses supplied by some candidates indicated a lack of thorough understanding of the safety rules governing the operation of the jointer.

For Part (b) candidates were asked to explain sequentially, five steps to be followed to cut a piece of stock to length using a stationary table/circular saw. The poor responses given by most candidates for this part of the question clearly indicates that they may not have been adequately exposed to the operation of this machine. The table saw is used to perform rip and cross cutting operations and is a stationary machine that is widely used in a woodwork shop.

Students should be adequately exposed to the theory and practice related to all stationary machines. Greater concentration on the planning and implementation of small and large scale projects, requiring the use of the table saw and other machines, is needed to ensure that students obtain full coverage of the application required.

Expected responses to this question include but are not limited to the following

- (a) (i) Any five of the following safety rules accepted:
- Make sure that personal protective equipment is available.
  - Make sure that push sticks and push blocks are available for use.
  - Make sure that the machine is free from all clutter that could impede its performance.
  - Ensure that the machine is turned off at the outlet prior to performing setting up activities.
  - Check to ensure that cutters are in good working condition before use.
  - Ensure that the blade, guard and fence are correctly positioned.
- 5 (a) (ii) Any five of the following safety rules accepted:
- Wear appropriate personal protective equipment.
  - Assume an appropriate stance.
  - Use push blocks/sticks as required.
  - Wait until the blade achieves maximum speed before planing/jointing.
  - Feed the stock slowly to the blade.
  - Avoid passing your hands over the cutters during jointing activities.
  - Never leave the jointer until the blade (cutters) comes to a full stop.
- 5 (b) Any five of the following sequential steps accepted:
- Measure and mark off the length of the stock with a square.
  - Place the mitre gauge in the groove/slot on the table and adjust it to the correct angle.
  - Adjust the height of the saw blade 1.5 to 3 mm above the thickness of the stock.
  - Push the fence out of the way and position the stock on the table holding it firmly against the mitre gauge.
  - Turn on the saw and allow it to reach maximum speed.
  - Hold the stock firmly against the face of the mitre gauge and slide it to the blade to make the cut. This cut should be done on the waste side.
  - Turn off the machine once the cut is completed and remove the stock only after the blade comes to a full stop.

### Question 6

This question was generated from sub-module C2.3:1, Joint Construction. Candidates' knowledge and application of the principles to be applied to joint selection and construction were tested. The question was attempted by approximately 25 per cent of the candidates, of whom 60 per cent provided satisfactory responses. The mean score for this question was 9.41, with six candidates gaining full marks.

In Part (a) (i–iv) candidates were presented with the names of four types of joints and asked to make sketches of each type. For Part (b), they were asked to indicate the most appropriate use for each type. These parts of the question were attempted by most of the candidates, all of whom provided responses that were satisfactory.

Part (c) required candidates to illustrate the grain structure of wood converted using the through and through sawing method. This part of the question was not well done. It appears that candidates were exposed to the type of grain structure created by different conversion methods. In addition, diagrams showing conversion are usually illustrated to show the entire cross section of the log being cut. Candidates should become acquainted with the types of end grains produced by each conversion method.

For Part (d), candidates were asked to state two methods that are used to secure a mortise and tenon joint. This part of the question was satisfactorily done by students who attempted it.

Teachers should engage students in the production of sketches of various techniques and components related to woodwork. The use of varying, yet interesting, techniques should be integrated during classroom instruction to develop greater interest in the subject.

### **Section C**

Candidates were required to answer one question from this section of the paper. Each question was worth 20 marks.

#### Question 7

This question tested candidates' knowledge and application skills related to Module C6 — Furniture Construction. The question was divided into three parts. Only 24 per cent of the candidates attempted this optional question. The mean score for this question was 7.4, with five candidates achieving full marks. Forty-seven per cent of candidates who attempted this question gave satisfactory responses. In general, the question focused on the properties, production and application of manufactured boards.

In Part (a) candidates were asked to state five advantages of using plywood over solid timber. The candidates who attempted this part of the question provided satisfactory responses.

Part (b) required candidates to use a suitable sketch to show how the veneers of three layer plywood are arranged during manufacture. Most candidates were able to provide a suitable sketch in response to this part of the question.

For Part (c) candidates were asked to use sketches to show how the edge of plywood can be protected from peeling when it is used in the manufacture of doors and table tops. The responses to this part of the question were varied in that some of the candidates were able to show a level of understanding regarding how to treat the edges of the furniture while others struggled to correctly illustrate how this could be done to prevent peeling of the veneers.

Teachers should therefore explore a variety of techniques applicable for treating the edges of manufactured boards when used in furniture manufacturing. Students should also be assessed regularly, to determine their strengths and weaknesses in regard to the contents of the syllabus, and where required, remedial learning should be integrated. They should also be exposed to technical jargon so that when tested they can supply the required responses.

#### Question 8

This question was based on the objectives provided in sub-module C6.3 — Basic Cabinet Making. This question was attempted by 24 per cent of the candidates. The mean score for this question was 7.0, with no candidate achieving full marks. Forty-two per cent of candidates who attempted this question gave satisfactory responses. The question was divided into three parts. Part (c) contained two sub-parts.



Part (a) asked candidates to use notes and sketches to differentiate between carcase and cabinet construction. Candidates did not attempt this part of the question. Those who did were able to use sketches to differentiate between each type but experienced some level of difficulty giving the description in note form. Consequently, there were weaknesses in the written responses provided by candidates to this part of the question. Students should be taught how to decipher questions properly. For example, a question that uses a phrase such as “explain with aid of sketches” clearly requires that notes and sketches should be used when providing a response.

For Part (b) candidates were asked to name the parts labelled A, B, C and D on a given elevation showing a solid raised panel cupboard door. The responses from candidates who attempted this question were generally satisfactory. Candidates who were exposed to the construction of cupboards adequately named the parts while those who lacked this exposure supplied names that were ambiguous.

In Part (c) (i) candidates were asked to list three types of ironmongery to be used on the door. For Part (c) (ii), candidates were asked to list three tools that could be used to install the ironmongery they identified as being suitable. These parts of the question were satisfactorily answered by most candidates. However, a few candidates indicated fasteners such as screws and nails as types of ironmongery. It is imperative that students are instructed to distinguish between ironmongery and fasteners used in furniture construction.

#### Question 9

This question tested candidates’ knowledge of upholstery materials, tools and fabrication processes. It required candidates to demonstrate their knowledge of Module C4, Upholstery, with primary focus on sub-modules C4.1 — Tools and Materials, and C4.4 — Padding and Covering. This question was attempted by 26 per cent of the candidates. The mean score for this question was 6.9, with no candidate gaining full marks. Forty-three per cent of the candidates who attempted this question provided satisfactory responses. The question was divided into three parts.

Part (a) required candidates to name five of the labelled parts of a given pictorial drawing of an upholstered stool. Candidates’ responses to this part of the question were generally satisfactory.

For Part (b) candidates were required to explain briefly five processes to be followed to apply the covering material to the given stool. Candidates who were exposed to upholstering were able to respond satisfactorily to this part of the question. Others encountered difficulty in responding to this part of the question due to a lack of exposure to upholstery manufacturing processes.

Part (c) was focused on assessing candidates’ knowledge of types of upholstery tools. This part of the question was generally well done. The responses indicated that candidates were exposed to the types of tools required for upholstery work.

Teachers should prepare projects that will enable students to gain hands-on practice of upholstering principles and techniques. In addition, field trips to upholstery furniture factories and workshops should be arranged. This approach will assist students to better appreciate the theory covered during classroom instruction. In general, teachers should utilize all possible learning opportunities that will advance the learning capabilities of their students.

### **Paper 03–School-Based Assessment (SBA)**

#### Rationale

The SBA component of the Building Technology (Woods) Option measured the practical skills not tested on the multiple choice and free response papers (Papers 01 and 02).

The assignments set for SBA were intended to deepen students' knowledge and help them achieve competency in skills required in the building/woodwork industry which are within the competence of secondary school students.

By focusing on processes as well as product, the SBA component was designed to allow students to demonstrate improvement in skills over a period of time and for their teachers' involvement in the process.

#### Requirements

Each student was required to complete a practical and a written assignment, during terms four and five of the two-year course (terms one and two of the examination year). The practical assignment is worth 90 marks and the written assignment is worth 30 marks.

#### Practical Assignment

For the practical assignment, students were required to construct a project designed to utilize the skills and knowledge covered in the syllabus. Students were given the option to choose one project from a list of three provided by CXC to meet preset requirements. All dimensions for the project were given in millimetres (mm) unless otherwise stated. The project was not to exceed the dimensions of 700 mm long x 400 mm wide x 400 mm deep. Dimensions omitted were left to the students' discretion.

Each student was expected to:

- Provide a plan sheet for the project which **MUST** include the following:
  - drawings and/or sketches
  - steps of procedure
  - a bill of materials
  - a list of tools and equipment to be used
- Construct a project

The particulars for the project had to be approved by the teacher prior to commencement.

#### Written Assignment

The written assignment took the form of a report of about 1000–1200 words based on the Common Module: Career Opportunities. Students were required to write on the topic set by CXC for each examination. The topic was based on the following themes in the module:

- Job search
- Career choice
- Industrial visits
- Profile of engineer or inventor

Students were assessed on accuracy of information, clarity of presentation, the use of technical language and knowledge of career opportunities in the building technology industry as outlined in the common module of the unit.

### **GENERAL RECOMMENDATIONS TO TEACHERS**

General recommendations to teachers for previous years are repeated here for those who are teaching the syllabus for the first time and for those who may not have seen them before. However, all teachers are encouraged to pay attention to the suggestions which follow in an effort to improve students' overall performance on the written examination and the SBA.

- Students must be encouraged to read the examination questions carefully and follow instructions precisely, as valuable time can be wasted on producing work that will not produce extra marks.
- All the modules of the syllabus for Option I, Woods should be adequately covered during teaching. Teachers are cautioned against preparing students using mainly past papers. Examination questions are prepared to reflect the content of selected modules of the syllabus while the remaining modules should be covered to enable students to meet the requirements of their SBA projects. Therefore, the modules should be thoroughly taught to ensure that students are adequately prepared for their cognitive and performance examinations as well as for lifelong learning.
- Students must be encouraged to take both aspects of the SBA (the written assignment and the practical projects very seriously as the SBA accounts for a very large portion of the overall marks in the Building Technology examination. For more information on the importance of this aspect of the examination, see pages 8–9 of the amendments to the syllabus in Industrial Technology which is placed at the back of the Industrial Technology syllabuses of May/June 2002.
- Students should be given opportunities to produce more detailed sectional sketches so as to assist in improving their knowledge and understanding of vertical and horizontal sections of furniture components.
- Details and construction processes require serious attention. In this regard, it is suggested that teaching aids (models, videos and charts) be used in the laboratories/workshops where applicable to depict different approaches related to specific modules of the syllabus that have complex processes.
- The use of instructional tools such as videos and other electronic media are excellent teaching aids that should be explored and used to complement or supplement the unavailability of resources in workshops.
- Where possible, field trips to furniture manufacturing plants, factories, well-equipped schools and higher level institutions should be organized by teachers to ensure that students are adequately exposed to all woodwork machines indicated in the syllabus. In essence, this approach will help students to concretize the processes taught on the topic during classroom instruction.
- Quite a number of students are experiencing varying levels of difficulty articulating their responses to the questions presented on the examination paper using Standard English. Common weaknesses include penmanship, spelling and use of the language among others. This problem needs to be more aggressively tackled by the school's administration and all other stakeholders.
- Students should be constantly reminded that all sketches must be labelled where marks are awarded for labelling.

- Particular attention should be paid to Question 1 in Paper 02. This question is worth 40 marks and usually requires candidates to produce a number of detailed sketches. Candidates who are not skilled at sketching are likely to find this question very challenging. Teachers are therefore encouraged to provide students with adequate opportunities/activities to help them to develop their sketching skills. Since scale drawing is no longer required, candidates must note that well-proportioned sketches should be produced. Additionally, candidates must acquire a good knowledge of furniture fabrication processes in order to perform well on the question.

*NOTE: Always remind students that only Question 1 should be done on the drawing paper provided for the examination. All other questions must be done in the answer booklet.*

- Where sections of the syllabus prove to be beyond the delivery capabilities of the teacher, it is suggested that he/she solicit the help of subject experts. NOTE: This is especially important when the section contains hands-on practical work which may not be applicable in the workshop.
- The *five* steps of the *design process* are being suggested for consideration and application to assist in guiding the teaching/learning experience for product development. This is a technique that is driven by research and development and is widely used in most design and manufacturing industries globally. The five processes are arranged in a systematic way in order to assist students to plan, organize, fabricate and evaluate products such as household furniture and other items. This knowledge will provide students with a good understanding of, and an appreciation for the major processes that manufactured items have to undergo in order to achieve quality assurance.
- Candidates need to acquire competence in the knowledge and application of all woodworking machines, their operations, and the safety principles related to their use.
- Much emphasis should be placed on research work. Classroom instruction should be tailored to allow for more student-centred learning rather than the traditional teaching approach being used by some instructors.

**CARIBBEAN EXAMINATIONS COUNCIL**

**REPORT ON CANDIDATES' WORK IN THE  
CARIBBEAN SECONDARY EDUCATION CERTIFICATE® EXAMINATION**

**MAY/JUNE 2013**

**BUILDING TECHNOLOGY (CONSTRUCTION)  
TECHNICAL PROFICIENCY EXAMINATION**

## **GENERAL COMMENTS**

The number of candidates writing the examination was 1883 with approximately 82 per cent earning Grades I–III compared with 71 per cent in 2012. The improved overall performance in 2013 is reflected in improved or comparable performance on all profiles. On Profile 1, Knowledge, 69 per cent of candidates earned Grades I–III compared with 73 per cent in 2012. For Profile 2, Application, 59 per cent of candidates earned Grades I–III compared with 50 per cent in 2012. On Profile 3, Practical Ability, 97 per cent of candidates earned Grades I–III compared with 95 per cent in 2012. Candidates did quite well on the practical project of the School-Based Assessment (SBA) but some weaknesses were evident in the written component.

## **DETAILED COMMENTS**

### **Paper 01 — Multiple Choice**

This paper comprised a total of 60 multiple choice items based on all the theoretical aspects of the syllabus. Candidates responded reasonably well to most of the questions. However, there were instances where candidates' responses were inadequate thus suggesting insufficient preparation for the examination. Overall, performance on this paper was below that of 2012. The mean score was 31.3 compared with 34.3 for 2012. The maximum score in 2013 was 49, while the minimum score was 11 compared with the highest score of 57 and lowest score of zero in 2012. Teachers are reminded that the intent of the multiple choice paper is to test a wide spectrum of the syllabus, and as such it is important that students are prepared with respect to the entire syllabus.

### **Paper 02 — Restricted Response Essay Questions**

This is a free response paper divided into three sections. Each question receives equal weighting for the profile dimensions Knowledge and Application.

- |           |  |
|-----------|--|
| Section A | One compulsory design question based on Modules D5 to D9 of the syllabus. The question is worth 40 marks.                                      |
| Section B | Five questions based on Modules D2 to D10 of the syllabus. Candidates are required to answer three questions. Each question is worth 20 marks. |
| Section C | Three questions based on Modules D11 to D13 of the syllabus. Candidates are required to answer one question. Each question is worth 20 marks.  |

## Section A

### Question 1




Figure 1

This compulsory design question comprised six parts and was designed to test candidates' knowledge and application of skills in the best practices adopted in the construction industry when working on doors and door frames, walls, floors, stairs and roofs.

Candidates were presented with a floor plan of a two-storey dwelling house; 6.7 m long by 4.8 m wide. The foundation walls were constructed using 200 mm hollow concrete blocks, and the exterior walls were constructed of 150 mm hollow concrete block walls. The floor, partitions and staircase were all constructed using timber.

Part (a) was widely known as it was attempted by most candidates and they performed well on it. It tested candidates' ability to apply their knowledge of roof construction. This part of the question required candidates to produce a neat sketch of the roof plan in Figure 1, showing the correct arrangement of all the roof members. Candidates were advised that *only* the outline of the external walls was required for that part of the question. Some candidates were unable to put the roof members in the correct places; they sketched a roof with valley rafters rather than the simple roof with a hip and gable end. Additionally, there was evidence to suggest that candidates did not read the instructions carefully, because in spite of having notes placed at the end of the question, candidates produced work that was not required by the question.

Part (b) tested candidates' knowledge of the framing members of a roof. Candidates were asked to name five members of the roof they produced in Part (a). Some candidates were not able to name the five roof members. The crown rafter was one of the members with which candidates were unfamiliar. Several candidates did not show the wall plate over the wall on the plan; however, they used broken lines to show the wall outline.

Part (c) tested candidates' ability to apply their knowledge of the correct method of fixing rafters to wall plates in a roof. They were asked to produce a neat, labelled sketch to show rafters correctly fixed to a wall plate. This is especially important for proper load distribution and fixing of the rafters when framing a roof. Local construction methods which do not utilize wall plates were produced. Teachers need to encourage candidates to use best practices when responding to questions.

Part (d) tested candidates' knowledge of types of roof coverings, they were asked to name four types of roof coverings. Most candidates satisfactorily identified roof coverings.

Part (e) tested candidates' knowledge of floors and floor construction and required them to produce a labelled sectional sketch at B-B on the floor plan in Figure 1. A note was inserted directing candidates not to produce foundation and roof details. However, candidates completed an entire sketch but omitted vital information for which marks were being awarded, namely the parts of the floor.

Part (f) had three parts (i, ii and iii) and tested knowledge of stair construction and building regulations associated with stairs. Part (f) (i) asked candidates to name four parts of the staircase shown in Figure 1 that can be identified when a detailed vertical section is produced at A-A. Part (f) (ii) required candidates to describe each of the four parts named in Part (f) (i) while Part (f) (iii) asked candidates to state the minimum dimensions for tread width, headroom and space between balusters according to the building regulations.

Part (f) (iii) presented the greatest difficulty for candidates. Many of them did not attempt this part and those who did gave incorrect responses. They used imperial rather than metric measurements to state their answer. The topic needs to be given more attention in the classroom.

The mean score for this question was 17.8, with no candidate achieving full marks. Fifty-three per cent of candidates scored in the range of 18-38. Forty-four candidates scored zero on the question.

Appendix 1 contains sample responses to the parts of Question 1 that posed a challenge to candidates.

## **Section B**

### Question 2

This question tested candidates' knowledge and their ability to apply that knowledge in the areas of site preparation, basic site management and setting out. This was a very popular question.

Part (a) required candidates to list factors that must be considered when selecting a building site. This part of the question was widely known and candidates performed very well.

Part (b) required candidates to state three reasons for stripping a building site. Candidates performed very well on this part of the question.

Part (c) (i) required candidates to state four reasons for hoarding a building site. This was well done. In Part (c) (ii), candidates were asked to explain the importance of any three of the reasons for hoarding given in their response to Part (c) (i). This too was well done.

In Part (d), candidates were asked to sketch two methods used for checking the accuracy of 90° corners when setting out a small building. This question presented some difficulty for weaker candidates. However, the better prepared candidates performed very well on this part of the question and produced excellent sketches.

The mean score for this question was 14.4, with 16 candidates achieving full marks. Seventy-three per cent of candidates who attempted this question scored in the range of 9-20. Thirty-one candidates scored zero on the question.

See Appendix 2 for sample responses to the parts of question 2 that posed a challenge to candidates.



### Question 3

This question tested candidates' knowledge of different building materials such as timber, concrete, mortar and plastics. It also tested candidates' application of this knowledge regarding the construction industry. This was a popular question.

Parts (a) (i) and (ii) required candidates to define the terms *concrete* and *mortar* respectively. Most candidates responded very well to this part of the question.

Part (b) asked candidates to list three characteristics of aggregates used for making concrete. Some candidates did not seem to know the characteristics and did not respond to this part. However, the better candidates were able to perform very well on this part of the question.

Part (c) asked candidates to explain the benefits to be derived from *proportioning* or *batching* a concrete mix.

Part (d) required candidates to list three uses of plastics in the building construction industry. This part of the question was very well done by most candidates; however, some candidates gave properties rather than uses of plastics.

Part (e) required candidates to use sketches to show two types of natural defects in timber. This was generally very well done. However, some candidates presented sketches of seasoning defects, rather than natural defects like shakes and knots.

The mean score for this question was 8.0, with no candidate achieving full marks. Forty-six per cent of candidates who attempted this question scored in the range of 9-20. Fifty-three candidates scored zero on this question.

See Appendix 3 for sample responses to the parts of Question 3 that posed a challenge to candidates.

### Question 4

This question tested candidates' knowledge and their ability to apply knowledge of different types of foundations, timbering and its function, moist curing of concrete and the steps involved in carrying out the slump test. This was not a very popular question, less than 50 per cent of candidates attempted it.

Part (a) asked candidates to state three functions of foundations. This part of the question was widely known and candidates were able to correctly state the functions.

In Part (b), they were asked to use labelled sectional sketches to illustrate strip and raft foundations. Candidates were able to draw the foundations correctly in most cases.

Part (c) required candidates to use labelled sketches to illustrate the method of applying timbering in a trench which was dug in firm soil.

Part (d) asked candidates to state one function of timbering.

Part (e) required candidates to state three methods of *moist curing* as it relates to concrete.

Part (f) required candidates to list the first three steps when conducting a slump test as it relates to wet concrete.

Part (e) was not well done, as candidates seemed unfamiliar with the term *moist curing* and the different methods used.

The mean score for this question was 7.4, with no candidate achieving full marks. Thirty-seven per cent of candidates who attempted this question, had scored in the range of 9-19. Thirteen candidates scored zero on the question.

See Appendix 4 for sample responses to the parts of Question 4 that received poor responses from candidates.

### Question 5

This question tested candidates' ability to apply their knowledge of walls and bonding, types of brick bonds and stud partition construction and their importance in the construction industry. This question was not very popular among candidates and was attempted by less than 50 per cent of candidates.

In Part (a), candidates were asked to state three functions of external walls of a building. Part (b) (i) required candidates to define the term *bonding* as it relates to masonry walls. Part (b) (ii) asked candidates to explain the importance of bonding in masonry wall construction. Part (c) required candidates to name three types of brick bonds.

Part (d) required candidates to sketch a stud partition with a door opening incorporated into it. Candidates were also reminded that the best construction practices should be shown. Generally, all parts of the question were well done.

The mean score for this question was 11.5, with 14 candidates achieving full marks. Sixty-eight per cent of candidates who attempted this question scored in the range of 9-20. Only three candidates scored zero on the question.

See Appendix 5 for sample responses to the parts of Question 5 that received poor responses from candidates.

### Question 6

This question tested candidates' knowledge of doors, floors, windows and the application of varnish to a new door. It also tested their ability to apply that knowledge in various areas of the construction industry. This question was popular among candidates.

Part (a) required candidates to state two functions of doors. This part of the question was widely known and most candidates performed well. Part (b) required candidates to state three functions of floors.

Parts (c) and (d) required candidates to name three members of a timber floor and state one function each for any two of the members named. In Part (e), candidates were asked to sketch two different types of windows.

Part (f) required candidates to briefly explain the correct sequence to be followed when applying varnish to a new door surface. Some candidates included information about preparing a new door for a finish, and then proceeded to give the steps to be followed when applying varnish to a new door. The question simply asked for steps to be followed when applying varnish to a new door. There is need, therefore, for emphasis to be placed on the difference between preparation for a finish and the application of a finish.

The mean score for this question was 10.7, with two candidates achieving full marks. Seventy-nine per cent of candidates who attempted this question scored in the range of 9-20. Only two candidates scored zero on the question.

See Appendix 6 for sample responses to the parts of Question 6 that received poor responses from candidates.

## Section C

### Question 7

This question tested candidates' knowledge of and their ability to apply knowledge of the building trades. Additionally, candidates were required to name members of the building team and state their responsibilities on a construction project/site. This question was popular among candidates, with approximately 82 per cent of them attempting it.

Parts (a) (i) and (ii) asked candidates to list five building trades and state the main function of each. These parts of the question were widely known and candidates performed very well. However, there is need for candidates to provide better responses when asked for the function of trade persons in the building trades; for example, a painter does more than simply paint. He/she mixes paints, prepares surfaces and applies different types of finishes (varnish, paint, wax and polishes).

Parts (b) (i) and (ii) required candidates to use a simple flow chart to show the line of authority of members of the building team from a given list. The members given were *client*, *engineer*, *building contractor* and *architect*. Candidates were also asked to explain the function of any three of the members given in the list. This part presented some difficulty for candidates, especially the flow chart. They were not able to place the members of the building team in the correct order of authority. Candidates should anticipate questions in varying forms and should not expect questions exactly as they see them in past papers. This part of the syllabus should be taught well enough to allow candidates to respond to questions on the topic irrespective of their structure.

The mean score for this question was 12.1, with 36 candidates achieving full marks. Seventy-seven per cent of candidates who attempted this question, scored in the range of 9-20. Twelve candidates scored zero on the question.

See Appendix 7 for sample responses to the parts of Question 7 that received poor responses from candidates.

### Question 8

This question tested candidates' ability to apply knowledge of sewage disposal systems and the knowledge of the various terms associated with waste disposal systems. This was not a very popular question among candidates; eleven per cent of them attempted it.

In Part (a), candidates were asked to use vertical sectional sketches to illustrate how septic tanks and soakaways work. Part (b) asked candidates to define the terms *cesspool*, *surface-water drain*, *sewer pipe*, *sewage* and *drain pipe*.

The mean score for this question was 8.8, with no candidate achieving full marks. Forty-nine per cent of candidates who attempted this question, scored in the range of 9-18. Three candidates scored zero on the question.

See Appendix 8 for sample responses to the parts of Question 8 that received poor responses from candidates.

### Question 9

This question tested candidates' ability to apply their knowledge of factors that influence building design and European architectural features that have influenced the design of buildings in the Caribbean. This question was not very popular, less than five per cent of them attempted it.

Part (a) (i) required candidates to identify four factors that influence the design of a building.

Part (a) (ii) required candidates to explain any three of the factors identified in Part (a) (i).

Part (b) (i) required candidates to describe three European architectural features that have influenced building design in the Caribbean. Part (b) (ii) required candidates to use sketches to illustrate any two of the features identified in Part (b) (i).

Part (a) (i) was widely known by candidates, who had very little difficulty listing the factors influencing building design. In Part (a) (ii), candidates had difficulty explaining the factors they listed.

The mean score for this question was 10.1, with one candidate achieving full marks. Fifty-seven per cent of candidates who attempted this question scored in the range of 9-20. Six candidates scored zero on the question.

See Appendix 9 for sample responses to the parts of Question 9 that received poor responses from candidates.

### **Paper 03 – School-Based Assessment (SBA)**

The SBA is intended to be a diagnostic, formative and summative assessment tool. Students can present their best efforts once the suggested time frame is followed by teachers. The new format requiring both a practical and written project should be taken seriously if students are to develop the intended competencies.

Students are required to complete two assignments during terms four and five (terms one and two of the examination year) and each student is required to complete:

- One practical project, worth 90 marks, from a list published by CXC. The practical covers Profile 3, Practical Ability.
- A written assignment, worth 30 marks, testing Profile 3 (Practical Ability) set by the classroom teacher in keeping with the guidelines outlined by CXC and based on the Common Modules D1, D14 and D15.

Students continue to perform creditably on the SBA practical projects. However, the written assignment continues to be challenging for weaker candidates.

This year's moderation analysis revealed that there is a trend across territories whereby students' written reports were reproductions of a single report. Additionally, some teachers seem to be reusing reports and projects from previous years. This unacceptable practice impacts negatively on students' overall scores. It was also found that teachers' assessment of the written reports appeared to be quite generous and, in some instances, contrary to the suggested mark scheme.

A major aspect of the SBA practical project is design, which entails drawing, and the selection of materials, machine processes, manual processes and the evaluation of various methods and systems in building technology.

This aspect of the programme must be managed by the teacher, if students are to derive maximum benefit from the use of drawing skills and knowing how to relate theory to practice.

The format developed to ensure that the skills are organized systematically include the following:

- Preliminary considerations (usually a statement of what the students want to do)
- Preliminary design
- A pictorial sketch of the project idea
- Production of a set of working drawings (orthographic, including sectional views)
- Estimating the quantities and types of material and cost
- Selecting appropriate materials (or suitable alternatives)
- Selecting tools and machinery
- Developing a plan of operations
- Implementing a plan of operations, in order to complete the project
- Supervision of team members and coordination of various operations

A series of practical exercises should be developed by the teacher and administered to students. While this is being done, the teacher should observe the students and identify those who exhibit a greater sense of responsibility and mastery of the related skills. These individuals should be used to assist or lead a small group (3–5) in completing larger and more difficult projects.

### **RECOMMENDATIONS TO TEACHERS**

General recommendations to teachers for previous years are repeated here for those who are new and for those who may not have seen them before. Please note that the recommendations are made by the examining committee, examiners and assistant examiners, based on direct observations made during the marking period. Therefore, all teachers are encouraged to pay attention to the following suggestions in an effort to gain information which will help improve students' overall performance in subsequent examinations.

- Candidates are encouraged to read the examination questions carefully and follow instructions precisely, as valuable time can be wasted producing work that will not earn extra marks.
- Students must be encouraged to take both aspects of the SBA (the written assignment and the practical project) very seriously as the SBA accounts for a large portion of the overall marks in the Building Technology examination. For more information on the importance of this aspect of the examination see pages 7–9 of the amendment to the Industrial Technology syllabus which is placed after page 134 of the Industrial Technology Syllabuses of May/June 2002.
- Students should be given opportunities to produce more detailed sectional sketches so as to assist in improving their knowledge and understanding of vertical and horizontal sections of buildings and building components.
- Staircase details, design (stair calculations) and construction require serious attention. In this regard, it is suggested that teaching aids be used (for example, models and charts should be displayed in the laboratories/workshops depicting different types of stairs, building regulations pertaining to stairs and labelled sectional sketches of stairs (both wooden and concrete))
- Where possible, students should practise setting out buildings of different shapes both on flat and sloping sites on the school's campus if no other site can be found.
- Where possible, field trips should be organized to a cement plant and other manufacturing plants related to the construction industry. Plastic, for example, is a widely used material in the construction industry. Most plumbing pipes and a wide range of fittings (for example, electrical conduits and concrete forms) are made of plastic. Teachers should therefore expose students to these materials.
- The theory and practice related to types of floor finishes should be taught.
- Students must be constantly reminded that all sketches must be labelled as marks are always awarded for labelling.
- Charts showing different types of brick bonds should be displayed in the lab/workshop.
- Sanitary appliances, plumbing fixtures, drainage and sewage disposal are very important to the overall functioning of buildings. Therefore, the relevant sections of the syllabus which deal with these must be covered thoroughly.
- Most communities in the Caribbean have historic buildings in existence. They are either of timber or brick construction. Students should be encouraged to visit them and observe their architectural design, main features and so on. Recommendations 10 and 11 will enable candidates to improve their responses to questions in Section C of the examination paper.


- Particular attention should be paid to Question 1 on Paper 02 .This question is worth 40 marks and usually requires candidates to produce a number of detailed sketches. Candidates who are not skilled at sketching are likely to find this question very challenging. Therefore, teachers are encouraged to provide students with opportunities/activities to help them develop their sketching skills. Teachers are reminded to encourage students that only Question 1 should be done on the drawing paper provided for the examination. All other questions must be done in the answer booklet.
- Since scale drawing is no longer required, teachers should remind candidates that well-proportioned sketches should be produced. Additionally, candidates must acquire a good knowledge of construction details of both wooden and concrete structures in order to perform well on Question 1.
- Where a section of the syllabus proves to be beyond the delivery capabilities of the teacher, it is suggested that he/she solicit the help of resource persons to assist. This is especially important when the section contains hands-on practical work.

## Appendix 1


### Section A

#### Sample Response to Question 1

- (a) Arrangement of roof members
- (b) Names of five roof members




- (c) Rafter correctly fixed to wall plate



- (d) Different types of roof coverings
  - (i) Shingle
  - (ii) Corrugated metal sheets
  - (iii) Asphalt sheeting
  - (iv) Roofing tiles

- (e) Vertical section at B-B with labels



- (f) (i) & (ii) Parts of the stair in Figure 1 and description of parts

Riser — vertical member of a step

Tread — the horizontal surface of a step

String — the side support for a flight of wooden stairs

Baluster — in-fill member between the handrail and string

Handrail — an incline balustrade member at the top of balusters

Newel post — the main support for the handrail at each end of a flight

- (f) (iii) Building regulations for stairs

220 mm — minimum width of tread

2000 mm — minimum height of headroom

100 mm — space allowed between balusters

## Appendix 2

### Section B


#### Sample Response to Question 2

- (a) Factors that must be considered when selecting a building site
- Location
  - Accessibility
  - Cost
  - Topography
- (b) Reasons for stripping a building site
- Prevent the growth of vegetation
  - Reduce instability of top soil
  - Remove tree stumps
- (c) (i) & (ii) Reasons for hoarding a building site and explanations
- Public protection — keep outside persons away from site activities
  - Material/equipment protection — to reduce theft
  - Security — to ensure workers are safe
  - Reducing vandalism — prevent persons destroying work done on the site



- (d) Methods of checking accuracy of 90° corners

Builder's square



### Appendix 3

#### Sample Response to Question 3

- (a) Definitions

Concrete — a mixture of sand, gravel/crushed stones, cement and water

Mortar — a mixture of sand, cement and water

- (b) Characteristics of aggregates used for making concrete

They must be strong

Sound

Well graded

Angular shaped

- (c) Benefits derived from *proportioning* or *batching*

Good water/cement ratio resulting in very strong concrete

Reduction of waste — financial savings

Reduces shrinkage

Water tightness is achieved — this reduces bleeding when trowelling

- (d) Uses of plastics in the building construction industry


Conduits

DPM

Tiles — floor and roof

Guttering/downpipes

- (e) Types of natural defects in timber





## Appendix 4

### Sample Response to Question 4


(a) Function of foundations

Distribution of loads  
Anchoring the building  
Help stabilize the building

(b) (i) & (ii) Sectional sketches of strip and raft foundations



(c) Timbering in firm soil



(d) Function of timbering

To provide temporary support to the sides of excavation/trenches to prevent collapse of the sides

(e) Methods of moist curing

Ponding  
Spraying  
Sand bagging  
Covering with plastic sheets

(f) The first three steps of the slump test

1. Place the slump cone on a flat base and put the mixed concrete in the cone.
2. Pack it down layer by layer with a tamping rod until the cone is full.
3. Level the top with a trowel.

## Appendix 5

### Sample Response to Question 5

(a) Function of external walls

Enclosing of space  
Protection from the elements/weather  
Supporting roofs and upper floors  
Act as a sound barrier  
Security

(b) (i) Definition of the term *bonding*

Bonding is a method used for joining brick/blocks in walls to avoid continuous vertical joints.


(ii) Importance of *bonding*

Bonding is important because it ensures that imposed loads are evenly distributed throughout a wall.

(c) Name of brick bonds

English bond  
Flemish bond  
Stretcher/common or running bond  
Rat-trap bond

(d) Stud partition with door opening incorporated



## Appendix 6

### Sample Response to Question 6

(a) Function of doors

Privacy  
Security  
Light admission  
Access/exit  
Protection from the elements

(b) Function of floors

Structural stability  
Hardwearing surface  
Fire resistance  
Aesthetic appearance  
Stable base


(c) Members of timber floors

Wall plate  
Joist  
Floor boards  
Skirting board

(d) Function of floor members

Wall plate — supports the ends of the joist  
Joist (common) — main supporting members of a floor  
Floor boards — form the base of the surface of the floor  
Skirting board — conceals the gap between the wall and the floor

(e) Sketches of different types of windows



(f) Correct sequence to follow when applying varnish to a new door surface

Clean the surface of the door  
Apply sanding sealer  
Sand the surface with a fine sand paper  
Clean the surfaces  
Apply coat of varnish

## Appendix 7

### Sample Response to Question 7

(a) (i) and (ii) Five building trades and the main function of each

Carpenter — erecting structural framework, constructing roofs, builds formwork, do setting out.


Mason — works with concrete and mortar to cast floors, pavements, lay concrete blocks, plaster walls and build stone walls.

Electrician — carries out wiring works, installation of conduits and fixtures

Plumber — lays pipes, install taps, toilet bowls, etc.

Painter — responsible for finishing the building by applying paint, wall paper, etc.

(b) (i) Flow chart showing members of the building team and their line of authority on a building site



(ii) Function of the members of the building team

Client — the person who commissions the work and directly or indirectly employs everybody on the project.

Architect — engaged by the client as his/her agent to design, advise and ensure that the project is kept within cost and complies with the design.


Building Contractor — employed by the client on the architect's advice to carry out the building works. He takes his instructions from the architect.

Engineer — a specialist such as a structural engineer employed to work with the architect on particular aspects of the design.


## Appendix 8

### Sample Response to Question 8

- (a) (i) Vertical section of septic tank



- (ii) Vertical section of soakaway



- (b) Definition of drainage terms

Cesspool — an underground chamber constructed for the reception and storage of foul water from a building.

Surface water drains — drain designed to carry only surface water (rain water) rather than soil or waste. It removes water safely from the site.

Sewer pipe — pipe or closed channel that carries sewage.

Sewage — domestic waste matter that is carried away by water in a system of sewer drains/pipes.

Drain Pipe — pipe designed to carry waste water or sewage from a building.

## Appendix 9

### Sample Responses to Question 9

#### (a) (i) & (ii) Factors influencing the design of a building

History — history of the site: Is it prone to flooding or land slide? Is it built-up? What was its previous use?

Material — choice and availability of materials

Culture — would have an influence on the shape and style of the structure. Family custom

Climate — wet, hot, cold, windy, would determine where windows or balconies are placed in a building

Cost — determines affordability

#### (b) (i) European architectural features influencing building design in the Caribbean

Brickwork — walls made from bricks that are arranged in various patterns


Wooden casement — windows that have their sashes hanged to swing like doors

Steep roofs — these are pitched at 45° or more

Arches — curved member spanning openings to create a decorative feature

Staircases — built with decorative features such as balustrades to improve the interior of a building

#### (ii) Sketches illustrating European architectural features influencing building design in the Caribbean



**C A R I B B E A N      E X A M I N A T I O N S      C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
CARIBBEAN SECONDARY EDUCATION CERTIFICATE® EXAMINATION**

**MAY/JUNE 2014**

**BUILDING TECHNOLOGY  
OPTION I – WOODS  
TECHNICAL PROFICIENCY**



## **GENERAL COMMENTS**

The number of candidates who wrote the examination was 2695 and approximately 77 per cent of them earned Grades I–III. Candidates did quite well on the practical project of the School-Based Assessment (SBA) but some demonstrated weakness in the written project. Competencies requiring focused attention are Knowledge and Application, which are tested on Paper 01 (Multiple Choice) and Paper 02 (Essay/Structured Response/Problem Solving).

## **DETAILED COMMENTS**

### **Paper 01 — Multiple Choice**

This paper consisted of 60 multiple choice items. Candidates' performance on this paper declined compared with that of 2013. The mean score was 30.7 compared with 33.7 for 2013. The highest score attained by a candidate was 55 compared with 56 for 2013.

### **Paper 02 — Structured Response Essay Questions**

This is a structured response paper with three sections: A, B, and C.


- |           |  |
|-----------|--|
| Section A | This section has one compulsory question based on Module C 7, Drawing and Design: Introduction to Drawing. This question is worth 40 marks.  |
| Section B | This section comprises five questions based on Modules C2.2, C3, C5, C6.1, C6.2 – Cutting and Shaving Hand tools, C3 – Machine Operations, C5 – Finishing, C6.1 Materials and C6.2 – Ironmongery. Candidates were required to attempt three questions from this section. |
| Section C | This section consisted of three questions based on Modules C4 – Upholstery, 6.3 – Basic Cabinet Making, and C6.4 – Household Furniture. Candidates were required to answer only one question from this section.  |

The mean score on this paper was 46.5 compared with 46.6 in 2013. The highest score attained on this paper was 107 compared with 111 for 2013.

### **Section A**

#### Question 1

This was a compulsory question based on Module C7 – Drawing and Design. It was designed to test candidates' knowledge and application of drawing and design skills for the production of ruler-assisted sketches of orthographic views. It also required the analysis, design and/or selection of suitable materials and joints for furniture construction. Candidates were presented with a pictorial drawing of a combined desk and bookcase. The labelled parts of the combined desk and bookcase were the top rail, desktop and bookshelf, with different joints labelled as 'C', 'D', 'E' and 'F'. The views were labelled as 'A' and 'B' and the shelf compartments were labelled as 'X' and 'Y', as shown in Figure 1. This question was worth 40 marks.



**Figure 1. Sketch of combined desk and bookcase**

Part (a) required candidates to use a neat, proportional, ruler-assisted sketch to produce the front elevation and an end elevation of the combined desk and bookcase. The specific requirements for this drawing was for candidates to redesign the lower compartment by dividing it to store compact discs and newspapers and the top rail to receive two small drawers for storing pens, pencils and other small items. The candidates were also required to identify the views by name and to name three types of lines used for detailed working drawings. This question was designed to test the application of skills in drawing and design.

A total of 96 per cent of the candidates attempted this compulsory question. Candidates' performance on this part of the question was much improved in comparison to similar questions of previous years. Those who were well prepared demonstrated good drawing and interpretation skills. However, candidates who were not fully exposed to design and drawing techniques encountered some level of difficulty to correctly produce the required pictorial view. Although candidates were required to use free-hand or ruler-assisted sketches to produce the required pictorial view a few of them deviated by using computer-aided drafting software to do so. This was an anomaly to the normal practice. Most candidates were able to show two or more dimensions on their drawings.

Although there was marked improvement in drawing skills, some candidates did not appear to have been adequately exposed to all aspects of drawing and design principles and especially the fundamentals of lines, dimensioning, sketching techniques, types of material symbols and pictorial drawing. Candidates need to be adequately exposed to good comprehension and interpretive skills if they are to do well on questions prepared from the Drawing and Design module of the syllabus.

For Part (b) of the question, candidates were required to state the most suitable wood joints to be used for each of the sections labelled C, D, E and F in Figure 1. This question was designed to test candidates' knowledge of joints used for cabinet work.

The responses provided by most candidates were generally unsatisfactory. The selection of suitable types of joints presented challenges for candidates. The need for candidates to be closely coached in the knowledge and understanding of the subject content is critical to their becoming proficient. In addition, the need for quality time to be spent honing their drawing skills to produce suitable sketches of various wood work components in both pictorial and orthographic forms cannot be over-emphasized.

Part (c) had two subsections, (c) (i) and (ii). In Part (c) (i), candidates were asked to state two types of suitable solid timber materials that might be used to make the frame of the desk and bookcase. This question was designed to test candidates' knowledge of the types of solid timber that could be used in cabinet making. This part of the question was generally well done. Only a small number of candidates could not distinguish between solid timber and manufactured board. In Part (c) (ii), the candidates were asked to state two types of suitable manufactured boards that could be used to make both the desktop and the bookcase. This question was designed to test candidates' knowledge of manufactured boards used in cabinet making. Most candidates were able to provide at least one suitable material for the covering, while others supplied materials that were eccentric to standard practices in the field.

Part (d) required candidates to name two methods that could be used to fix the table to the frame. For Part (d) (ii), most candidates provided appropriate fasteners. However, there were cases where candidates provided unrelated sketches to aid their responses. Therefore, they could not obtain maximum marks.

Part (e) required candidates to state how the back of the bookcase could be designed to prevent the books from falling off. This question was designed to test the candidates' knowledge of the type of materials used for the backing in cabinet making. This part of the question was popular.

Part (f) required the candidates to use a table to create a bill of quantities. Candidates were required to write, in correct order, the most important headings for each of the columns labelled A, B and C. The candidates demonstrated difficulty in completing the bill of quantities.


### **Recommendations**

- All Building Technology (Woods) students must be encouraged to pursue Technical Drawing to enhance their drawing skills.
- Question 1, both the written part and the drawing, should be done solely on the drawing paper supplied.

The expected responses to Question 1 are as follows:

- (a) (i) and (ii). Candidates had to use the orthographic projection method to produce neat, proportional and ruler-assisted sketches of the front and the side views labelled 'A' and 'B' respectively of the re-designed combined desk and bookcase. Examples are shown below.

(b)



(iii) The names of the views are front elevation and side elevation.

(iv) Types of lines generally used for detailed working drawings include, but are not limited to:

- Break lines
- Extension lines
- Object lines
- Hidden lines
- Construction lines
- Centre lines
- Dimension lines

(b) The most suitable wood joints for:

C – mitre, butt, rebate

D – stopped housing joint, dowel joint

E – lapped dovetail

F – bare faced mortice and tenon, mortice and tenon, dowel

(c) (i) Two types of suitable solid timber materials that may be used to make the frame for the desk and bookcase include, but are not limited to:

Pine  
Mahoe  
Cedar  
Poplar  
Greenheart  
Mahogany

- (ii) Two types of suitable manufactured boards that can be used to make both the desktop and the bookcase include, but are not limited to:
- Chipboard
  - Medium density fibreboard (MDF)
  - Plywood
  - Blockboard
- (d) Two methods that can be used to fix the table top to the frame include, but are not limited to:
- Pocket screwing
  - Screw and angle plate
  - Screw and glue block
  - Screw block in a groove
  - Screw plate in a groove
- (e) The back of the shelf should be supported with a thin, 3–6 mm plywood, hardboard or other suitable materials.
- (f) The most important headings for a bill of quantities for materials are found in the table below.

A- Quantity/amount required	B- Description of items	C- Sizes

## Section B

Candidates were required to answer three questions from this section of the paper. Each question was worth 20 marks.

### Question 2

This question assessed candidates' knowledge and application of skills related to sub-module C 6.1 'Materials', of the syllabus. This was one of the most popular of the optional questions in this section and was attempted by 64 per cent of candidates. Candidates' responses to this question were generally satisfactory.

In Part (a) candidates were required to list four advantages that manufactured boards have over solid wood. This question was designed to test the candidates' knowledge of advantages of manufactured boards over solid wood. Most candidates who responded to this part of the question provided appropriate responses.

Part (b), had two sub-parts, (i) and (ii). In (b) (i) candidates were asked to state two advantages and one disadvantage of kiln seasoning, and in Part (b) (ii), candidates were asked to state two advantages and one disadvantage of air seasoning.

Part (c) had two sub-parts; (i) and (ii). For (c) (i) candidates were asked to sketch one type of seasoning defect and for (c) (ii) one type of growth defect. This question was designed to test candidates' application skills by requiring them to produce illustrative sketches of different types of wood defects.

In Part (d), candidates were asked to use suitably labelled sketches to show two timber conversion methods from the following list: (i) quarter sawing, (ii) plain sawing/through and through sawing and (iii) tangential or back sawing. This question was designed to test the candidates' application skills by producing illustrative sketches of different methods of conversion.

The responses were for the most part satisfactory. The part of the question that was widely known was Part (d), while Part (a) of the question presented the greatest challenge to candidates. Many candidates were unable to list four advantages that manufactured boards have over solid boards.

Recommendations. There should be more focus on the advantages and disadvantages of manufactured boards and the methods of seasoning timber and the identification of timber defects should be reinforced.

The mean score for this question was approximately 8 marks, with five candidates gaining full marks. Fifty-one per cent of candidates who attempted this question scored in the range of 8–20 marks.

The expected responses to Question 2 are given below.

(a) Four advantages that manufactured boards have over solid timber include but are not limited to:

- They can be obtained in larger sizes.
- They possess high uniform strength.
- They are free from shrinkage, swelling and warping.
- They can be safely nailed or screwed near the end without splitting.
- They are more economical.
- They can be worked and cut to size easily

(b) (i) Two advantages of kiln seasoning include but are not limited to:

- The drying time is shorter.
- Staining is unlikely to take place.
- Timber is not left exposed to fungi and insect attack.
- Moisture content of timber can be controlled.

One disadvantage of kiln seasoning is:

- Case hardening can occur.
- It is a more expensive process.



(ii) Two advantages of air seasoning include but are not limited to:

- Surface checks are minimized.
- Collapse and case hardening are minimized.
- The process is cheaper.


One disadvantage of air seasoning includes:

- Timber is left exposed to the fungi and insect attack.
- The drying time is much longer.

(c) Sketches to show one type of seasoning/growth defect:




(d) Two labelled sketches showing timber conversion.



### Question 3

This question was designed to test candidates' knowledge and application of principles relating to the use and care of chisels. It also sought to test understanding of how a chisel is reconditioned. This question was attempted by 42 per cent of candidates, of whom 22 per cent provided satisfactory responses. The mean score on this question was 4.5, with no candidate earning full marks. Twenty-two per cent of candidates who attempted this question scored in the range of 8–20 marks.

Part (a) consisted of two sub-parts, (i) and (ii). The candidates were asked to state two specific uses for (i) a bevelled edge chisel and (ii) a mortice chisel. For Part (b) the candidates had to list, in sequential order, three steps to be followed to recondition a chipped edge on the wood chisel shown in Figure 2.



**Figure 2. Chisel with chipped edge**

Part (c) required candidates to use neat sketches to show the difference between (i) a grinding angle and (ii) a sharpening angle. Part (d) required sketches to show two appropriate ways to use the entire surface of the oilstone when reconditioning the chisel shown in Figure 2 to achieve the sharpness required.

Question 3 was an optional question. The responses were for the most part satisfactory. Part 3 (a) (ii) was the most widely known. Candidates showed that they were experienced in the use of the mortice chisel. However, Part (b) posed the most difficulty to the candidates. The responses given revealed that they had very little experience in re-conditioning chisels. It is believed that this area is not widely taught. Attention is drawn to section C2.2:7 of the syllabus which points out that candidates have to be able to maintain and sharpen edge tools.

### **Recommendations**

Teachers need to emphasize comprehension and interpretation skills in dealing with questions. They should also use best practices.

Expected responses for this question are given below.


- (a) (i) Two specific uses of the bevelled edge chisel:
- Paring
  - Light chiselling, such as preparing recesses for hinges
  - Cleaning out corners of joints (dovetail)
- (ii) Two specific uses of the mortice chisel:
- Heavy chiselling
  - Deep work
  - Cutting and digging mortices




- (b) Three steps that should be followed to remove the chipped edge on a wood chisel as shown in Figure 2:

- Grind the chipped edge on a bench grinding machine.
- Grind the square edge of the chisel to the required angle.
- Sharpen/hone the bevel to the correct angle to establish the cutting edge.

- (c) Sketches to show the difference between (i) grinding angle and (ii) sharpening angle:



- (d) Illustrative sketches of correct ways to use the oil stone:



#### Question 4

This question assessed candidates' knowledge and application of skills related to Module C5, Finishes. Seventy-eight per cent of the candidates attempted this question. The mean score for this question was 7.0, with one candidate achieving full marks. Forty-seven per cent of candidates scored in the range of 8–20 marks. The question was divided into five parts.

Part (a) required candidates to suggest two suitable types of finishing materials that could be used to protect a picnic table made of timber from exposure to weather conditions. In part (b), candidates were asked to list three techniques that could be used to apply finishes to wooden furniture. Part (c) required the candidates to name two types of wood stains, while Part (d) required candidates to state three reasons for staining a piece of furniture. Part (e) asked candidates to explain, in sequential order, how finishing materials, namely sealer, wood filler, shellac and sand paper, would be used on a bookstand.

This was an optional question. The part that was widely known to the candidates was Part (a). The candidates showed that they knew characteristics of finishes. However, the part that posed the most difficulty to candidates was Part (c) as most candidates were unable to name two types of wood stains.

The responses expected from candidates are given below.


- (a) Two suitable types of finishing materials that could be used to protect the timber from exposure to weather conditions include, but are not limited to:
- Oil-based paint
  - Spar varnish
  - Teak oil
  - Tung
  - Linseed oil
- (b) Three techniques that can be used to apply finishes to furniture include, but are not limited to:
- Brushing manually
  - Spraying using spray gun
  - Roller application
  - Rubbed on
- (c) Any two of the following types of wood stains:
- Water stain
  - Oil stain
  - Chemical stain
  - Spirit stain
- (d) Any three reasons for staining a piece of furniture:
- To bring all parts of the furniture to a uniform colour
  - To imitate more expensive woods
  - To colour a job to match other articles of furniture
  - To change the colour of timber to show off its grain pattern

The sequential order in which each finishing material is used:

- (i) The **wood filler** would be used first to cover all indentations and blemishes caused by loose knots and nail holes.
- (ii) A coat of **shellac** (knotting compound) will be used to treat all knots to prevent resin from bleeding through the wood pores.
- (iii) **Sanding** properly, using appropriate grade abrasive paper to produce a smooth finish.
- (iv) A coat of **sealer** will then be applied to seal the pores of the wood surface.
- (v) **Sanding** will be applied, using finish grade sandpaper prior to the application of the final finishing material.

### Question 5

This question tested candidates' knowledge of the principles, safety and skills involved in using stationary woodworking equipment as described in Module C3 – Machine Operation. The question was divided into five parts, (a), (b), (c), (d) and (e). This question was attempted by 51 per cent of candidates, 39 per cent of whom provided satisfactory responses. The mean score was 6.6, with no candidate achieving full marks. Thirty-nine per cent of candidates scored in the range of 8–20 marks.



**Figure 3. Stationary jointer**

In Part (a) the candidates were required to label parts identified on the jointer. For Part (b) the candidates were asked to list three cutting operations that could be performed on the jointer. For Part (c) the candidates were asked to list three factors which determined the quality of finish to be achieved when planing on the jointer. Part (d) focused on the correct way to position one's hands when operating the jointer during the start of the cut, half-way through the cut and when completing the cut. Part (e) required the candidates to use a suitable sectional sketch to show the depth of cut made on the edge of a piece of timber as it makes one pass over the cutter head of the jointer.

This question was optional. The responses were for the most part satisfactory. The parts of the question which were widely known were Parts (a) and (b). The part of the question that presented most difficulty to candidates was (e).


### Recommendations

Candidates need to be engaged in the hands-on or practical use of the jointer and machines in general in the workshop. Therefore, school workshops must be equipped with these.

Expected responses to this question include but are not limited to the following:

- (a) Parts of the jointer labelled A, B, C, D and E as shown in Figure 3
- A – Out-feed table
  - B – Telescopic guard
  - C – Fence
  - D – In-feed table
  - E – Off/On switch
- (b) Any three of these cutting operations that can be performed on the jointer:
- Surfacing
  - Edging
  - Chamfering
  - Bevelling
  - Tapering
  - Rebating


- (c) Any three factors which determine the quality of the finish to be achieved when planing on the jointer:
- The diameter of the cutter
  - Sharpness of the cutting knives
  - The speed at which the stock is fed
  - The revolutions per minute of cutter head
  - Quality of materials
- (d) The correct way to position one's hands when operating the jointer:
- At the start of the cut.** Both hands should be used to press the board or stock firmly on the table when feeding to ensure consistency during planing or surfacing.
  - Half-way through the cut.** When the board has moved 150 mm past the cutter, the left hand should be placed carefully on the stock to press it down on the out-feed table. The right hand should be used to keep the stock firmly pressed down on the in-feed table to continue the cut.
  - Completing the cut.** The right hand should then be used with a push block to complete the process.
- (e) Sectional sketch to show the depth of cut made on the edge of a piece of timber as it makes one pass over the cutter head of the jointer.



#### Question 6

This question was based on sub-module C6.2 relating to Ironmongery. This question tested candidates' knowledge and application of the principles and processes involved in laying out where drawer ironmongery should be located and the steps involved in correctly installing hinges on a bedside cabinet door. The question was attempted by approximately 31 per cent of the candidates, of whom 47 per cent provided satisfactory responses. The mean score for this question was 7.2, with no candidate gaining full marks. Thirty-one per cent of candidates scored in the range of 8–20 marks.

In Part (a), candidates were asked to name the ironmongery labelled A, B, C and D shown in Figure 4.




**Figure 4. Types of ironmongery**

For Part (b), they were asked to state the type of ironmongery most suitable for use in attaching a wooden gate to a picket fence to enclose an outdoor garden and ironmongery used for securing/fixing one of the doors in position.

Part (c) required candidates to give one reason for selecting the type of ironmongery in each situation in (b).

For Part (d), candidates were asked to name two materials suitable for making ironmongery that could be exposed to climatic conditions.

In Part (e) (i) candidates were required to use sketches to assist with explaining two layout processes that should be used to locate the hole indicated by the centre line shown in Figure 5 and in (e) (ii) to explain, in sequential order, three steps to be taken to correctly install a pair of hinges to the bedside cabinet door.




**Figure 5. Bedside cabinet**

This was an optional question. The responses were for the most part satisfactory. The best responses were provided in (a). In this part, candidates readily named the different types of ironmongery shown. The part of the question that posed the most difficulty was (b) (ii). Candidates were unable to satisfactorily name ironmongery used to secure doors. Teachers need to pay more attention to the specific use of ironmongery and where they are used.


The responses expected from candidates are given below.

- (a) Ironmongery labelled A, B, C and D, as shown in Figure 4.
  - A – mortice cupboard lock
  - B – spring catch
  - C – ball catch
  - D – castor wheel
- (b) The type of ironmongery most suitable for use in (i) attaching a wooden gate to a picket fence to enclose an outdoor garden and (ii) securing/fixing for each type:
  - (i) Tee hinge
  - (ii) Bolts – tower or barrel type
- (c) One reason for selecting each type of ironmongery in Part (b):
  - Tee hinge provides good leverage for long gates.
  - Bolts provide security and restraint.

- (d) Two materials suitable for making ironmongery that could be exposed to climatic conditions:
- (i) Brass
  - (ii) Stainless steel
  - (iii) Plastic
  - (iv) Aluminium
- (e) (i) Two layout processes that should be used to locate the hole indicated by the centre line shown on the drawer in Figure 5.



Using diagonal lines



Measuring half width and length

- (ii) Three steps in sequential order to be taken to correctly install a pair of hinges on the bedside cabinet door shown in Figure 5.
1. Position the hinges in line with the top and bottom rails.
  2. Mark the hinge length on the hanging stile edge and on the front face of the carcass.
  3. Gauge the hinge width and half its thickness between these lines. This defines the length, width and depth of the gain/recess in both the stile and the carcass.
  4. Use the chisel and mallet to cut out the gain or recess in both the stile and carcass.
  5. Place the hinges on the stile and fix in place with one screw each.
  6. Position and fit the hinges to the face of the carcass with one screw each.
  7. Test the fitting, make necessary adjustments then fix the remaining screw to complete the installation.

## Section C


Candidates were required to answer one question from this section of the paper. Each question was worth 20 marks.

### Question 7

This question tested candidates' knowledge and application skills related to sub-module C6.3 – Cabinet Making. The question was divided into four parts. Only 19 per cent of the candidates attempted this optional question. The mean score for this question was 6.5, with no candidate achieving full marks. Thirty-eight per cent of candidates who attempted this question gave satisfactory responses. In general, the question focused on cabinet construction methods and suitable materials and ironmongery for cabinet making.

In Part (a) candidates were asked to state three features of a framed carcass and a solid end carcass. Part (b) asked candidates to name two materials used for cabinet counter tops, while Part (c) asked candidates to name two types of ironmongery generally used for cabinet drawers.

In Part (d) candidates were required to produce a labelled exploded pictorial view to show the joint which is to be used at the corner of the parts labelled A and B in the given figure. They were also required to make a suitable sketch of the section labelled X–X on the given figure to show the method to be used to keep the glass secured in the framing of the cabinet door.



**Figure 6. Partial elevation of a rebated cabinet door**

The responses to this question were generally poor. The part of the question that was widely known was (b), where candidates easily named two materials that can be used for cabinet countertops. However, the part of the question that posed the most difficulty was (a). Candidates were unable to satisfactorily state three features of the two cabinet construction methods. In Part (d), candidates were unable to produce correct exploded pictorial views of the required joint. Their responses indicated lack of knowledge and skills in Technical Drawing. They should be exposed to Technical Drawing, since this is the communication means for subjects such as Building Technology.

The responses expected from candidates are given below.

Three features of (i) a framed carcass and (ii) a solid end carcass:

(a) (i) Framed carcass construction

- The frame has four corner joints faced with plywood to form a flush face.
- Inner edges of the frame may be rebated/grooved to receive plywood.
- The doors have grooves to enable panels to fit into the frame.


(ii) Solid end carcass construction

- It consists of sides; a top, a base and a back.
- The top is sometimes screwed to the top rails.
- Housed joints may be used if shelves are needed.

(b) Two materials that are used for cabinet counter tops:


- Plywood
- Medium density fibreboard
- Glass
- Solid timber
- Granite
- Marble

- (c) Two types of ironmongery that are generally used for cabinet drawers:
- Knobs
  - Pulls/handles
  - Mortice lock
  - Drawer slides
- (d) Figure 6 shows the partial elevation of one corner of a rebated cabinet door.
- (i) Sketch of exploded view



- (ii) Sketch of section X – X

Sketch of section X - X




### Question 8

This question was based sub-module C6.4, Household Furniture. This optional question was divided into two parts. This question was attempted by 37 per cent of candidates. The mean score for this question was 6.4, with no candidate achieving full marks. Three candidates scored 19 marks. Forty per cent of candidates who attempted this question gave satisfactory responses and scored in the range of 8–20 marks.

In Part (a), candidates were given a diagram of a pedestal stem for a small kitchen table with three identical legs. They were required to name three types of woodwork tools that might be used to cut the legs for the pedestal stand and list five steps to be followed to layout and cut the legs for the stand.





**Figure 7. Stem of pedestal stand**

For Part (b) (i), candidates were required to use neat, labelled sketches to show two different methods that could be used to join the legs to the stem of the pedestal stand. For Part (ii) the candidates were asked to name each of the joints produced in Part (b) (i), while for Part (b) (iii), the candidates had to briefly explain one method which might be used to layout the position of the joints for the three legs.

The responses were generally satisfactory. The part of the question that was most widely known was (b) (i). Candidates satisfactorily produced labelled sketches to show two different methods that could be used to join the legs to the stem of the pedestal. However, the part of the question that posed the most difficulty to candidates was (b) (iii). Generally, candidates found it challenging to explain one method which might be used to layout the position of the joints for the three legs. This might largely be due to limited exposure to the application of joints in various woodworking contexts. Candidates should have greater exposure to the practical application of joints.

The responses expected from candidates are given below.


- (a) (i) Three types of woodworking tools that may be used to cut the legs for the pedestal stand:

1. Jigsaw
2. Band saw
3. Scroll saw

- (ii) Five steps to be followed to layout and cut the three legs for the stand:

1. Design the legs using free hand or drawing tools.
2. Make a template.
3. Layout design on stock.
4. Cut out the shape.
5. Use spokeshave or sander to reduce to finished size.

- (b) (i) Labelled sketches to show two different methods that can be used to join the legs to the stem of the pedestal stand:



(ii) Joints produced to join the legs to the stem of the pedestal:


- Dovetail housing joint
- Dowel joint
- Mortice and tenon joint

(iii) One method which may be used to layout the position of the joints for three legs:

- Secure the pedestal stem in a vertical position and use a protractor to divide the circumference of the stem into three equal parts of  $120^\circ$  (degrees). Then project line to the side with the aid of a square.


#### Question 9

This question tested candidates' knowledge of upholstery materials, tools and fabrication processes. It required candidates to demonstrate their knowledge of Module C4, Upholstery, with primary focus on sub-modules C4.1, Tools and Materials; C4.3, Webbing and C4.4, Padding and Covering. This optional question was divided into four parts. This question was attempted by 27 per cent of candidates. The mean score for this question was 8.5, with no candidate gaining full marks. Seven candidates scored 19 marks. Fifty-four per cent of candidates who attempted this question provided satisfactory responses and scored in the range of 8–20 marks.



**Figure 8. Pictorial drawing of upholstered stool**

Candidates were given a pictorial drawing of an upholstered stool. In Part (a) candidates were asked to list four tools required to upholster the seat of the stool and to list four types of upholstering materials that may be used for creating the stool. Part (b) required the candidates to state two different methods that could be used to provide support to the drop-on/removable seat. Part (c) required the candidates to explain clearly, using three given major stages, how to restore the defective chair seat as shown in the figure.



**Figure 9. Defective chair seat**

In Part (d), candidates were required to explain why webbing should be arranged in a laced formation and to explain how webbing should be stretched and tacked to the frame.

The responses to this question were generally satisfactory. The part of the question which was most widely known was (d) (ii). Candidates were able to explain why the webbing should be stretched and tacked to the frame. However, the part of the question which posed the most difficulty was (b). Candidates were unable to give two methods that can be used to support the drop-on/removable seat. Responses indicated that candidates had little or no exposure to methods used to support drop-in or removable seats, even though they may be exposed to them in everyday living activities.

Teachers should prepare projects that will enable students to gain hands-on practice of upholstering principles and techniques. In addition, field trips to upholstery furniture factories and workshops should be arranged. This approach will assist students to better appreciate the theory covered during classroom instruction. In general, teachers should utilize all possible learning opportunities that will advance the learning capabilities of their students.

The responses expected from candidates are given below.

- (a) (i) Any four of these upholstering tools required to upholster the seat of the stool:
- Foam cutter
  - Upholsterer's hammer
  - Stapling gun
  - Sewing machine
  - Cushion-filling machine
  - Hot ring and hot ring plier
  - Needle
  - Scissors
- (ii) Any four of these upholstering materials that may be used for creating the seat:
- Fabric covering – leather or plastic
  - Foam – plastic or latex
  - Welts, piping
  - Burlap
  - Plywood base
- (b) Any two methods that can be used to provide support to the drop-on/removable seat:
- Using rebates on the rails
  - Using angle corner blocks
  - Using strips/battens
  - Using cleats
- (c) Three steps to restoring the defective chair seat as shown in Figure 9:
- (i) Stripping or removal of old material
- Remove the tacks or staples from the covering material and remove the stuffing (foam).
- (ii) Placing the new material
- Remove the damaged webbing material and replace it with new material. Re-stuff the seat with foam.

- (iii) The re-covering of the seat
  - Stretch and tack the covering material in correct places on the wood frame base.
- (d) (i) Explanation of why webbing should be arranged in a laced formation:
  - The webbing is place in a laced formation to allow for even distribution of weight.
  - The arrangement of webbing also prevents unnecessary sagging.
- (ii) Explanation of how webbing should be stretched and tacked to the frame:
  - The webbing should be placed between 50–75 mm apart and stretched using a webbing stretcher to obtain the required tautness.

### **Paper 03–School-Based Assessment (SBA)**

#### Rationale

The SBA component of the Building Technology (Woods) Option measured the practical skills not tested on the multiple choice and free response papers (Papers 01 and 02).

The assignments set for SBA were intended to deepen students' knowledge and help them achieve competency in skills required in the building/woodwork industry which are within the competence of secondary school students.

By focusing on processes as well as product, the SBA component was designed to allow students to demonstrate improvement in skills over a period of time and for their teachers' involvement in the process.

#### Requirements

Each student was required to complete a practical and a written assignment, during Terms 4 and 5 of the two-year course (Terms 1 and 2 of the examination year). The practical assignment is worth 90 marks and the written assignment is worth 30 marks.

#### Practical Assignment

For the practical assignment, students were required to construct a project designed to utilize the skills and knowledge covered in the syllabus. Students were given the option to choose one project from a list of three provided by CXC to meet pre-set requirements. All dimensions for the project were given in millimetres (mm) unless otherwise stated. The project was not to exceed the dimensions of 700 mm long x 400 mm wide x 400 mm deep. Dimensions omitted were left to the students' discretion.

Each student was expected to:

- Provide a plan sheet for the project which MUST include the following:
  - drawings and/or sketches
  - steps of procedure
  - a bill of materials
  - a list of tools and equipment to be used

- Construct a project

The particulars for the project had to be approved by the teacher prior to commencement.

### Written Assignment

The written assignment took the form of a report of about 1000–1200 words based on the Common Module: Career Opportunities. Students were required to write on the topic set by CXC for each examination. The topic was based on the following themes in the module:

- Job search
- Career choice
- Industrial visits
- Profile of engineer or inventor

Students were assessed on accuracy of information, clarity of presentation, the use of technical language and knowledge of career opportunities in the building technology industry as outlined in the common module of the unit.

### **GENERAL RECOMMENDATIONS TO TEACHERS**

General recommendations to teachers for previous years are repeated here mainly for those who are teaching the syllabus for the first time and for those who may not have seen them before. However, all teachers are encouraged to pay attention to the suggestions which follow in an effort to improve overall performance on the written examination and the SBA.

- Students must be encouraged to read the examination questions carefully and follow instructions precisely, as valuable time can be wasted on producing work that will not produce extra marks.
- All the modules of the syllabus for Option I, Woods, should be adequately covered during teaching. Teachers are cautioned against preparing students using mainly past papers. Examination questions are prepared to reflect the content of selected modules of the syllabus while the remaining modules should be covered to enable students to meet the requirements of their SBA projects. Therefore, the modules should be thoroughly taught to ensure that students are adequately prepared for the theoretical and practical aspects of the assessment as well as for lifelong learning.
- Students must be encouraged to take both aspects of the SBA (the written assignment and the practical projects) very seriously as the SBA accounts for a very large portion of the overall marks in the Building Technology examination. For more information on the importance of this aspect of the examination, see pages 8–9 of the amendments to the syllabus in Industrial Technology which are placed at the back of the Industrial Technology syllabus of May/June 2002.
- Students should be given opportunities to produce more detailed sectional sketches so as to assist in improving their knowledge and understanding of vertical and horizontal sections of furniture components.
- Details and construction processes require serious attention. In this regard, it is suggested that teaching aids (models, videos and charts) be used in the laboratories/workshops where applicable to depict different approaches related to specific modules of the syllabus that have complex processes.
- The use of instructional tools such as videos and other electronic media are excellent teaching aids that should be explored and used to complement or supplement the unavailability of resources in workshops.

- Where possible, field trips to furniture manufacturing plants, factories, well-equipped schools and higher level institutions should be organized by teachers to ensure that students are adequately exposed to all woodwork machines indicated in the syllabus. In essence, this approach will help students to concretize the processes taught on the topic during classroom instruction.
- A number of students are experiencing varying levels of difficulty articulating their responses to the questions presented on the examination paper using Standard English. Common weaknesses include penmanship, spelling and use of the language among others. This problem needs to be more aggressively tackled by the schools' administration and all other stakeholders.
- Students should be constantly reminded that all sketches must be labelled where marks are awarded for labelling.
- Particular attention should be paid to Question 1 in Paper 02. This question is worth 40 marks and usually requires candidates to produce a number of detailed sketches. Candidates who are not skilled at sketching are likely to find this question very challenging. Teachers are therefore encouraged to provide students with adequate opportunities/activities to help them to develop their sketching skills. Since scale drawing is no longer required, candidates must note that well-proportioned sketches should be produced. In addition, candidates must acquire a good knowledge of furniture fabrication processes in order to perform well on the question.

*NOTE: Always remind students that only Question 1 should be done on the drawing paper provided for the examination. All other questions must be done in the answer booklet.*

- Where sections of the syllabus prove to be beyond the delivery capabilities of the teacher, it is suggested that he/she solicit the help of other subject experts. NOTE: This is especially important when the section contains hands-on practical work which may not be applicable in the workshop.
- The *five* steps of the *design process* are being suggested for consideration and application to assist in guiding the teaching/learning experience for product development. This is a technique that is driven by research and development and is widely used in most design and manufacturing industries globally. The five steps are arranged in a systematic way in order to assist students to plan, organize, fabricate and evaluate products such as household furniture and other items. This knowledge will provide students with a good understanding of, and an appreciation for the major processes that manufactured items have to undergo in order to achieve quality assurance.
- Candidates need to acquire competence in the knowledge and application of all woodworking machines, their operations, and the safety principles related to their use.
- Much emphasis should be placed on research work. Classroom instruction should be tailored to allow for more student-centred learning rather than the traditional teaching approach being used by some instructors.

**C A R I B B E A N   E X A M I N A T I O N S   C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
CARIBBEAN SECONDARY EDUCATION CERTIFICATE® EXAMINATION**

**MAY/JUNE 2014**

**BUILDING TECHNOLOGY (CONSTRUCTION)  
TECHNICAL PROFICIENCY EXAMINATION**

## GENERAL COMMENTS

The number of candidates writing the examination was 2049 with approximately 81 per cent earning Grades I–III compared with 82 per cent in 2013. The consistent overall performance in 2014 is reflected in comparable performance on all profiles. On Profile 1, Knowledge, 65 per cent of candidates earned Grades I–III compared with 69 per cent in 2013. For Profile 2, Application, 61 per cent of candidates earned Grades I–III compared with 60 per cent in 2013. On Profile 3, Practical Ability, 98 per cent of candidates earned Grades I–III compared with 97 per cent in 2013. Candidates did quite well on the practical project of the School-Based Assessment (SBA) but some weaknesses were evident in the written component.

## DETAILED COMMENTS

### Paper 01 — Multiple Choice

This paper comprised a total of 60 multiple choice items based on all the theoretical aspects of the syllabus. Candidates responded reasonably well to most of the questions. However, there were instances where candidates' responses were inadequate thus suggesting insufficient preparation for the examination. Overall, performance on this paper improved compared with 2013. The mean score was 33.6 compared with 31.3 for 2013. The maximum score in 2014 was 55 compared with 49 in 2013. Teachers are reminded that the intent of the multiple choice paper is to test a wide spectrum of the syllabus, and as such it is important that students are prepared with respect to the entire syllabus.

### Paper 02 — Restricted Response Essay Questions

This is a free response paper divided into three sections. Each question receives equal weighting for the profile dimensions Knowledge and Application.

- Section A      One compulsory design question based on Modules D5 to D9 of the syllabus. The question is worth 40 marks.
- Section B      Five questions based on Modules D2 to D10 of the syllabus. Candidates are required to answer three questions. Each question is worth 20 marks.
- Section C      Three questions based on Modules D11 to D13 of the syllabus. Candidates are required to answer one question. Each question is worth 20 marks.

### Section A

#### Question 1




Figure 1. Floor plan




Figure 2. Window



This compulsory design question comprised four parts and five sub-parts and was designed to test candidates' knowledge and application of skills in the best practices adopted in the construction industry when working on windows, window frames, doors, concrete walls, timber floors and gable roofs, .

Candidates were presented with a floor plan of a dwelling house; 12.9 m long by 8.7 m wide. The external walls were constructed of 150 mm hollow concrete blocks. The floor, partitions and staircase were all constructed using timber.

Part (a) (i) tested candidates' knowledge of floors and floor construction and required them to produce a neat sketch of a vertical section of the wall and three joist at A-A on the floor plan in Figure 1 to show the arrangement of the members of the timber floor. Candidates were asked to note that they should not include the foundation and roof details in the sketch. However, candidates in some cases included them.

In Part (a) (ii), candidates were asked to correctly label three parts of the timber floor. This part was very well done.

Part (b) (i) tested the candidates' knowledge and practical ability in window installation. They were asked to sketch a neat vertical section at B-B on the plan in Figure 1 to show details of the window and frame in a concrete wall opening. The candidates were asked to note that they should not include the foundation and roof details in the sketch. The performance on this part was good. However, it presented difficulty to the under prepared candidates.

Part (b) (ii) tested the candidates' knowledge of the parts that would be seen in the sectional sketch and they were asked to name four parts of the detailed sketch produced in (b) (i).

(c) (i) tested the candidates' ability to apply their knowledge of roof construction. This part of the question required candidates to reproduce a single line sketch of the shape of the external walls of the building and produce a complete roof framing plan view of the gable roof as outlined in Figure 1. Some candidates were unable to put the roof members in the correct places; others sketched a roof with valley rafters rather than the gable roof. Roofs with hip and gable ends were also produced. This suggests that candidates did not read the instructions carefully nor took time to understand what was required of them. In spite of the points highlighted, the performance on this question was reasonably good.

Part (c) (ii) tested candidates' knowledge of the framing members of the gable roof. Candidates were asked to name five members of the roof they produced. This was done very well.

Part (d) (i) tested the candidates' knowledge of the function of external doors. Parts (d) (ii) and (iii) tested the candidates' knowledge of ironmongery for doors and windows. Most of the candidates performed well on these parts.

The mean score for this question was 14.03, with no candidate achieving full marks. One candidate scored 39 marks. Thirty-four per cent of candidates scored in the range of 18–40 marks. Thirty-eight candidates scored zero on the question.

Appendix 1 contains sample responses to the parts of Question 1 that posed a challenge to candidates.

## Section B

### Question 2

This question tested candidates' knowledge and their ability to apply that knowledge in the areas of site preparation, basic site management and setting out. This was a very popular question.

Part (a) required candidates to list three reasons for stripping a building site. Candidates performed very well on this part of the question.

Part (b) (i) required candidates to list four temporary services that a well-managed building site should provide. The performance on this part of the question was very good.

Part (b) (ii) required candidates to state three reasons for hoarding a building site. This too was well done.

Part (c) (i) required candidates to use sketches and brief notes to explain how corner profiles are positioned when setting out a small L-Shape building as shown Figure 3. This was attempted by many candidates.




Figure 3. L-shaped building

In Part (c) (ii), candidates were asked to sketch two methods used for checking the accuracy of 90° corners when setting out a small L-shaped building shown in Figure 3. This question presented some difficulty for some candidates. However, a large number of candidates performed very well on this part of the question and produced excellent sketches.

The mean score for this question was 9.1, with one candidate achieving full marks. Fifty-seven per cent of candidates who attempted this question scored in the range of 9-20 marks. Twenty-nine candidates scored zero on the question.

See Appendix 2 for sample responses to the parts of question 2 that posed a challenge to candidates.

### Question 3

This question tested candidates' knowledge of different building materials, for example timber, concrete, mortar and plastics. It also tested candidates' application of this knowledge regarding the use of these materials in the construction industry. This was a popular question.

Part (a) required candidates to list three characteristics of aggregates used in concrete. Most candidates responded very well to this part of the question.

Part (b) asked candidates to define the term *proportioning* in relation to a concrete mix. Candidates were able to perform very well on this part of the question.

Part (c) required candidates to briefly explain a number of timber related terms including *moisture content*, *conversion*, *seasoning*, *dry rot* and natural defects in timber. This was generally very well done. However, some candidates presented sketches of seasoning defects, rather than natural defects like shakes and knots.

Part (d) required candidates to list three uses of plastics in the building construction industry. This part of the question was very well done by most candidates; however, some candidates gave properties of plastics rather than uses of plastics.

The mean score for this question was 9.9, with five candidates achieving full marks. Sixty per cent of candidates who attempted this question scored in the range of 9–20 marks. Thirty-one candidates scored zero on this question.

See Appendix 3 for sample responses to the parts of Question 3 that posed a challenge to candidates.

#### Question 4

This question tested candidates' knowledge and their ability to apply knowledge of different types of foundations and brick bonds. Their knowledge of the slump test was also tested. This was a fairly popular question, with approximately 61 per cent of candidates attempting it.

Part (a) asked candidates to state the main function of the slump test. This part of the question was widely known and the well prepared candidates were able to correctly state the main function of the test.

In Parts (b) (i) & (ii) Candidates were asked to list three different types of brick bonds and sketch the brick bonds listed in (b) (i) respectively. They were able to answer this question reasonably well.

Part (c) required candidates to state two functional requirements of foundations. This was very well done.

Parts (d) and (e) required candidates to list three different types of foundations and sketch the three differently types of foundations listed in (d) respectively. This part was very well done.

The mean score for this question was 11, with eleven candidates achieving full marks. Seventy-two per cent of candidates who attempted this question, scored in the range of 9–20 marks. Eighteen candidates scored zero on the question.

See Appendix 4 for sample responses to the parts of Question 4 that received poor responses from candidates.

#### Question 5

This question tested candidates' ability to apply their knowledge of stairs and stair design/calculations and preparation of wooden surfaces. This question was not very popular among candidates and was attempted by approximately 28 per cent of candidates.

In Part (a), candidates were asked to state the main function of stairs, while Part (b) required candidates to define stair terms such as *riser*, *tread*, *handrail*, *baluster* and *newel post*. Generally, all parts of the question were well done.

In Part (c), the candidates were given the specification for a stair that was at the design stage. The total rise being 2.16 m and the height of a riser is 180 mm. Firstly, they were required to calculate the total number of

risers required for the stair and secondly, calculate the total going of the stair if the width of a tread is 240 mm wide.

Part (d) asked candidates to produce a labelled vertical sectional sketch, through a timber staircase with a housed string, to show details of how a riser and tread are connected to the string and each other. Part (e) required candidates to list in sequence three steps required to prepare the surface of the staircase before applying a lacquer finish. This was done reasonably well.

The mean score for this question was 8.4, with no candidate achieving full marks. Fifty-two per cent of candidates who attempted this question scored in the range of 9-20 marks. No candidate scored full marks. Four candidates scored 18 marks. Seven candidates scored zero on the question.

See Appendix 5 for sample responses to the parts of Question 5 that received poor responses from candidates.

### Question 6

This question tested candidates' knowledge and their ability to apply knowledge of types of roofs. Candidates were also tested on the advantages of some types of roofs over others, types of roof coverings and different types of ceilings.

Part (a) required candidates to make neat line drawings to illustrate and identify by name, each of the following roof types: lean-to roof, gable roof, hip roof and hip and valley roof. This was well done.

Part (b) required candidates to list three advantages of using truss roof construction over traditional roof construction. This part presented a challenge to the weaker candidates. The weaker candidates responded by giving the construction material for the ceilings rather than the type of ceiling as required; for example, vaulted, suspended, tray

Part (c) required candidates to state two different types of ceilings, while Part (d), required candidates to list five types of roof covering materials.

The mean score for this question was 10.9, with two candidates achieving full marks. Thirteen candidates scored 19 marks. Seventy-one per cent of candidates who attempted this question scored in the range of 9-20 marks. Eleven candidates scored zero on the question.

See Appendix 6 for sample responses to the parts of Question 6 that received poor responses from candidates.

## **Section C**

### Question 7

This question tested candidates' ability to apply knowledge of sewage disposal systems and the knowledge of the various terms associated with waste disposal systems. This was not a very popular question among candidates; less than six per cent of them attempted it.

In Part (a), candidates were asked to use neat sketches to illustrate the following systems of sewerage disposal: (i) septic tanks and (ii) soakaways work.

Part (b) asked candidates to briefly describe the operation of each of the following drainage systems in terms of their function, cost, advantages and disadvantages and effectiveness: (i) combined system of drainage and (ii) separate drainage system.

The mean score for this question was 8.7, with one candidate achieving full marks. Forty-nine per cent of candidates who attempted this question, scored in the range of 9-18 marks. Two candidates scored zero on the question.

See Appendix 7 for sample responses to the parts of Question 7 that received poor responses from candidates.

### Question 8

This question tested candidates' knowledge of and their ability to apply knowledge of the building team and the building trades and their responsibilities on a construction project/site. This question was popular among candidates, with approximately 89 per cent of them attempting it.

Parts (a) (i) and (ii) asked candidates to list five members of the building team and outline one responsibility of each respectively.

Part (b) required candidates to state two jobs carried out on the building site by the following building trades: carpenter, electrician, mason, painter and plumber. This part of the question was widely known and candidates performed very well. However, there is need for candidates to provide better responses when asked for the job of trade persons in the building trades; for example, a painter does more than simply paint. He/she mixes paints, prepares surfaces and applies different types of finishes (varnish, paint, wax and polishes).

The mean score for this question was 12.4, with 45 candidates achieving full marks. Seventy-nine per cent of candidates who attempted this question, scored in the range of 9-20 marks. Fourteen candidates scored zero on the question.

### Question 9

This question tested candidates' ability to apply their knowledge of factors that influence building design and European architectural features that have influenced the design of buildings in the Caribbean. This question was not very popular, with less than two per cent of candidates attempting it.

Part (a) (i) required candidates to list four factors that influence the design of a building, while Part (a) (ii) required candidates to explain how any three of the factors identified in (a) (i) each influence building practices.

Part (a) (iii) asked candidates to explain how steep roof pitches usually found in American houses have influenced roof pitches in Caribbean houses.

In Part (b) (i), a table was used to show building components used in building construction, the first, second and third columns showed headings for English and Caribbean building practices. Candidates were required to select any two of the building components listed in the table and for each compare the design and materials for English and Caribbean building practices. An example was given as a guide to candidates.

The mean score for this question was 9.1, with one candidate achieving full marks. Fifty-three per cent of candidates who attempted this question scored in the range of 9–20 marks. No candidate scored zero on the question.

See Appendix 9 for sample responses to the parts of Question 9 that received poor responses from candidates.

### **Paper 03 – School-Based Assessment (SBA)**

The SBA is intended to be a diagnostic, formative and summative assessment tool. Students can present their best efforts once the suggested time frame is followed by teachers. The new format requiring both a practical and written project should be taken seriously if students are to develop the intended competencies.

Students are required to complete two assignments during terms four and five (terms one and two of the examination year) and each student is required to complete:

- One practical project, worth 90 marks, from a list published by CXC. The project must be in two parts and must be functional/fit-for-purpose. Examples of project that are in two parts are: window or door hung in a frame, window or door and frame fixed in a partition. Foundation for a small hut wooden or concrete, a small hut with a hip or gable roof, park benches, stairs etc. Note: The practical covers Profile 3, Practical Ability.
- A written assignment, worth 30 marks, testing Profile 3 (Practical Ability) set by the classroom teacher in keeping with the guidelines outlined by CXC and based on the Common Modules D1, D14 and D15.

Students continue to perform creditably on the SBA practical projects. However, the written assignment continues to be challenging for weaker candidates.

This year's moderation analysis again revealed that there is a trend across territories whereby students' written reports were reproductions of a single report. Additionally, some teachers seem to be reusing reports and projects from previous years. This unacceptable practice impacts negatively on students' overall scores. It was also found that teachers' assessment of the written reports appeared to be quite generous and, in some instances, contrary to the suggested mark scheme.

A major aspect of the SBA practical project is design, which entails drawing, and the selection of materials, machine processes, manual processes and the evaluation of various methods and systems in building technology.

This aspect of the programme must be managed by the teacher, if students are to derive maximum benefit from the use of drawing skills and knowing how to relate theory to practice.

The format developed to ensure that the skills are organized systematically include the following:

- Preliminary considerations (usually a statement of what the students want to do)
- Preliminary design
- A pictorial sketch of the project idea
- Production of a set of working drawings (orthographic, including sectional views)
- Estimating the quantities and types of material and cost
- Selecting appropriate materials (or suitable alternatives)
- Selecting tools and machinery
- Developing a plan of operations
- Implementing a plan of operations, in order to complete the project
- Supervision of team members and coordination of various operations

A series of practical exercises should be developed by the teacher and administered to students. While this is being done, the teacher should observe the students and identify those who exhibit a greater sense of responsibility and mastery of the related skills. These individuals should be used to assist or lead a small group (3–5) in completing larger and more difficult projects.

## RECOMMENDATIONS TO TEACHERS

General recommendations to teachers for previous years are repeated here for those who are new and for those who may not have seen them before. Please note that the recommendations are made by the examining committee, examiners and assistant examiners, based on direct observations made during the marking period. Therefore, all teachers are encouraged to pay attention to the following suggestions in an effort to gain information which will help improve students' overall performance in subsequent examinations.

- Candidates are encouraged to read the examination questions carefully and follow instructions precisely, as valuable time can be wasted producing work that will not earn extra marks.
- Students must be encouraged to take both aspects of the SBA (the written assignment and the practical project) very seriously as the SBA accounts for a large portion of the overall marks in the Building Technology examination. For more information on the importance of this aspect of the examination see pages 7–9 of the amendment to the Industrial Technology syllabus which is placed after page 134 of the Industrial Technology Syllabuses of May/June 2002.
- Students should be given opportunities to produce more detailed sectional sketches so as to assist in improving their knowledge and understanding of vertical and horizontal sections of buildings and building components.
- Staircase details, design (stair calculations) and construction require serious attention. In this regard, it is suggested that teaching aids be used (for example, models and charts should be displayed in the laboratories/workshops depicting different types of stairs, building regulations pertaining to stairs and labelled sectional sketches of stairs (both wooden and concrete).
- Where possible, students should practice setting out buildings of different shapes both on flat and sloping sites on the school's campus if no other site can be found.
- Where possible, field trips should be organized to a cement plant and other manufacturing plants related to the construction industry. Plastic, for example, is a widely used material in the construction industry. Most plumbing pipes and a wide range of fittings (for example, electrical conduits and concrete forms) are made of plastic. Teachers should therefore expose students to these materials.
- The theory and practice related to types of floor finishes should be taught.
- Students must be constantly reminded that all sketches must be labelled as marks are always awarded for labelling.
- Charts showing different types of brick bonds should be displayed in the lab/workshop.
- Sanitary appliances, plumbing fixtures, drainage and sewage disposal are very important to the overall functioning of buildings. Therefore, the relevant sections of the syllabus which deal with these must be covered thoroughly.
- Most communities in the Caribbean have historic buildings in existence. They are either of timber or brick construction. Students should be encouraged to visit them and observe their architectural design, main features and so on. Recommendations 10 and 11 will enable candidates to improve their responses to questions in Section C of the examination paper.

- Particular attention should be paid to Question 1 on Paper 02 .This question is worth 40 marks and usually requires candidates to produce a number of detailed sketches. Candidates who are not skilled at sketching are likely to find this question very challenging. Therefore, teachers are encouraged to provide students with opportunities/activities to help them develop their sketching skills. Teachers are reminded to encourage students that only Question 1 should be done on the drawing paper provided for the examination. All other questions must be done in the answer booklet.
- Since scale drawing is no longer required, teachers should remind candidates that well-proportioned sketches should be produced. Additionally, candidates must acquire a good knowledge of construction details of both wooden and concrete structures in order to perform well on Question 1.
- Where a section of the syllabus proves to be beyond the delivery capabilities of the teacher, it is suggested that he/she solicit the help of resource persons to assist. This is especially important when the section contains hands-on practical work.




## Appendix 1


### Section A

#### Sample Response to Question 1

(1) (a) (i) and (ii) Vertical section of wall and three joist showing arrangement of the members of the timber floor.




(b) (i) and (ii) Vertical section showing details of the window and frame in the concrete wall opening



B-B Vertical Section through  
casement Window & Frame

(c) (i) and (ii) Complete roof framing plan view of the gable roof.




## Appendix 2

### Section B

#### Sample Response to Question 2




(c) (i) How corner profiles are positioned when setting out a small-shaped building.





### Appendix 3

#### Sample Response to Question 4

(a) (i) and (ii)



(e)



#### Appendix 4

##### Sample Response to Question 5

##### (5) (b) Definition of stair Terms

Riser — vertical member of a step

Tread — the horizontal surface of a step

Handrail — an incline balustrade member at the top of balusters

Baluster — in-fill member between the handrail and string

Newel post — the main support for the handrail at each end of a flight

##### (c) (i) Stair calculations

Total rise = 2160 mm


Height of one riser = 180 mm

$2160/180 = 12$  risers

##### (ii) Total going of staircase

$240 \times 11 = 2640$  mm total going



##### (d) Vertical section through a staircase




Appendix 5

Sample Response to Question 6

(a) Line drawing of different roof types





Plan View of Roof





## Appendix 6

### Sample Response to Question 7 Sketches of Septic tank and soakaway



## Appendix 7

### Sample Response to Question 9

BUILDING COMPONENTS	ENGLISH CONSTRUCTION		CARIBBEAN CONSTRUCTION	
	Design	Material	Design	Material
Shape of building	Split levels, long/rectangular	Brick stones	Rectangular and L-shaped with balcony	Timber, concrete blocks
Style of roof	Steep, pitched, hip and gable with dormers	Slate, galvanized sheets, shingles, roofing tiles	Gable, hip with open or boxed eave	Galvanized sheets, asphalt shingles, roofing tiles
Wall construction	Cavity walls - English bond, Flemish bond	Bricks, rubble/ashlar	- Half bond, load bearing walls	- Concrete blocks, - Timber
Floors	- Solid concrete, - Suspended floor	Concrete Timber	- Suspended timber ground floor - Solid concrete and suspended concrete floor	- Concrete - Timber
Stairs	- Straight flight - Dog leg - Half and quarter turn stairs	- Timber - Metal	- Straight flight - Quarter turn	- Timber - Concrete - Metal

**CARIBBEAN EXAMINATIONS COUNCIL**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATIONS**

**JUNE 2005**

**MECHANICAL ENGINEERING TECHNOLOGY**

**MECHANICAL ENGINEERING TECHNOLOGY  
TECHNICAL PROFICIENCY EXAMINATIONS  
JUNE 2005**

**GENERAL COMMENTS**

There was a slight increase in the number of candidates who were entered for the 2005 examination compared to the 2004 examination. Sixteen hundred and ninety six (1696) candidates were entered in 2004, while the total entry for 2005 was seventeen hundred and eighty seven (1787), an increase of approximately 5.37%.

Of the 1781 candidates entered for the examination, 51% of the candidates earned Grade III and above. This represented a decrease in performance over that of 2004.

The performance on the SBA showed a decline over previous years. This could be as a result of teachers not giving the guidance and support that students need to assist them in completing the exercise. There is need for improvement on the written component of the SBA as some candidates continue to see this project as group work and therefore submit identical reports to be assessed. There is also the need for urgent attention to be paid to Question 1 on Paper 02, which requires candidates to demonstrate knowledge and application of the work done in Module B8 of the Unit.

**DETAILED COMMENTS**

**Paper 01 – Multiple Choice**

This paper consists of 60 items testing the theoretical aspects of the Syllabus. There were 30 items testing the Knowledge profile and 30 items on the Application profile. The topic that most candidates found difficult was:

1. The composition of high speed steel.

**Paper 02 – Structured Restricted-Response Essay Questions**

Paper 02 (2 1/2 hours) - A free response paper divided into three sections. Each question will receive equal weighting for the profile dimensions, Knowledge and Application.

Section A—One compulsory design question based on Module B8 of the Unit. The question will be worth 40 marks. Candidates should spend approximately 50 minutes on this question.

Section B—Five questions based on Modules B2 to B5 of the Unit. Candidates are required to answer three questions. Each question will be worth 20 marks.

Section C—Three questions based on Modules B6, B7 and B9 of the Unit. Candidates are required to answer one question. The question will be worth 20 marks.

The mean score on this paper fell far below 50 per cent of the total mark of 120.

## Section A

### Question 1

Candidates were required to complete the design for the mounting of a drill press table to the column. The table was to be mounted to the column in such a way that it satisfied the following conditions:

- (a) The table should be able to rotate 360 degrees about the column.
- (b) The table should be able to slide up and down the column and locked in any position along it.
- (c) The table should be able to swivel 30 degrees to the horizontal as indicated by the arc XX and locked in any position.

The major design considerations were:

- (i) The means of allowing the table to rotate through 360 degrees. This could have been done by attaching the table to a split housing which had a close fit on the column.

Most of the candidates that attempted the question drew some sort of a housing unit that would indeed rotate through 360 degrees. Some candidates incorporated bearings into the housing unit which was not necessary in the assembly. These candidates associated anything that had to rotate with a bearing thus the inclusion of the same in the housing.

- (ii) The mechanism for locking the table in any rotated position.

This could have been done by attaching a bolt and nut through the back of the split housing and using a spanner to tighten the unit on to the column. In attempting to lock the table, some candidates placed a bolt through the column which would prevent the unit from rotating. Others used grub screws or bolts to lock the table against the column. This would in effect damage the column and would not be very effective in holding the table against the downward pressure of drilling on the table.

- (iii) A mechanism that allowed the table to slide up and down the column.

This could have been done by simply releasing the clamp on the housing unit and move the table up or down as desired and then tighten the clamp to hold the table in place.

- (iv) A means of locking the table in any position along the column.
- (v) The mechanism that allowed the table to swivel 30 degrees to the horizontal as indicated by arc XX.
- (vi) A means of locking the table in the swivelled position.

On the whole a large number of candidates did not handle this question very well, even though the question was based on the drill press which is present in most workshops. Candidates for the most part were unable to present reasonable interpretations of the question. The following are some of the problems that stood out in the solutions.

- Bearings were used for the rotation which was not necessary.
- The system of locking was not effective in most cases.
- The 30 degrees rotation in the horizontal plane as indicated by XX was interpreted to mean 30 degrees in the vertical plane.

In addition to these problems, the ability to sketch seemed to be a major problem for most of the candidates as the clarity of details and proportionality of the sketches left much to be desired. Some candidates did not attempt the question even though it was compulsory and worth forty marks.

This compulsory question continues to be a problem for quite a number of candidates. The ability to interpret the drawing and provide suitable sketches of the solution seems to be beyond a number of these candidates. It appears that candidates are not given enough exposure to the concept of design and are therefore unable to apply the principles involved to the various scenarios presented to them. The need to give candidates the desired exposure to designing has to be addressed if there is going to be any improvement to the performance of candidates on the question.

## **Section B**

### Question 2

The objective of this question was to assess the candidates' knowledge and understanding of:

- (a)
  - (i) The type of file that should be used to file a shoulder.
  - (ii) The reason for using this type of file.
- (b)
  - (i) The sequence of operations to produce a thread in a blind hole.
  - (ii) The tools to be used in the process.
  - (iii) Precautions to be observed when threading a blind hole.
- (c) A method of manually producing a highly polished surface on steel.
- (d) What caused each of the following problems?
  - (i) A drill refusing to cut.
  - (ii) A drill wandering from the correct centre.
  - (iii) A drill breaking.
  - (iv) A screeching noise occurring while drilling.

This question was very popular, with approximately 80% of the candidates responding. (a) (i) and (ii) were poorly handled. The name 'hand file' was not the popular response, but many candidates were aware that you had to use a file with no teeth on one side of the file.

Section (b) (i), (ii) and (iii) of the question were well done. Many candidates were able to give the desired responses to this section. However (b) (ii) and (iii) were better answered than (b) (i) with many candidates getting 75% of the marks.

(c) The responses to this part of the question were about average, candidates were aware that to produce a highly polished surface, file and abrasive paper / cloth should be used. Many candidates did not understand the process in using the different grades of abrasive cloth / paper and polish to obtain the best surface finish. Candidates obtained a maximum mark of 60% in this part of the question.

(d) This part of the question was well done. Eighty (80%) per cent of the candidates who responded to this section of the question received at least seventy five (75%) per cent of the marks.

### Question 3

The objective of this question was to assess the candidates' knowledge, understanding and application of:

- (a) The steps of procedure for marking out a sheet metal template.
- (b) The procedure for cutting out a rectangular slot in 3 mm thick sheet metal.
- (c) Tools to be used to cut out the rectangular slot.
- (d)
  - (i) Precautions to be taken during the marking out process to maintain accuracy.
  - (ii) Safety precautions to be observed while cutting out the rectangular slot.

This was a very popular question attempted by 70% of the candidates. The performance on the question was about average. The knowledge aspects of the question were fairly well handled and this included the following:

- Tools used for the operation
- Precautions to be taken while marking out
- Precautions to be observed while cutting out the slot

Candidates in some cases were marking out and cutting out at the same time, they did not separate the marking out process from cutting out the slot. In some instances there were no clear distinctions between precautions and safety precautions.

### Question 4

The objective of this question was to assess the candidates' knowledge, understanding and application of:

- (a) The correct shape of various lathe cutting tools for specific operations in the workshop.
- (b) The difference between rake and clearance angles with respect to lathe cutting tools.
- (c) The calculation of the correct spindle speed for a turning operation given the diameter of the job and the cutting speed of the material.
- (d)
  - (i) The steps of procedure for producing an internal taper in a component on the centre lathe.
  - (ii) Safety precautions to be observed while cutting an internal taper on the centre lathe.

This was not a very popular question as it was only attempted by 35% of the candidates. Part (a) and (b) of the question were not handled well as most of the candidates that attempted the question were unable to sketch the desired tools. The candidates also had problems explaining the difference between clearance and rake angles.

Part (c) of the question was handled fairly well. Most of the candidates were able to calculate the spindle speed required. There were however errors relating to the units involved as well as difficulties handling numerical quantities.

Some candidates interpreted taper to mean tapping and therefore explained how to tap the hole rather than how to cut the internal taper.

### Question 5

The objective of this question was to assess the candidates' knowledge, understanding and application of:

- (a) How to make a dimensioned sketch of a sheet metal pattern to include allowances for seams.
- (b) How to calculate the length of wire to produce a wired edge.
- (c) The steps of procedure required to sweat solder a component.
- (d)
  - (i) The various stages in the formation of a folded and grooved seam on a component.
  - (ii) The tools required to produce a folded and grooved seam.
- (e) Safety precautions that should be observed when handling sheet metal.

This was not a popular question as it was only attempted by 17% of the candidates.

- (a) This part of the question was not handled well; the candidates were weak in sketching the correct development showing clearly the dotted lines for bending allowances for the seams.
- (b) The approach to the formula for calculating the length of the wire was correct, but the mean diameter dimension which should have been used for calculating the length of the wire was not used.
- (c) Many candidates were able to identify the main points such as heat, tinning and cleaning. This section was fairly well done.
- (d)
  - (i) This part of the question was fairly well done. The candidates' strength in this part of the question was bending at ninety ( $90^\circ$ ) degrees and using the hand groover to form the seam.
  - (ii) This part of the question was well answered. Most candidates were able to list the tools required to produce the seam.
- (e) This part of the question was well done. Candidates were able to list safety precautions to be observed while working with sheet metal.

### Question 6

The objective of this question was to assess the candidates' knowledge, understanding and application of:

- (a) Various types of milling cutters that could be used to produce a rectangular slot on the milling machine.
- (b) The steps of procedure for producing slots on the milling machine.
- (c) How to calculate the spindle speed for a milling operation given the cutting speed of the material and the diameter of the cutter being used.
- (d) The result of using a spindle speed that is too high or too low.
- (e) The two categories of milling machines.
- (f) Safety precautions that should be observed while operating the milling machine.



This was not a very popular question. It was only attempted by 31% of candidates. The question was fairly well done by those that attempted it. Some candidates had problems with their sketching of the cutters as well as the steps of procedure for producing the slot. The TWO categories for milling machines also posed a problem for some candidates as they named different machines within a category instead of naming the TWO categories.

Areas of the question that were well done included part (c) the calculation of the spindle speed as well as part (f) safety precautions that should be observed while milling.

#### Question 7 A

The objective of this question was to assess the candidates' knowledge, understanding and application of:

- (a) The preparation that should be made prior to welding a piece of pipe to a base with a hole similar to that in the pipe and maintain the alignment of both holes after the weld using oxy-acetylene welding.
- (b) The rightward method of welding.
- (c) The causes and possible correction of the following problems:
  - Poor fusion
  - Torch backfiring
  - Torch not staying lit
  - Flame giving off soot
- (d) Safety precautions that should be observed while doing oxyacetylene welding.

This was not a very popular question attempted by 35% of the candidates.

- (a) Many candidates were aware, that the surface for welding must be cleaned, clamped and aligned. However, the weakness was in bevelling the cylindrical piece to get proper penetration.
- (b) Many candidates failed to answer this part of the question properly. They had a problem with the direction of travel of the torch and the positioning of the welding rod.
- (c) This part of the question was fairly well done. Approximately fifty (50%) per cent of the candidates received about seventy (70%) per cent of the marks allocated.
- (d) This part of the question was very popular and well answered.

#### Question 7 B

The objective of this question was to assess the candidates' knowledge, understanding and application of:

- (a) The preparation that should be made prior to welding a piece of pipe to a base with a hole similar to that in the pipe and maintain the alignment of both holes after the weld using electric arc welding.
- (b) The purpose of electrode coatings used in the arc welding process.

- (c) The cause and method of correction for the following defects in electric arc welding:
- Incomplete penetration
  - Poor fusion
  - Slag inclusion
  - Excessive spatter
- (d) The procedure for striking and maintaining the arc during the arc welding process.
- (a) This part of the question was fairly well answered. Most of the candidates indicated some means of clamping the components together, however many of them did not bevel the cylindrical piece for penetration.
- (b) This part of the question was well answered. Eighty (80%) per cent of the candidates who attempted this section of the question responded favourably.
- (c) This part of the question was fairly well done. Approximately fifty (50%) per cent of the candidates received about seventy (70%) of the marks allotted.
- (d) This section was very popular and well answered.

#### Question 8

The objective of this question was to assess the candidates' knowledge, understanding and application of:

- (a) The steps of procedure required to produce a mould for sand casting.
- (b) Precautions that should be taken while preparing the mould to prevent the two halves from sticking together.
- (c) Precautions that should be taken while pouring the molten metal in the mould.
- (d) Various forging processes carried out in the workshop.

This was not a popular question as it was only attempted by 5% of the candidates.

Aspects of the question that were well done included the following:

- Steps of procedure for producing the mould.
- Sketches of tools and equipment used in the process.
- Precaution to be taken to prevent the halves from sticking together.
- Precautions to be taken while pouring the mould.

Aspects of the question that were not well done:

- Description of the various forging processes  
Many candidates did not understand the forging terms especially fullering. Answers were vague for the most part and in some instances there were no responses to this section of the question.

### Question 9

The objective of this question was to assess the candidates' knowledge and understanding of:

- (a) Various keys used to support engineering components.
- (b)
  - (i) The differences between flat belts and v-belts.
  - (ii) The applications of flat belts and v-belts.
- (c) The reasons for using lubricants in the workshop.
- (d) Mechanisms found in the workshop on which oil or grease may be applied.
- (e) Various types of seals used in mechanical devices.

This was not a very popular question. Approximately thirty (30%) per cent of the candidates attempted this question.

- (a) This part of the question was not well answered. Many candidates were not familiar with the name of the keys and their applications.
- (b) (i) and (ii) Many candidates were weak in answering this part of the question, according to the mark scheme. Most of the responses were centred on the shape of the two belts and the type of pulleys they were used on.
- (c) This part of the question was well done; most of the candidates were knowledgeable about the use of various lubricants.
- (d) Most candidates attempted this part of the question, but made reference to machines, for example drill press, shaper, lathe, etc. rather than various mechanisms as the question indicated.
- (e) This part of the question was answered poorly; many candidates lacked knowledge with respect to types of seals and the various uses.

### Notes to Teachers

- 1. Candidates need to improve their skills at sketching which is very important in answering questions on paper two of this examination. They should therefore be encouraged to sketch and given exercises that will allow them to develop the skills.
- 2. Candidates should be encouraged to sketch the solution to the design question (1) as a lot of time is spent by some trying to produce accurate drawings of the given views without the required solutions.
- 3. More time should be spent addressing the issue of designing if candidates are expected to acquire the skills required to attain the level of competence necessary for success in the examination. This question on designing is worth 40 marks on paper 2 and some candidates do not attempt the question even though it is compulsory.
- 4. As suggested in previous reports, mechanisms used to convey movement in machines such as chain drives, gear drives and belt drives should be introduced regularly to candidates. This process might involve taking down machine guards.  
N.B. Machines must be shut down before these operations are carried out.
- 5. Candidates should be taught how to differentiate between page number and question number as a large percentage of candidates continue to write page number or the number of the figure assigned to a question as the number for the question.

**C A R I B B E A N   E X A M I N A T I O N S   C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATIONS**

**JUNE 2006**

**MECHANICAL ENGINEERING TECHNOLOGY**

**Copyright © 2006 Caribbean Examinations Council ®  
St Michael, Barbados  
All rights reserved.**

**MECHANICAL ENGINEERING TECHNOLOGY**  
**TECHNICAL PROFICIENCY EXAMINATIONS**

**JUNE 2006**

**GENERAL COMMENTS**

Seventeen hundred and eighty seven (1787) candidates were entered in 2005, while the total entry for 2006 was 1777. Approximately 80% of the candidates entered for the examination earned Grade III and above; this performance was similar to that of 2005.

Candidates continue to do well on the practical component of the SBA but need to improve their performance on the written component. The performance on both Papers 01 and 02 needs to be improved significantly. Question 01 on Paper 02 continues to be of concern. Candidates do not demonstrate the knowledge and application needed to satisfy Module B8 of the unit.

**DETAILED COMMENTS**

**Paper 01 – Multiple Choice**

The paper consists of 60 items testing the theoretical aspects of the Unit. There were 30 items testing the Knowledge profile and 30 items on the Application profile. The topics that most candidates found difficult were:

1. The meaning of the term parting off
2. Indexing
3. Causes for grinding wheel to wear away rapidly
4. Point angle of chisel for cutting aluminium
5. How to layout a large circle for drilling
6. Hard soldering
7. Reading the micrometer
8. Calculating the tolerance of a given dimension
9. Pattern development
10. Machine used for shaping cylinders from sheet metal
11. Forging
12. Tempering colours for various hand tools
13. Welding safety
14. Heat treatment process
15. Production of aluminium
16. Types of thermosetting plastics

**PAPER 02 – Essay/Structured Response Questions**

Paper 02 (2 \_ hours) A free response paper divided into three sections. Each question received equal weighting for the profile dimensions, Knowledge and Application.

Section A – One compulsory design question based on Module B8 of the Unit worth 40 marks. Candidates were required to spend approximately 50 minutes on this question.

Section B – Five questions based on Modules B2 to B5 of the Unit. Candidates were required to answer three questions. Each question worth 20 marks.

Section C – Three questions based on Modules B6, B7, and B8 of the Unit. Candidates were required to answer one question. Each question was worth 20 marks.

## **Section A**

### Question 1

Candidates were required to complete the design for a hoist and hook unit. Two views of the incomplete unit were provided and candidates were required to design a housing to house a set of rollers “D” and a shaft “B”. They were also required to indicate a method of attaching a hook “C” to the shaft “B”.

The major design considerations were :

- (i) The rollers “D” attached and retained to the housing and free to rotate about their axes.

Those that attempted the question indicated the rollers in place as shown on the diagram but most did not indicate how the rollers were attached. As in previous years, the ability to sketch seemed to be a major problem as what was represented as solutions for the various requirements was difficult to interpret. Some candidates did not represent nuts and bolts very well, and in some instances only one view was shown which made it difficult to decide what was happening on the opposite side of the unit.

- (ii) The shaft B, in position in the housing and supported by two bronze bushings inserted into the housing.

Most candidates attached the shaft to the housing without the bushings. Some indicated bushings by pointing arrows where the bushings were supposed to be but they were not represented in the sketch. Some candidates did not seem to know the difference between a bushing and an antifriction bearing.

- (iii) The shaft “B” free to rotate about its axis to facilitate the swinging movement of the hook “C” as indicated by arrow E.

The drawings produced were not very clear in most cases it was therefore difficult to determine if the shaft could in fact rotate.

- (iv) A means of retaining the shaft “B” in the housing in order to prevent axial movement

This aspect of the question was fairly well done by those that attempted it. Pins and washers were used in some instances to secure the shaft in place.

- (v) The hook “C” attached to the shaft so that it could swivel within the shaft as indicated by the arrows at “F”

Most of the candidates that attempted the question gave reasonable solutions to this aspect of the question. They allowed the hook to pass through a hole in the shaft in most instances. Some candidates however attempted to use bearings etc. to hold the hook as swivelling in their opinion had to employ the use of bearings.

- (vi) The hook being retained in the shaft.

This aspect of the question was fairly well done. Here again pins and washers were used to secure the hook.

- (vii) The unit being able to move along the length of the beam “A” in both directions as indicated by the arrows “G” but restricted from any side movement greater than 2mm.

The sketches used to indicate this aspect of the solution were not very clear in most instances and it was therefore difficult to determine if the unit could in fact move along the beam.

In general there seemed to have been some improvement in the responses for this particular question even though a number of candidates did not attempt the question. Some candidates attempted to make accurate assembly drawings of the unit and in some instances only reproduced the given sketches without attempting the solutions to the problem. It is preferred if candidates produce neat representational sketches rather than attempt to draw using Tee squares etc. as this could be quite time consuming. The solution to the problem is of primary concern as most marks are awarded for that aspect of the question. It is therefore possible for sketches with the solution to be awarded more marks than neat drawings reproducing the diagrams given for the exercise, without the desired solutions to the problem.

## **Section B**

### Question 2

The objective of this question was to test the candidates’ knowledge and understanding of the following:

- (a)
  - (i) The steps of procedure for machining a component on the centre lathe.
  - (ii) Sketching and naming tools to be used in the process.
- (b) How the carriage of the lathe is driven when it is engaged for screw cutting.
- (c) Ways in which work may be secured and driven on the centre lathe.
- (d) Safety precautions that should be observed when using the centre lathe.

This was a fairly popular question attempted by 83% of the candidates. This question was not handled very well by the candidates even though it is felt that most if not all institutions have at least one lathe in their workshop.

Most of the candidates that attempted the question did not outline the steps of procedure in a numerical format. They continue to write “essays” on the various steps and do not include measurements to indicate the areas of the component being referred to at each stage of the process.

On the whole it appeared as if candidates did not have enough experience using the lathe or with the various lathe tools used on the machine. Most of the candidates were not familiar with how the carriage moved during a threading operation.

The age old problem involving the difference between personal safety and safety precautions with respect to machines still persist, and it is felt that candidates need to know the difference.

### Question 3

The objective of this question was to test candidates' knowledge and understanding of the following:

- (a) (i) The steps of procedure for marking out a template.  
(ii) The list of tools and equipment necessary for the marking out process.
- (b) (i) The steps of procedure for cutting out of a slot in sheet metal.  
(ii) The tool to be used in the process.
- (c) (i) Safety precautions that should be observed while using marking out tools.  
(ii) Safety precautions to be observed while cutting out the slot in the sheet metal.

This was a very popular question as 95.5% of the candidates attempted it. The question was fairly well done. Some candidates however were still not able to differentiate between general and personal safety. Candidates are still not writing the various steps of procedure in point form and this makes it difficult at times to search a long essay to find a few steps.

The steps for marking out the template would have included the following:-

- Mark all horizontal lines
- Scribe all vertical lines
- Locate and mark radii
- Mark angles
- Outline template

The sequence of the operations for cutting out the slot "A" in part (b) of the question would have included the following:-

- Prick punch
- Centre punch
- Chain drill
- Chisel/hacksaw
- File

### Question 4

The objective of this question was to test the candidates knowledge and understanding of the following:

- (a) (i) Steps of procedure for machining a component on a horizontal milling machine.  
(ii) Sketching and naming a cutter that could be used to produce a rectangular slot.
- (b) (i) Stating the formula for calculating the rpm of a cutter  
(ii) Calculating the revolution per minute required for a particular cutter.
- (c) Listing advantages and disadvantages of conventional (up-cut) method of milling.
- (d) Stating safety precautions to be observed when using the milling machine.



This was not a very popular question as only 33.9% of the candidates attempted it. Many of the candidates chose other operations rather than the milling machine to produce the slots, these included chisels, hacksaw and files. Some candidates did not know the names of cutters that could be used to produce the slots, or the advantages and disadvantages of conventional milling. On the whole most candidates did not seem to know a lot about milling in general even though they attempted the question. Part (b) of the question dealing with the calculation of rpm as well as part (d) dealing with safety precautions were fairly well done.

#### Question 5

The objective of this question was to test the candidates' knowledge and understanding of the following:

- (a) Procedure for filing an area flat and smooth with 90 degrees corners
- (b)
  - (i) Stating the various classes of files
  - (ii) Stating the main differences between the various classes of files.
- (c)
  - (i) Problems that may arise when hack-sawing copper tubing.
  - (ii) How to overcome the problems that might arise while hack-sawing the copper tubing.
- (d) Stating safety precautions that should be observed when using the hacksaw.

This was a very popular question as 78.34% of the candidates attempted it.

Most of the candidates that attempted the question did not state clearly the procedures for completing the job effectively. The sketches indicating the procedure were not well done either and only a few candidates mentioned the use of a safe edge file to protect the corners.

#### Question 6

The objective of this question was to test the candidates' knowledge and understanding of the following:

- (a) The steps of procedure required to produce a wired edge.
- (b) Making a dimensional sketch of the material to produce a component.
- (c) The steps of procedure for riveting two components together.
- (d) Listing safety precautions that should be observed when working with sheet metal.

This was not a very popular question as it attempted by only 20.21% of the candidates.

The question was poorly done by most of those who attempted it. It appeared as if most of the candidates did not understand the development involved. There appeared to be weaknesses in understanding the drawings given on the examination paper. This could be indicating that candidates lack the required exposure in technical drawing. In part (c) of the question most candidates used a rivet gun and pop rivets instead of the required snap head rivets to join the components.

Question 7

The objective of this question was to test the candidates' knowledge and understanding of the following:

**EITHER**

- (a) The steps of procedure for using electric arc welding to join two pieces of mild steel.
- (b) The completion of a table indicating cause and remedy for the following problems:
  - (i) Oxidation of surface
  - (ii) Sticking of electrode
  - (iii) Excess metal (wide bead)
  - (iv) Lack of fusion
  - (v) Lack of penetration
- (c) Stating one factor that influences choice of the size of the electrode in electric arc welding.
- (d) Stating safety precautions to be observed during the arc welding process.

**OR**

- (e) The completion of a table by indicating the cause and corresponding remedy to the following oxy-acetylene welding defects.
  - (i) Distortion
  - (ii) Oxidation
  - (iii) Blow holes
  - (iv) Lack of fusion
  - (v) Lack of penetration
- (f) The use of sketches to show the relative position of the nozzle, rod and weld during the leftward (forehand) oxy-acetylene welding process.
- (g) Explaining with the aid of labelled sketches the three types of flames in relation to the gases used in the oxy-acetylene welding process.

This was a fairly popular question attempted by 47.26% of the candidates. Most of the candidates did not differentiate between electric arc, and oxyacetylene welding. The responses were all mixed up as they attempted to use electric arc methods to solve problems relating to oxyacetylene welding. Most of those that made sketches of the oxy-acetylene flames were not sure of the composition or the characteristics of the flames.

### Question 8

The objective of this question was to test the candidates' knowledge and understanding of the following:

- (a) The development of a split pattern to produce a component.
- (b) Using labelled sketches to list the steps of procedure for preparing a mould ready for pouring.
- (c) Stating reasons for the following defects:
  - (i) Blow holes
  - (ii) Sand inclusion
- (d) Naming foundry tools used in the process of preparing a mould.

This was not a popular question as it was attempted by only 6.7% of the candidates. Most of the candidates that attempted the question chose to use a solid pattern instead of a split pattern as is required for the job.

Other aspects of the question that were not well done included the following:

- Steps of procedure for preparing the mould
- Reasons for the occurrence of the defects mentioned

Many of the candidates that attempted the question were able to name foundry tools used in the preparation of a mould.

### Question 9

The objective of this question was to test the candidates' knowledge and understanding of the following:

- (a) Using sketches to illustrate the following systems of gearing:
  - (i) Rack and pinion
  - (ii) Worm and wheel
  - (iii) Spur
- (b) Giving applications of the various gearing systems used in part (a) of the question.
- (c) Listing functions of a typical preventative maintenance system.
- (d) Indicating the parts and characteristics of a drill press motor and spindle pulleys fitted with a belt.
- (e) Highlighting instances where a belt drive is more advantageous than a gear drive system.

This was not a very popular question as it was attempted by only 35.56% of the candidates.

Those that attempted the question made a fair effort at part (a) of the question. However most of them could not provide the desired application for the various gearing systems.

Most of the candidates that attempted the question were able to list functions of a typical preventative maintenance system and give reasons for them being important to the proper functioning of machines.

### **School-Based Assessment (SBA)**

School-Based Assessment (SBA) is intended to be useful to teachers and students, and maybe used as either or a diagnostic, formative and summative assessment tool. Candidates can present their BEST efforts once the suggested time-frame is followed by teachers. This format of the (SBA) requires both practical and written projects and should be taken seriously if candidates are to develop the intended competencies.

The overall performance on the SBA continues to be much better than that of the other two papers for the examination. However, there is room for improvement in the written component of the assignment. It should be noted that the written assignment is an individual project therefore; reproduction in part or whole of one candidates work by another is considered plagiarism. Candidates and teachers need to approach the written component of the SBA with greater planning and analysis of what is required if the aims of the common modules are to be realized.

#### Notes to Teachers

1. Candidates need to improve their skills at sketching which is very important in answering questions on paper 02 of this examination. They should therefore be encouraged to sketch and should be given exercises that will allow them to develop the required skills.
2. **All** candidates taking the examination should have technical drawing as a core subject. The school's programme should make it compulsory for them.
3. Candidates should be encouraged to sketch the solution to the design question (1) as a lot of time is spent by some trying to produce accurate drawings of the given views without the solutions.
4. More time should be spent addressing the issue of designing as the question on design is worth 33% of the marks on Paper 02 and some candidates do not attempt the question even though it is compulsory.
5. Mechanisms used to convey movement in machines such as chain drives, gear drives and belt drives should be introduced regularly to students. This process might involve taking down machine guards.

**NB.** Machines must be shut down before these operations are carried out.

6. Students should be taught how to differentiate between page number and question number as a large percentage of students continue to write page number or the number of the figure assigned to a question as the number for the question.

**C A R I B B E A N    E X A M I N A T I O N S    C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATION  
MAY/JUNE 2007**

**MECHANICAL ENGINEERING TECHNOLOGY**

**MECHANICAL ENGINEERING TECHNOLOGY  
TECHNICAL PROFICIENCY EXAMINATION  
MAY/JUNE 2007**

**GENERAL COMMENTS**

1 475 candidates entered for the 2007 examination compared with 1316 for the 2006 examination. This represented an increase of 12.08%.

Of the 1 475 candidates entered for the examination 58.1% of the candidates earned Grade III and above.

Candidates did well on the practical project for the Internal Assessment component (SBA) but there is need for improvement on the written project. Question 1 on Paper 02 continued to be a major challenge to many of the candidates.

**DETAILED COMMENTS**

**Paper 01 – Multiple Choice**

This paper consists of 60 items testing the theoretical aspects of the Unit. There were 30 items testing the Knowledge profile and 30 items on the Application profile. The topics that most candidates found difficult were:

1. Items that are essential for carrying out a brazing operation
2. Reasons for annealing metal
3. Current setting of arc-welding machines
4. Factors affecting life of grinding wheels
5. What causes high speed steel to retain its hardness at high temperatures

**PAPER 02 – Essay/Structured Response Questions**

**Section A**

**Question 1**

Candidates were required to complete the design for a drilling jig. The frame of the jig was to be made of two pieces of mild steel bars (vertical and horizontal supports) joined together at right angles.

For each operation the piece of pipe should be firmly clamped to the horizontal support by the movable jaw in order to drill the hole. A bushing was to be fixed to the movable jaw to guide the drill and prevent it from drifting off to the side of the pipe.

The movable jaw was to be operated by a quick-locking and upward-releasing mechanism to allow the easy loading and removal of pipe from the jig.

A removable stop guide was put in place to locate the position of the hole to be drilled.

The jig, when installed, was to be firmly attached to the base of the drilling machine table.

The major design considerations were:

- (a) A method of joining the vertical and horizontal supports.

This could have been done by using machine or cap screws for the attachment or they could have been welded together.

Most of the candidates that attempted the question indicated that they would weld the pieces together. Some suggested bolting together, riveting, etc. Some of these solutions could work effectively depending on how they were done.

- (b) The locking mechanism used to secure the pipe for drilling.

This could have been done by using a cam lock system which would allow quick locking and release. However, most candidates used threads in one form or another to secure the pipe, but these solutions did not really offer a means of quickly locking and releasing the pipe. Some candidates used G-clamps to hold the pipe while others used bolts that went through the pipe. On the whole this aspect of the question was not well done and it would appear that more time needs to be spent looking at locking mechanisms during the course.

- (c) A bushing for guiding the drill during the drilling process

This aspect of the question was not handled well as some of the candidates did not seem to know what a bushing was. Instead of securing the bushing in the movable jaw as was suggested some candidates had their bushing suspended in the air without any support. Some candidates used arrows to indicate where the bushing should be located but could not make sketches to represent the bushing. Here a sectional view could have been used to show clearly the bushing in place in the movable jaw.

- (d) The mechanism in place for lifting the movable jaw each time the lock is released.

The most common means of lifting the jaw that was used by the candidates was a rack and pinion. This was not a very appropriate solution as most of them attempted to attach the rack and pinion to the column of the drill press. Some candidates hinged the movable jaw to the upright, which would create a problem each time it is raised as it would be forced to hit against the drill.

Here simple springs could be used to raise the jaw each time the lock is released. The springs could be placed between the movable jaw and the horizontal support on guide rods fitted to the horizontal support and passing through the movable jaw.

- (e) A method of securing the stop guide to the frame.

This could have been done by using counter sunk or cap screws to secure the guide without causing any interference to the pipe. Some candidates welded the guide in place, which would make it permanent. This was not a very good solution as one should be able to replace a guide if changes are to be made to the location of the hole being drilled. Some candidates used hexagonal head bolts which would interfere with the pipe being drilled.

- (f) The frame of the jig attached to the machine table.

This section of the problem was dealt with fairly well even though a large number of the candidates threaded bolts directly into the machine table. This solution would work but it was thought that it was not very appropriate to drill and tap the machine table; bolts and nuts

would have been more appropriate since there are usually slots on the drill press table for accommodating such fasteners.

This compulsory question was again a problem for quite a number of candidates. The ability to interpret the drawing and provide suitable sketches of the solution seemed to be beyond a number of these candidates. It appeared as if they were not given enough exposure to the area and this needs to be addressed if there is going to be any improvement to the performance of candidates on the question. Some candidates reproduced the given drawings without doing anything with respect to a solution.

Candidates should be encouraged to include footnotes along with their sketches, and use localized sections of areas that need to be made clear for proper interpretation. They should also be advised to use more than one view of the completed component to add to the clarity of the solution.

## **Section B**

### Question 2

The objective of this question was to test the candidates' knowledge of:

- (a) How to determine the tap drill for a particular thread size.
- (b) The steps of procedure to be followed to reduce the risk of tap breakage while threading a blind hole in a component.
- (c) Methods that could be used to remove a broken tap from a hole.
- (d) The use of sketches to show the THREE types of cold chisels used in the workshop.
- (e) The use of sketches to assist in explaining the procedures for using various chisels in the workshop.
- (f) Precautions that should be observed while using a chisel in the workshop.

This question was attempted by 82% of the candidates.

Aspects of the question that were well done include the following:

- Steps of procedure for threading the component
- Safety precautions to be observed while using a chisel

Aspects of the question that were not well done include the following:

- How to determine the tap drill size for a hole
- How to extract a broken tap from a hole

Most candidates felt that a drill would be most effective in drilling out the broken tap. Some attempted to break up the tap with a chisel and remove it. This could be done if there was enough space in the hole for the operation.



- The sketches used to display the types and uses of chisels were very poor in most cases, and this is an area that should be improved as a lot of sketching is required in the examination.

### Question 3

The objective of this question was to test candidates' knowledge of:

- (a) (i) The steps of procedure for marking out a template on sheet metal.
- (ii) Naming the tools to be used in the marking out process.
- (b) The procedure for cutting out a slot with a large radius in sheet metal
- (c) The tools to be used in the cutting out process
- (d) Precautions that should be observed while marking out sheet metal to ensure that accuracy is maintained.
- (e) Safety precautions that should be observed while cutting out slots in sheet metal.

This question was attempted by 86% of the candidates.

Aspects of the question that were well done included the following:

- Naming the tools to be used in the layout process
- Precautions to be observed while marking out to ensure accuracy is maintained
- Precautions to be observed while cutting out the slot

Aspects of the question that were not well done include the following:

- Steps of procedure for marking out the template.

Here most candidates did not indicate the various areas of the template that they were marking out. For example: Some candidates simply said “mark horizontal lines, mark vertical lines”, but they did not indicate where the lines should be marked. The measurements indicated on the given drawing should be used as the guide for listing the steps for marking out. A statement should therefore indicate for example, “Using the given base as datum, mark horizontal lines at 15 mm, 45 mm and 85 mm on the template”. They could then go on to mark vertical lines in a similar manner.

- Procedure for cutting out the required slot.

Some candidates attempted to use a 50 mm diameter drill to drill out the slot, which was not a good idea, considering the thickness and size of the material.

### Question 4

The objective of this question was to test the candidates' knowledge of the process of producing a component on the centre lathe from a piece of mild steel stock. The challenges included:

- (a) Using sketches to assist in outlining the steps of procedure for making component.

- (b) Knowledge of the tools to be used in the procedure.
- (c) Understanding the procedure required to produce a knurled section on a component.
- (d) Knowledge of precautions to be observed while producing a knurl on a component.
- (e) Calculating the spindle speed that is required to produce a specific size given the cutting speed of the material.
- (e) Knowledge of safety precautions that should be observed while working on the centre lathe.

This question was attempted by 45% of the candidates.

Aspects of the question that were well done included the following:

- Safety precautions to be observed while working on the lathe
- Tools to be used to produce the component

Aspects of the question that were not well done include the following:

- Using sketches to assist in listing the sequence of operations for producing the component
- Calculating the spindle speed for the operation
- Steps of procedure for producing the knurled section of the component

#### Question 5

This question tested the candidates' knowledge of the process of sheet metal work. The challenges included:

- (a) Making a well proportioned labelled sketch of the development of a funnel indicating allowances for the following:
  - (i) Hem
  - (ii) Groove seam
  - (iii) Lap joint
- (b) The steps of procedure for sweat soldering the spout to the top of a funnel.
- (c) The steps of procedure for producing a folded and grooved seam.
- (d)
  - (i) How to determine size of a tin man's snip.
  - (ii) Methods of producing small holes in tinplate.
- (e) Safety precautions that should be observed when working with sheet metal.

This was not a popular question. It was attempted by only 18% of the candidates.

The question was very poorly done. It would appear that more time needs to be spent on this section of the syllabus. The only section of the question that was well done was the section requiring candidates to state safety precautions. Most of the candidates were not familiar with “sweat soldering” so they could not list the steps required for carrying out the process.

#### Question 6

This question tested the candidates’ knowledge of milling operations. The challenges included:

- (a) The cutting tools that should be used to produce a dovetail slot on the vertical milling machine.
- (b) The steps of procedure for producing the slot on the vertical milling machine.
- (c) Factors that could negatively affect the life of a cutting tool.
- (d) The primary purpose of the dividing head used in gear cutting operations on the milling machine.
- (e) How to calculate simple indexing for various numbers of divisions given the desired hole circles.
- (f) Safety precautions to be observed while using the milling machine.

This was not a popular question. It was attempted by only 32% of the candidates.

This question was also very poorly done. Some of the candidates who attempted the question did not seem to be familiar with the milling machine. They attempted to use a hacksaw and chisel to produce the groove in the component.

Only a few of the candidates were able to calculate the indexing required for producing the number of divisions indicated.

The candidates were not familiar with factors that could negatively affect the life of the cutting tool.

It would appear as if a vast number of the candidates were not exposed to the various machines and their operation in the workshop.

#### Question 7

This question tested the candidates’ knowledge of either the oxyacetylene or the arc welding process. The challenges include:

- (a)
  - (i) How to sketch and name the sooty flame produced when the oxyacetylene torch is lit.
  - (ii) The reason for the particles of soot produced by the flame.
- (b) Copying and completing the welding and brazing columns of the given table to match the factors column.

<b>Factors</b>	<b>Welding</b>	<b>Brazing</b>
1. Filler rod material		
2. Type of flame		Carburizing
4. Fusion of work pieces		

- (c) The steps of procedure to be followed in using oxyacetylene welding to join two pieces of 15 mm diameter steel bars end to end, ensuring strength and dimensional accuracy of the finished product.
- (d) The procedure for lighting an oxyacetylene torch and adjusting it to create an oxidizing flame after both valves on the cylinders have been opened.
- (e) Safety precautions to be observed when using oxyacetylene welding equipment.

**OR**

Candidates were required to demonstrate knowledge of:

- (a) Possible reasons why an arc did not occur when the tip of an electrode was scratched on a work-piece at the beginning of an arc welding operation.
- (b) The steps of procedure to be followed in using electric arc welding to join two pieces of 20 mm diameter steel bars end to end, ensuring strength and dimensional accuracy of the finished product.
- (c) Pieces of safety equipment commonly used in the arc welding process.
- (d) Using sketch/sketches to illustrate the set-up to perform an arc welding process using reverse polarity, and identifying the position of the following:
  - (i) Work
  - (ii) Ground connection
  - (iii) Direction of current
  - (iv) Electrode
- (e) Using sketches to explain the TWO methods of starting an arc.
- (f) The functions of the coating on the arc welding electrode.

This question on welding was attempted by 51% of the candidates.

However, it was not well done as most of the candidates were unable to outline procedures clearly, and where sketches were required these were very poor.

Aspects of the question that were well done included the following:

- Setup for reverse polarity
- Procedure for lighting the oxyacetylene torch

### Question 8

This question tested candidates' knowledge of materials and how they are processed. The challenges included:

- (a)
  - (i) The approximate carbon content of high carbon steel
  - (ii) The minimum temperature to which high carbon steel should be heated for hardening.
  - (iii) The steps of procedure required to harden a cutting tool.
  - (iv) The changes that occur to a material when it is tempered.
- (b)
  - (i) The difference between thermoplastics and thermosetting plastics.
  - (ii) Different types thermoplastic and thermosetting plastic materials.
  - (iii) The uses of various thermoplastic and thermosetting plastic materials.
- (c)
  - (i) The use of sketches to list the steps of procedure for producing an eye on a piece of 8 mm diameter mild steel.
  - (ii) The use of sketches to list the steps of procedure for drawing down a piece of 8 mm diameter mild steel bar to a point.

This was not a popular question as it was attempted by only 15% of the candidates.

It would appear as if this section of the syllabus was not covered adequately by teachers in the various schools. This question was very poorly done by the candidates who attempted it.

Aspects of the question that were not well done included the following:

- Giving the approximate carbon content of high carbon steel
- Steps of procedure required to harden a tool
- Changes that occur in a material that has been tempered
- Explaining the difference between thermoplastic and thermosetting plastic materials
- Stating the uses of thermoplastic and thermosetting plastic materials
- Producing an eye in forging and drawing down a piece of round stock to a point.

### Question 9

The objective of this question was to test the candidates' knowledge of bearings, gears and motions. The challenges included:

- (a)
  - (i) Friction and antifriction bearings.
  - (ii) The use of sketches to show applications friction and antifriction bearings.
  - (iii) Naming the various parts of an antifriction bearing.

- (b) (i) The use of sketches to indicate the driven gears in a mechanism and explanation of how the gears could be used to reduce speed in the mechanism while maintaining the same direction.
- (ii) The use of sketches to show how rotary motion can be changed to lateral motion.
- (c) The properties of lubricants.

This was not a very popular question as it was attempted by only 6.29% of the candidates.

The question was also very poorly done.

Aspects of the question that were not well done included the following:

- Naming friction and antifriction bearings
- Sketching to show applications of the various bearings
- Naming parts of and antifriction bearing
- Explaining how gears can be used to reduce speed while maintaining direction in a mechanism
- Showing how rotary motion can be changed to lateral motion
- Stating the properties of lubricants

### **Notes to Teachers**

1. The written report is an individual assignment and should be treated as such by students.
2. More attention needs to be paid to Unit B8 of the syllabus which addresses Question 1 on Paper 02. This could be achieved by addressing the following suggestions:
  - Students should be given exercises in designing which involve sketching and making models.
  - Students can be taken on field trips to various industries where aspects of mechanical devices/mechanisms not seen in the school workshop can be seen.
  - Teachers should assist students in examining and reporting on mechanisms relating to machines in the school's workshop.
  - This process might involve the taking down of machine guards etc. It is important to remember however that machines should be shut down before these operations can be carried out.
3. When schools do not have the machines required for the programme, students can be taken to centres where these are available and have suitable persons giving demonstrations of the uses of these machines.
4. Students should be encouraged to provide sketches to assist with their explanations in answering various questions.

**CARIBBEAN EXAMINATIONS COUNCIL**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATION  
MAY/JUNE 2008**

**MECHANICAL ENGINEERING TECHNOLOGY**

**MECHANICAL ENGINEERING TECHNOLOGY  
TECHNICAL PROFICIENCY EXAMINATION  
MAY/JUNE 2008**

**GENERAL COMMENTS**

1 496 candidates were entered for the 2008 examination compared with 1 475 for the 2007 examination. Of the 1 496 candidates entered for the examination 82.34% of the candidates earned Grade III and above. This represented a 1.8% increase in performance over that of 2007.

Candidates continue to do well on the practical project for the Internal Assessment component (SBA) but there is still the need for improvement on the written component of the (SBA). The candidates performed poorly on compulsory Question 1 on Paper 02, thus emphasizing the need for urgent attention to be paid to the question which requires candidates to demonstrate knowledge and application of the work done in module B8 of the Unit.

**DETAILED COMMENTS**

**Paper 01 – Multiple Choice**

This paper consisted of 60 items testing the theoretical aspects of the Unit. There were 30 items testing the Knowledge profile and 30 items on the Application profile. The topics that most candidates found difficult were:

1. How to prepare work for turning between centres
2. The engineering use of grey cast iron
3. Identification of engineering fasteners
4. Mechanisms used to connect mechanical devices
5. The use of the various angles on lathe cutting tools
6. Properties of ferrous metals
7. Identification of thermosetting plastic material

**PAPER 02 – Essay/Structured Response Questions**

**Section A**

**Question 1**

Candidates were required to complete the design of a Link Mechanism. A wheel “A” which is free to rotate through 360 degrees was to be connected by a link to a block “B”. As the wheel “A” rotates it forces the block “B” to slide to and fro in a guide “G”. A motor which is secured to a plate is used to transmit motion to the wheel.

The major design considerations were:

- (a) Showing the Link in position. This could have been done by showing a bar stretching from the edge of the wheel “A” to the center of the block “B”. Most of the candidates were able to show a link, however some used the bracket that was to support the mechanism as the link. This solution would render the mechanism inoperable as the block would be fixed to the bracket and could not slide to and fro as required. Others used a belt which could not be used for the process.



- (b) The link connected to the wheel “A”. This could have been done by using a nut and bolt along with a lock washer to prevent the nut from backing off while the wheel turns. Some of the candidates used a nut and bolt for the connection, however no washers etc were used to assist in securing the nut.
- (c) The link connected to block “B”. This could have been done by using a bolt in the block with nut and washer to lock in place and allow it to rotate.
- (d) A method of transmitting motion from the motor to the shaft. This could have been done by using pulleys and a vee belt which would allow the motor and mechanism to remain in place. However some candidates moved the motor from the given location and used a coupling to connect the motor spindle to the shaft. This was accepted as a possible solution as it was not specified in the drawing that the components should remain in the given position.
- (e) The motor secured to the plate. This could have been done by using nuts and bolts. Most candidates used nuts and bolts for the solution, however some just simply said use screws. These would work themselves loose from the vibration of the motor, so some lock washers would have to be used to secure the base.
- (f) A provision for lubricating the shaft in the bracket. This could have been done with a grease nipple, or oil cup attached to the unit. Some candidates simply drilled a hole for the lubrication which by itself would not keep contaminants out of the area.

This question which is compulsory continues to be a problem for a large number of the candidates. The ability to interpret the given drawing and provide plausible solutions using clear sketches seems to be beyond a number of these candidates. While some candidates are able to score close to full marks on the question others did not attempt it, or just reproduced the given drawing without attempting a solution to the question. One of the problems that the candidates encountered was the concept of a link, crank mechanism and how the movement was achieved. They connected the link to the centre of the wheel “A”, this connection would not allow wheel “A” to move the link to effect the sliding of the block “B”.

## **Section B**

### **Question 2**

The objective of this question was to test the candidates’ knowledge of:

- (a)
  - (i) The procedure for shearing a piece of thick sheet metal using a flat chisel
  - (ii) Tools besides the flat chisel used in the process
  - (iii) Safety precautions that should be employed when shearing
- (b)
  - (i) An explanation of the term “pinning”
  - (ii) How pins are removed
- (c)
  - (i) The steps of procedure for cutting an M6 X 1.0 external thread
  - (ii) The type of cutting fluid that should be used when threading steel
  - (iii) The meaning of M6 X 1.0

This was a fairly popular question as it was attempted by 74% of the candidates.

Aspects of the question that were well done included the following:

- Safety precautions that should be employed when shearing

Aspects of the question that were not well done included the following:

- Steps of procedure for shearing the sheet metal using a flat chisel
- Explanation of the term “pinning”
- How to remove “pins”
- Steps of procedure for cutting an external thread
- The type of cutting fluid that should be used when threading steel
- The meaning of M6 X 1.0

Most of the candidates were not able to provide a reasonable sketch and list the steps of procedure for shearing the sheet metal.

### Question 3

The objective of this question was to test the candidates' knowledge of:

- (a) (i) The steps of procedure for marking out a template on sheet metal.
- (ii) Naming the tools to be used in the marking out process.
- (b) (i) The operations involved in cutting out a slot in sheet metal.
- (ii) The tools to be used in the cutting out process.
- (c) (i) Precautions that should be taken while marking out to ensure accuracy is Maintained.
- (ii) Safety precautions that should be observed while cutting sheet metal with bench work tools.
- (d) The size of the grinding angle of a centre punch.

This was a very popular question as it was attempted by 89% of the candidates.

Aspects of the question that were well done included the following:

- Steps of procedure for marking out the template
- The tools used in the process
- The cutting out of the slot
- Safety precautions to be observed during the processes

Aspects of the question that were not well done included the following:

- The “mixing up” of marking out procedures with cutting out procedures by some candidates
- Naming the grinding angle of the centre punch

#### Question 4

The objective of this question was to test the candidates’ knowledge of:

- (a) The name of the parts in a setup for turning between centres on the lathe
- (b) The name of the various angles on a lathe tool bit
- (c)
  - (i) The steps of procedure for cutting an external thread on the lathe
  - (ii) The steps of procedure for producing a knurled surface on the lathe
- (d) Precautions that should be observed while working on the lathe

This was a fairly popular question as it was attempted by 63% of the candidates.

Aspects of the question that were well done included the following:

- Steps of procedure required to produce the knurled section of the component
- Safety precautions to be observed while working on the lathe

Aspects of the question that were not well done included the following:

- Most candidates were not able to name the parts of components for turning between centres
- Naming lathe tool angles.

#### Question 5

The objective of this question was to test the candidates’ knowledge of:

- (a) The allowances to be made in sheet metal for producing
  - (i) wired edge
  - (ii) lap bottom
  - (iii) groove seam
- (b) Calculating the length of wire required to produce a wired edge on a component
- (c) The steps of procedure for producing a wired edge
- (d) The steps of procedure for soldering the bottom of a cylindrical component to its side
- (e) Safety precautions that should be observed when working with sheet metal

This was not a popular question as it was attempted by only 19% of the candidates. The only aspect of the question that was well done had to do with stating safety precautions to be observed while working with sheet metal.

The remainder of the question was poorly done.

- The sketching was poor and some who produced a sketch did not indicate the allowances requested.
- Most of the candidates were not able to calculate the length of the wire required to produce the wired edge. They also found it difficult to list the steps of procedure required to produce it.
- A few of the candidates were able to list the steps of procedure to sweat solder the prepared bottom to the side, but most of those who attempted the question simply said 'solder bottom with solder iron'.

#### Question 6

The objective of this question was to test the candidates' knowledge of the:

- (a) (i) Steps of procedure for assembling metal plates using counter sunk screws.
- (ii) Tools to be used in the assembling process.
- (b) (i) Steps of procedure for assembling components with countersunk head rivets.
- (ii) Tools to be used in the process.
- (c) Precautions that should be observed while producing the assemblies

This was a fairly popular question as it was attempted by 47% of the candidates.

Aspects of the question that were well done included the following:

- Safety precautions that should be observed while producing the assemblies
- Tools to be used for countersunk assembly

Aspects of the question that were not well done included the following:

- Using sketches to assist in listing the sequence of operations for producing the assembly using the countersunk screws. Some candidates used a 6mm drill to drill the hole for the M6 tap.
- Most candidates attempted to use a pop rivet gun to complete the riveted assembly, rather than solid countersunk head rivets.

#### Question 7

The objective of this question was to test the candidates' knowledge of:

- (a) (i) The preparation made to 15mm thick plates to weld them together using the electric arc welding process
- (ii) How the joint cavity is built up during the welding process
- (b) The name of the component parts of a shielded electrode and the base metal being welded
- (c) Ways in which sticking of the electrode can be avoided in the arc welding process
- (d) Factors that contribute to proper penetration in the arc welding process

- (e) Safety precautions that should be observed while arc welding

This was a fairly popular question as it was attempted by 44% of the candidates.

Aspects of the question that were well done include the following:

- Ways in which sticking of the electrode could be avoided while striking the arc
- Factors that contributed to proper penetration in a weld
- Safety precautions that should be observed while welding

Aspects of the question that were not well done included the following:

- Sketches indicating the preparation made to accommodate the weld
- Sketches indicating how the joint cavity was to be built up with the weld metal
- Sketch indicating the cross-section of the shielded electrode and the welded component and naming the parts

#### Question 8

The objective of this question was to test the candidates' knowledge of:

- (a) The process of carrying out case hardening, using pack carburizing
- (b) Stating the difference between hardening and case hardening
- (c) Stating the use of various forging tools
- (d) Explaining why a component that is forged is stronger than one that is machined

This was the most unpopular question as it was attempted by only 6% of the candidates. It would appear as if this section of the syllabus was not covered adequately by teachers in the various schools. This question was very poorly done by the candidates that attempted it. Aspects of the question that were not well done included the following:

- The process of carrying out case hardening, using pack carburizing. Here a few of the candidates attempted some form of case hardening by heating the component with a torch and dipping it in a case hardening compound. This would case harden the component but the question specifically asked for pack carburizing.
- Stating the difference between hardening and case hardening.
- Stating the use of various forging tools.
- Giving a plausible explanation of why a component that is forged is stronger than one that is machined.

#### Question 9

The objective of this question was to test the candidates' knowledge of:

- (a) The different forms of maintenance
- (b) When it is desirable to use different forms of maintenance

- (c) Using sketches to indicate the type of gearing to use in different situations
- (d) Naming the categories into which lubricants fall
- (e) The procedures used to lubricate different components

This was not a popular question as it was attempted by only 38% of the candidates.

Aspects of the question that were well done included the following:

- Explaining the different forms of maintenance
- Giving examples of when it was desirable to use the different forms of maintenance

Aspects of the question that were not well done included the following:

- Sketching to show the applications of types of gearing
- Naming the different categories for lubricants
- Explaining the procedures for lubricating mechanical components

### **Notes to Teachers**

1. The written report is an individual assignment and should be treated as such by students.
2. More attention needs to be paid to Unit B8 of the syllabus which addresses Question 1 on Paper 02, this could be achieved by addressing the following suggestions:
  - Students should be given exercises in designing which involve sketching, making models.
  - Students can be taken on field trips to various industries where aspects of mechanical devices/mechanisms not seen in the school workshop can be seen.
  - Teachers should assist students in examining and reporting on mechanisms relating to machines in the school's workshop.

This process might involve the taking down of machine guards to have a first-hand look at mechanism. It is important to remember however that machines should be shut down before these operations can be carried out.

3. Where schools do not have the machines required for the programme, students can be taken to centers where these are available and have suitable persons giving demonstrations of the uses of these machines.
4. Students should be encouraged to provide sketches to assist with their explanations in answering the various questions.

**C A R I B B E A N   E X A M I N A T I O N S   C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATION  
MAY/JUNE 2009**

**MECHANICAL ENGINEERING TECHNOLOGY**

**Copyright © 2009 Caribbean Examinations Council ®  
St Michael, Barbados  
All rights reserved.**

**MECHANICAL ENGINEERING TECHNOLOGY  
TECHNICAL PROFICIENCY EXAMINATION  
MAY/JUNE 2009**

**GENERAL COMMENTS**

Candidates again performed well on the practical component of Paper 03, the School-Based Assessment. There is still the need for improvement on the written component of this paper. The candidates performed poorly on Question 1, the compulsory and only question in Section A of Paper 02. This emphasizes the need for urgent attention to be paid to elements of design, a requirement of module B8 of the Unit.

**DETAILED COMMENTS**

**Paper 01 – Multiple-Choice Questions**

This paper consisted of 60 items testing the theoretical aspects of the Unit. There were 30 items testing the Knowledge profile and 30 items on the Application profile. The topics that most candidates found difficult were:

1. Heat treatment terms
2. The difference between cutting speed and feed on the lathe
3. The unit for feed on the lathe
4. Identification of engineering fasteners
5. Mechanisms used to connect mechanical devices
6. Processes involved in forging
7. Properties of non-ferrous metals

**Paper 02 – Essay/Structured Response Questions**

**Section A**

**Question 1**

Candidates were required to complete the design of a pulley adjuster that was to be used to adjust the tension of the belt in a mechanism. The arrangement consisted of a mild steel shaft (Diameter.15mm) which was to run freely through the pulley with a bronze bushing.

The pulley and shaft were to be supported by a cylindrical boss with its centre 80mm above the centre of the shaft.

The cylindrical boss was to be assembled to the wall plate using machine screws with washers. Pulley tension adjustment was to be achieved by moving the boss vertically on the wall plate as indicated by the arrows X – X.



They were then asked to complete the design of the pulley adjuster, showing clearly the following:

- (a) A bracket to secure the pulley and shaft

This could have been done by fabrication. The candidates who attempted the question produced various types of brackets and some displayed plausible solutions to securing the brackets. However, some candidates allowed the pulley to hang freely and attached things such as belts to the mechanism.

- (b) A method of attaching the bracket to the boss

This aspect of the question was poorly done by a number of the candidates, while others had close to perfect solutions. Some candidates welded the components together, which was not the most suitable way of attaching the two components in such an assembly.

- (c) The provision for vertical movement of the boss to tension the belt on the pulley

This aspect of the question was also poorly done as no provision was made for the movement of the boss by most of the candidates. Some candidates made the provision in the bracket that they designed, which was a plausible solution to the problem, and thus they were credited for their solution.

- (d) The bronze bushing in place on the pulley

Some candidates used arrows to indicate where the bushing was but did not represent it on the sketches that they produced, while others made sketches but did not use the correct representation for bearings in the views drawn.


- (e) The machine screws and washers in place to secure the boss to the wall plate

This aspect of the question was done by most of the candidates even though the sketches of the machine screws bore no resemblance to actual machine screws. Some candidates used four screws and placed them at the corners of the slots. This solution would restrict the movement of the boss as it would be held in one place without any provision for sliding.

- (f) A means of securing the bracket so that the distance of 40mm between the pulley and the face of the boss was maintained.

This aspect of the solution was not done by most of those who attempted the question. This could have been done by inserting a stop 40 mm long between the two components.

Question1, which is compulsory, continues to be a problem for a large number of the candidates entered for the examination each year. The ability to interpret the given drawing and provide plausible solutions using clear sketches seems to be beyond a number of these candidates. While some candidates were able to score close to full marks on the question, others did not attempt it, or just reproduced the given drawing without attempting a solution to the question. Some candidates attempted to produce detailed drawings using tee squares and set squares which would have been time consuming in a situation where only free-hand or ruler assisted sketches were necessary. Candidates should be encouraged to produce free-hand sketches of the assembly as their solutions to the problem. Figure 1 below indicates a possible solution to the problem.



**FIGURE 1: POSSIBLE SOLUTION TO PULLEY ADJUSTER**

## Section B

### Question 2

The objectives of this question were to test the candidates' knowledge of:

- (a) Sketching and indicating the components necessary for turning between centres
- (b) The steps of procedure required to machine a given test bar between centres
- (c) The calculation of the spindle speed required to machine the test bar
- (d)
  - (i) The procedure for using the test bar on the lathe to check the alignment of the lathe centres
  - (ii) Adjusting the lathe centres to produce parallel work
- (e) Precautions that should be taken while turning between centres to prevent overheating and burning of the centres.

This was not a very popular question as it was attempted by only 43 per cent of the candidates.

Aspects of the question that were well done included the following:

- The calculation of the spindle speed required for machining the test bar
- Precautions that should be taken while turning between centres to prevent overheating and burning of the centres

Aspects of the question that were not well done included the following:

- The steps of procedure required to produce the test bar
- The alignment of the centres
- Indicating the various components used to turn between centres on the lathe
- Differentiating between live and dead centres
- Identifying drive plate and lathe dog

The responses to the question gave an indication that a number of candidates are not familiar with turning between centres. A number of them believe that holding one end of the work in the chuck and supporting the other end with a centre is actually turning between centres.

### Question 3

This question tested the candidates' knowledge of:

- (a) The description of a method of finding the centre of a piece of cylindrical stock.
  - (a) (i) The steps of procedure for producing an M10 X 1.50 mm thread in a blind hole
  - (ii) How to calculate the tap drill size for an M10 X 1.50 mm thread
- (b) (i) Sketching the profile of the teeth of four classes of files
- (ii) Naming each class of file sketched in (b) (i)
- (c) (i) The name given to the clogging of file teeth
- (ii) A step that could be taken to minimize the clogging of file teeth

This question was attempted by 78 per cent of the candidates.

Aspects of the question that were well done included the following:

- Naming the classes of files
- Identifying the name given to clogging of file teeth and steps taken to minimize the problem.

Aspects of the question that were not well done included the following:

- Method of finding the centre of the round stock
- Calculation of tap drill size
- The steps of procedure for tapping the blind hole
- 

### Question 4

This question was designed to test the candidates' knowledge of:

- (a) (i) The steps of procedure for marking out a template on sheet metal
- (ii) Naming the tools to be used in the marking out process
- (b) (i) The operations involved in cutting out a slot in sheet metal using chain drilling

- (ii) The tools to be used in the process
- (c) Precautions to be observed to ensure accuracy while marking out a component in sheet metal
- (d) Safety precautions that should be observed while cutting out a slot in sheet metal

This question was attempted by 62 per cent of the candidates.

Aspects of the question that were well done included the following:

- The tools used in the process
- The cutting out of the slot
- Safety precautions to be observed during the processes

Aspects of the question that were not well done included the following:

- The “mixing up” of marking out procedures with cutting out procedures by some candidates
- Steps of procedure for marking out the template
- Precautions to be observed to ensure accuracy while marking out

#### Question 5

This question was designed to test the candidates’ knowledge of:

- (a) Methods other than soft soldering that could be used to join strips of brass
- (b) Advantages and disadvantages of using soft solder to join strips of brass
- (c)
  - (i) Sketching the stages in the formation of a folded and grooved seam
  - (ii) Illustrating the development of a sheet metal component
- (d) Safety precautions that should be observed while handling sheet metal

This was not a popular question as it was attempted by only 33 per cent of the candidates.

Aspects of the question that were well done included identification of the following:

- Safety precautions that should be observed while handling sheet metal.
- Methods that could be used to join the strips of brass

Aspects of the question that were not well done included the following:

- Illustration of the steps of procedure for laying out side “D”.
- Sketching of the stages in the formation of the folded and grooved seam
- Statement of the advantages and disadvantages of using the soft soldering process to join sheet metal

### Question 6

This question set out to test the candidates' ability to:

- (a) (i) Calculate the recommended length of snap head rivets for assembling sheetmetal
- (ii) Calculate the recommended length of counter sunk head rivets for assembling sheet metal
- (b) List the steps of procedure for assembling components using countersunk and snap head rivets
- (c) State methods of fastening other than riveting that could be used to join sheet metal components
- (d) (i) Sketch the various types of cold chisels used in the workshop
- (ii) Name each type of chisel sketched in (d) (i)
- (iii) State the type of work performed by the chisels named in (d) (ii)

This question was attempted by 61 per cent of the candidates.

The majority of candidates demonstrated sound knowledge of the following:

- Safety precautions that should be observed while producing the assemblies
- Tools to be used for the countersunk assembly

Aspects of the question that were not well done included the following:

- Using sketches to assist in listing the sequence of operations for completing the riveting exercise
- Listing methods of fastening other than riveting that could be used to join sheet metal components

### Question 7

This question was designed to test the candidates' knowledge of:

- (a) The functions of the electrode coating in relation to making a successful weld
- (b) Completing the following table to show cause and correction to the defects listed

DEFECT	CAUSE	CORRECTION
(i) Excessive splatter	(i)	(i)
(ii) Poor fusion	(ii)	(ii)
(iii) Hard to start arc	(iii)	(iii)

- (c) Using sketches to illustrate the differences among the three types of flames used in oxyacetylene welding
- (d) Safety precautions that should be observed while using oxyacetylene welding equipment
- (e)
  - (i) Using labelled sketches to illustrate
    - a) the preparation that had to be done to the edges of sheet metal plates that have to be butt welded together
    - b) a method of securing the pieces during the welding process
  - (ii) Explaining the procedure for butt welding the pieces together

This question was attempted by 42 per cent of the candidates.

Aspects of the question that were well done included the following:

- Sketches indicating the preparation that had to be done to the edges prior to welding
- Procedure for welding the pieces together
- Using sketches to illustrate the differences among the three oxyacetylene welding flames
- Safety precautions that should be observed while welding

Aspects of the question that were not well done included the following:

- Identification of the functions of the electrode coating in relation to making successful welds
- Listing the causes and methods of correction for some welding defects
- Illustration of the methods of securing pieces during the welding process

### Question 8

This question set out to test the candidates' knowledge of:

- (a) Reasons why it is important to have a preventative maintenance schedule
- (b)
  - (i) Categories into which lubricants can be classified
  - (ii) Factors that will determine the choice of lubricants for a job
- (c) Applications of the various categories of lubricants
- (d) Using sketches to illustrate the differences among three common types of belt drives
- (e) Giving an application of each belt drive indicated in (d).

This was not a popular question. It was attempted by 33 per cent of the candidates.

Aspects of the question that were well done included the following:

- Reasons why it is important to have a preventative maintenance programme
- Categories into which lubricants can be classified

Aspects of the question that were not well done included the following:

- Factors that determine the choice of lubricant for a job
- Applications of the various categories of lubricants
- Differences among common types of belt drives
- Applications of different belt drives

### Question 9

This question was designed to test the candidates' knowledge of:

- (a)
  - (i) Calculating the length of stock required to make a lifting hook
  - (ii) Using sketches to describe the steps of procedure for forging an eye
  - (iii) Tools to be used in the process
- (b) What happened in each of the following cases involving foundry work:
  - (i) The pattern used was the same size as the casting to be produced.
  - (ii) The moulding sand in the mould was too dry.
  - (iii) There was loose sand in the mould cavity.
  - (iv) The pattern was produced without a draft angle.

This question was the least popular. Only 11 per cent of the candidates attempted it.

Apparently, this section of the syllabus is not covered adequately by teachers in most schools and, as a result, it was poorly done by most of the candidates who attempted it.

Aspects of the question that were well done included the following:

- Tools to be used in the process of forming the eye on the 6mm diameter stock
- Sketch of cross-section of mould ready for pouring

Aspects of the question that were not well done included the following:

- Calculating the length of stock required to make the lifting hook
- Describing the steps of procedure for forging the eye from the 6 mm diameter stock
- Explaining what happened in each of the following cases:

- The pattern used was the same size as the casting to be produced.
- The moulding sand in the mould was too dry.
- There was loose sand in the mould cavity.
- The pattern was produced without a draft angle.

#### Notes to Teachers

1. Question 1 which was based upon module B8 of the syllabus continues to be a problem for most of the candidates. Since this is a compulsory question and it is worth 40 marks candidates who do not attempt this question are at a disadvantage. Teachers therefore need to spend more time on this unit of the syllabus addressing those issues that frequently pose problems for candidates. This might be achieved by incorporating the following suggestions in their classroom activities:
  - Teachers should try to provide the engineering drawing experiences needed by students to interpret and understand the various scenarios involving drawing and sketching as required by the examination.
  - Students should be given exercises in designing which involve sketching and making models.
  - Students may be taken on field trips to various industries where aspects of mechanical devices/mechanisms not seen in the school workshop can be seen.
  - There are video clips available with some of these mechanisms; these could be shown to students in the computer labs in the various schools.
  - Students could be pointed to web sites for them to interact and familiarize themselves with the various mechanical components/mechanisms used in industry.
  - Teachers should assist students in examining and reporting on mechanisms relating to machines in the school's workshop. This process might involve the taking down things such as machine guards. It is important to remember, however, that machines must be shut down before these operations are carried out.
3. Where schools do not have all of the machines required for the programme, candidates can be taken to centres where they are available and can, at minimum, benefit from demonstrations of the uses of these machines.
4. Candidates should be encouraged to provide sketches to assist with their explanations in answering the various questions.



**C A R I B B E A N   E X A M I N A T I O N S   C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATION  
MAY/JUNE 2010**

**M E C H A N I C A L   E N G I N E E R I N G   T E C H N O L O G Y**

## **GENERAL COMMENTS**

Sixteen hundred and ninety eight candidates were entered for the 2010 examination compared with 1808 for the 2009 examination. This represented a 6.08 per cent decrease in the number of candidates entered.

Of the 1698 candidates who wrote the examination, 66 per cent of them earned Grade III and above. This — represented a 5 per cent increase in Grades I – III over that of 2009.

Candidates continue to do well on the practical project for the School-Based Assessment (SBA) component, but there is still need for improvement on the written component.

## **DETAILED COMMENTS**

### **Paper 01 – Multiple Choice Items**

This paper consisted of 60 items testing the theoretical aspects of the unit. There were 30 items testing the Knowledge profile and 30 items testing the Application profile. The topics that most candidates found difficult were:

1. Heat treatment procedures
2. Types of iron ore
3. Lubrication of bearings
4. Properties of Tungsten and other alloying elements used in steel
5. Mechanisms used to connect mechanical devices
6. Machineability of various steels
7. Sheet metal work involving the development of cones

### **Paper 02 – Essay/Structured Response Questions**

#### **Section A**

##### Question 1

This was a compulsory question and candidates showed improved performance when compared with 2009. This improved performance could be as a result of increased attention being paid to Module B8 of the unit as suggested in the various yearly subject reports to schools.

Candidates were required to complete the design of a pressure juicer to be used for squeezing juice from fruits. The cylinder and plunger of the juicer were made from stainless steel while the column and base were made from aluminium alloy.

The arm of the mechanism was to be attached to the column and plunger and was expected to move up and down as indicated in Figure 1 by arrow A–B. The arm should have been able to be pulled down towards 'B' to squeeze the juice and was to return to the top of the arc while at rest. The cylinder was to be supported by a bracket that should be attached to the column for easy removal of the cylinder and to allow for the disposal of the pulp after each squeeze.

Candidates were then asked to use sketches to clearly show the following:

- (a) A means of attaching the plunger to the arm at a point designated 'C' so that they both move up and down together.

This could have been done by using a nut and bolt to provide a 'pin joint' to facilitate the movement. Some candidates provided neat sketches of this solution. However, others simply drew the plunger in place but did not indicate how it would be attached. Some candidates welded the components together which was not a plausible solution as the plunger could not be contained in the cylinder if the joint was fixed.

- (b) A means of attaching the arm to the column at a point designated 'D' thus allowing the arm to move up and down.

This could have been done by using bolts to fit a small bracket to the column, and a nut and bolt to provide a 'pin joint' to facilitate the movement. Some candidates provided neat sketches of this solution. However, others simply drew the arm in place but did not indicate how it would be attached. Some candidates welded the arm to the column even though one material was aluminium and one was stainless steel. This was not a plausible solution as the arm and the column were made of different metals which could not be welded together. Some candidates indicated that they welded an aluminium bracket to the column and then fitted the arm with the nut and bolt; this was a good solution to the problem.

- (c) A bracket supporting the cylinder.

- (d) A means of attaching the bracket securely to the column at a point designated 'E' while allowing the cylinder to be removed for the easy disposal of pulp.

This could have been done by using bolts to attach the bracket to the column. Some candidates used bolts to attach the bracket to the column while others welded them together.

- (e) A mechanism for lifting the arm back in the raised position after each squeeze.

This could have been done by incorporating a spring in the mechanism. Most of the candidates that attempted the question included the use of springs in their solutions.

## **Section B**

Candidates were required to answer any three questions from this section. Each question was worth 20 marks.

### Question 2

The objective of this question was to test candidates' ability to

- (a) (i) list the steps of procedure for producing a component on the centre lathe to the desired specification.
- (ii) use sketches to assist in explaining the procedure to follow when producing the threaded end of the component to ensure the thread was started squarely.
- (b) differentiate between a 'rake' and a 'clearance angle' as used on a lathe cutting tool.

- (c) calculate the spindle speed to be used to produce the 20 mm diameter section of the component if given the cutting speed for mild steel as 30 metres per minute.
- (d) determine ways in which the work on a centre lathe may be secured and driven.
- (e) identify safety precautions that should be observed when using the centre lathe.

This was a fairly popular question as it was attempted by over 60 per cent of the candidates.

Aspects of the question that were well done included the following:

- Calculation of the spindle speed
- Identifying safety precautions that should be observed while using the centre lathe

Aspects of the question that were not well done related to the following:

- Procedure for starting the threading squarely. Some candidates outlined the procedure for threading on the lathe even though it was supposed to be a bench operation.
- Explaining the difference between a rake and a clearance angle on the lathe cutting tool.

### Question 3

The objective of this question was to test candidates' knowledge of

- (a)
  - (i) the steps in the procedure for marking out a sheet metal template.
  - (ii) the tools to be used for marking out the template.
- (b)
  - (i) the correct sequence of operations to be performed at the bench when cutting out a slot in the template
  - (ii) the tools to be used for cutting out the slot.
- (c) precautions that should be observed when cutting out a slot in sheet metal to ensure it is done accurately.
- (d) safety precautions that should be observed when using laying-out tools.

This was a very popular question as it was attempted by over 80 per cent of the candidates.

Aspects of the question that were well done included the following:

- Identifying tools to be used for marking out the sheet metal template
- Precautions to be observed while cutting out the slot

Aspects of the question that were not well done included the following:

- Listing of steps in the procedure for marking out the sheet metal template
- Listing the correct sequence of operations for cutting out the slot

#### Question 4

The objective of this question was to test candidates' ability to

- (a) sketch and name a milling cutter that could be used to produce a slot in a component on a horizontal milling machine.
- (b) use sketches to indicate the direction of the feed, and the rotation of the cutter while outlining the steps in the procedure for producing the slot using conventional or 'up cut' milling.
- (c) calculate the desired spindle speed for cutting the slot using a 100 mm diameter cutter, given the cutting speed for the material as 30 m/min.
- (d) explain briefly what was likely to happen in cases where the
  - (i) spindle speed was too fast
  - (ii) feed was too fast
  - (iii) work was not securely fastened for a machining operation
  - (iv) arbour nut was tightened without the arbour support in place
- (e) identifying precautions that should be taken while working on the milling machine.

This was not a very popular question as it was attempted by less than 35 per cent of the candidates.

Aspects of the question that were well done included the following:

- Calculation of the spindle speed for the operation
- Precautions that should be observed while working on the milling machine

Aspects of the question that were not well done here as a result of candidates' inability to:

- differentiate between conventional 'up milling and climb' or 'down milling'. They failed to indicate the direction of feed and rotation of the cutter correctly.
- differentiate between a horizontal and a vertical machine. They attempted to carry out the operation on a vertical machine even though it was clearly stated in the question that the operation should be performed on a horizontal machine.

#### Question 5

The objective of this question was to test candidates' ability to

- (a) identify different types of sheet metal that could be used to make a baking pan.
- (b)
  - (i) determine properties that the materials named in (a) would be expected to have.
  - (ii) explain why the properties listed in b (i) are important.

- (c) make a sketch of the development of a pan indicating the allowances for the seams and wired edge to be used in the process.
- (d) use sketches to aid with the description of the procedure necessary for producing the pan.
- (e) identify safety precautions that should be observed when working with sheet metal.

This was a fairly popular question as it was attempted by over 55 per cent of the candidates.

Aspects of the question that were well done included the following:

- Types of sheet metal that could be used to make the baking pan
- Safety precautions that should be observed while working with sheet metal.

Aspects of the question that were not well done were as result of candidates' included the ability to

- determine the properties outlined in Part (b) of the question which were not related to the materials selected. In addition, candidates could not explain why the properties were important.
- sketch the development of the pan as well as the procedure for producing it. Candidates who made sketches of the development did not indicate the allowances for the seams and wired edges.

#### Question 6

The objective of this question was to test candidates' ability to

- (a) illustrate with a neat diagram:
  - (i) a permanent joint
  - (ii) a temporary joint
- (b) determine circumstances under which hard soldering or brazing would be preferred to soft soldering.
- (c) determine the approximate tin-lead composition of the following soft solders that would be used for
  - (i) general sheet metal work
  - (ii) soldering electrical components
- (d) Differentiate between an 'active soldering flux' and a 'passive soldering flux'.
- (e) Give examples of each type of flux named in (d) above.
- (f) Use sketches to aid with listing the steps of procedure for completing the following types of joints using snap head rivets:
  - (i) double-strap butt joint
  - (ii) double riveted lap joint

This was not a very popular question as it was attempted by less than 15 per cent of the candidates.

Overall, this question was poorly done. The results appeared to indicate that not much time was spent on this section of the syllabus.

Candidates who attempted the question did not score many marks. The best performance was on Part (a); performance in Part (b) was average. Those who attempted Part (c) of the question appeared to have misinterpreted the question by stating the use rather than the tin-lead composition in terms of percentages. The responses for Parts d, e and f were very weak as only a few candidates were able to answer anything correctly.

## Section C

Candidates were required to answer one question from this section. Each question was worth 20 marks. They were required to attempt either Question 7A or 7B.

### Question 7A

The objective of this question was to test candidates' ability to

- (a) (i) use sketches to assist in explaining how to align and secure two cylinders having unequal internal and external diameters and ensuring that the holes remain in alignment after the pieces are welded together using oxyacetylene welding.
- (ii) outline the procedure for welding the pieces together.
- (b) use a sketch to assist with explaining the leftward method of welding using the oxy-acetylene torch.
- (c) complete a table indicating causes and methods of correcting the following common faults that could occur when performing oxyacetylene welding:
  - Poor fusion
  - Torch backfiring
  - Torch not staying lit
  - Flame giving off soot
- (d) Identify safety precautions that should be observed while doing oxyacetylene welding.

This was a fairly popular question as it was attempted by about 40 per cent of the candidates.

Aspects of the question that were well done included the following:

- Part (b) which required a sketch of the leftward method of welding. It was not attempted by many candidates but those who did answered well.

Aspects of the question that were not well done included the following:

- Parts (a) (i) and (ii) in which the candidates had difficulty aligning the two different diameters. Some used the idea of clamping in a vice and welding the pieces together. This attempt however could not guarantee the alignment during the welding process. Many of the candidates confused gas welding with arc welding in their responses.

### Question 7B

The objective of this question was to test candidates' ability to

- (a)
  - (i) use sketches to assist in explaining how to align and secure two cylinders having unequal internal and external diameters and ensuring that the holes remain in alignment after the pieces are welded together using electric arc welding.
  - (ii) outline the procedure for welding the pieces together.
- (b) state purposes of the electrode coatings used in the arc welding process.
- (c) complete a table indicating causes and methods of correct the following common faults that correcting could occur when performing electric arc welding:
  - Incomplete penetration
  - Poor fusion
  - Slag inclusion
  - Excessive splatter
- (d) use a sketch to assist with describing the procedure for striking and maintaining the arc during the welding process.

This was a fairly popular question as it was attempted by about 40 per cent of the candidates.

Aspects of the question that were well done included the following:

- Part (b) where candidates were asked to state two purposes of electrode coatings used in electric arc welding.
- Part (c) which addressed issues dealing with defects that could occur during the arc welding process. Some candidates however confused the defects with those occurring in oxyacetylene processes.
- Part (d) which had to do with striking and maintaining the arc during the welding process.

Aspects of the question that were not well done included the following:

- The alignment of the pieces posed difficulty for the candidates, similar to what happened in the oxyacetylene welding

### Question 8

The objective of this question was to test candidates' ability to

- (a) illustrate with a neat diagram each of the following forging processes:
  - (i) upsetting the end of a bar
  - (ii) bending a right angle
  - (iii) drawing down a piece of round stock to a point
- (b) state major advantages of forging a component to shape rather than machining it from a solid bar.



- (c) use diagrams to assist with describing how to harden and temper the point of a centre punch made from 0.6 per cent carbon.
- (d) explain the difference between the following:
  - (i) hardening and tempering
  - (ii) normalizing and annealing
- (e)
  - (i) differentiate between sand casting and die casting
  - (iii) use examples to explain when die casting is preferred to sand casting

This was the most unpopular question as it was attempted by only four per cent of the candidates.

Overall, performance was poor in all areas of the question. The results indicated that this area of the syllabus was not popular in schools. Candidates therefore did not know enough about terms associated with heat treatment to answer questions satisfactorily. Thus most candidates did not attempt the question. Teachers are encouraged to give more attention to this section of the syllabus.

#### Question 9

The objective of this question was to test candidates' ability to

- (a) determine the responsibilities of a laboratory technician as they relate to the maintenance of machines in the school's laboratory.
- (b) identify reasons why it was important to have a preventive maintenance schedule.
- (c) differentiate between 'preventive maintenance' and 'corrective maintenance'.
- (d) identify different types of lubricants commonly used in the school workshop.
- (e) identify ways in which lubricants could be applied to machines in the workshop.
- (f) identify procedures for applying lubricants to machines in the workshop.

This was a fairly popular question as it was attempted by about 40 per cent of the candidates.

Aspects of the question that were well done included the following:

- Part (a) which addressed issues relating to the completion of a maintenance schedule. Some candidates however placed ticks and numbers in the columns to indicate the activities rather than explaining what would happen in each case.
- Part (d) which dealt with different types of lubricants commonly used in the school workshop. Some candidates gave the names of different oils rather than types of lubricants.

Aspects of the question that were not well done included the following:

- Part (c) which tested the difference between preventive and corrective maintenance.
- Ways in which lubricants could be applied to machines in the workshop.
- Procedures for applying lubricants to machines in the workshop.

### **Notes to Teachers**

- Unit B8 of the syllabus which focuses on the compulsory design question continues to be a problem for most of the candidates who attempt the question. However, there was an improvement in the performance of candidates for the 2010 examinations. Many more candidates attempted the question and the marks awarded showed a vast improvement over previous years. This improved performance could indicate that more attention is being given to this section of the syllabus by teachers in the various institutions as requested in the various yearly subject reports. Since this is a compulsory question and it is worth so many marks, candidates that do not attempt the question are at a disadvantage. Teachers, therefore, need to spend more time on this unit of the syllabus and should try to address the major issues that prove problematic for students. This could be achieved by addressing the following suggestions.
- Teachers should try to provide the engineering drawing experiences needed by students to interpret and understand the various scenarios involving drawing and sketching on the examination.
- Students should be given exercises in designing which involve sketching such aspects and making models.
- Students can be taken on field trips to various industries where aspects of mechanical devices/mechanisms not seen in the school's workshop can be seen. There are video clips available with some of these mechanisms that could be shown to students in the computer labs in the various schools.
- Students could be pointed to websites that have information on the various mechanical components/mechanisms used in industry for them to interact and familiarize themselves.
- Teachers should assist students in examining and reporting on mechanisms and other things relating to machines in the school's workshop. This process might involve the taking down of machine parts. It is important to remember however that machines should be shut down before these operations can be carried out.
- Where schools do not have the machines required for the programme, students can be taken to centres where these are available and have suitable persons demonstrating the uses of these machines.
- Students should be encouraged to provide sketches to assist with their explanations in answering the various questions.
- Candidates seem to have difficulty explaining their responses to the various questions, even if they may have the correct ideas about aspects of the questions. Teachers, therefore, need to spend some time explaining to students how they should approach questions and suggest ways in which answers may be presented.

**CARIBBEAN EXAMINATIONS COUNCIL**

**REPORT ON CANDIDATES' WORK IN THE  
SECONDARY EDUCATION CERTIFICATE EXAMINATION**

**MAY/JUNE 2011**

**MECHANICAL ENGINEERING TECHNOLOGY  
GENERAL PROFICIENCY EXAMINATION**

**Copyright © 2011 Caribbean Examinations Council  
St Michael, Barbados  
All rights reserved.**

## **GENERAL COMMENTS**

In 2011, 2047 candidates were entered for the examination compared with 2205 in 2010. This represented a 7.17 per cent increase in the number of candidates entered.

The number of candidates who wrote the examination was 1742 and 966 or 55.46 per cent earned Grade III and above. This per cent represented an 9.80 per cent decrease in performance over that of 2010.

Candidates continue to do well on the practical project for the School-based Assessment (SBA) component but there is still the need for improvement on the written component of the SBA. Candidates did not perform as well on the compulsory, Question 1, on Paper 02 as they did in 2010. This decrease in performance was discouraging as it was felt that the gains made over the last couple of years would continue. It was felt generally that candidates did not cover enough of the syllabus to demonstrate mastery on the examination.

## **DETAILED COMMENTS**

### **Paper 01 – Multiple Choice Items**

This paper consists of 60 items testing the theoretical aspects of the unit. There were 30 items testing the Knowledge profile and 30 items on the Application profile. The topics that most candidates found difficult were:

- Heat treatment procedures
- Components made from grey cast iron
- Lubricant used in the gearbox of the centre lathe
- The difference between measuring and checking for accuracy
- Mechanisms used to connect mechanical devices
- Processes used for hardening the surface of high-carbon and alloy steels without affecting the internal structure
- Sheet metal work involving pattern development

### **Paper 02 – Essay/Structured Response Questions**

#### **Section A**

##### Question 1

Candidates were given a figure with the general arrangement of a table top grinder and asked to complete the design. The grinder was to be driven by a motor running at 600 rpm. The drive to the system was to be transmitted from the motor to the headstock spindle by a V-belt pulley system. Tension on the drive belt was to be achieved by adjusting the headstock housing vertically on the headstock support bracket.

The finished assembly should have the motor firmly bolted to the machine base using four hexagonal head machine screws and washers. The headstock support bracket should be fastened to the machine base using stud bolts with nuts and washers.

The large pulley was to be assembled to the motor by using a woodruff key and set screw, while the smaller pulley was to be assembled to the headstock spindle by using a set screw. The headstock spindle should be prevented from side to side movement by using stops on either side of the housing secured to the shaft, while the abrasive wheel should be secured to the spindle using a hexagonal nut and washer.

Candidates were then asked to produce a design for the table top grinder assembly to meet the specifications by using sketches.

In Part (a), candidates were required to produce a presentation that was neat, proportional and indicated clear details on sketches. Some candidates produced fairly neat sketches while others presented some that were difficult to understand. Candidates should try to present at least two views of the details they are trying to present. Candidates could also use footnotes to further explain how their design could work.

For Part (b), candidates were required to show the motor bolted to the machine base using hexagonal head screws and washers. This aspect of the question was fairly well done. Some candidates however did not seem to know the difference between bolts and screws.

In Part (c), candidates were required to sketch the large pulley assembled to the motor shaft with a woodruff key and set screw. This aspect of the question was not well done as most candidates did not seem to know how to represent a woodruff key in the assembly.

A sketch of the small pulley assembled to the headstock spindle, aligned to the large pulley and secured with a set screw, was required for Part (d). Some candidates did not attempt to align the pulley and most did not include the set screw in their solutions.

In Part (e), candidates were required to show the headstock spindle assembled in the headstock housing with stops to prevent horizontal (side to side) movement. Most candidates who attempted the question omitted this requirement. Some of them, however, had good solutions that included spacers with set screws, while others attempted to drill into the shaft and insert pins. The inclusion of pins could work but would not be a good solution as it would weaken the shaft.

In Part (f), candidates were required to sketch the headstock housing assembled to the headstock support bracket with provision for tensioning the drive belt. This was not addressed in most of the solutions, even though simple slots fitted with bolts and nuts could do the job satisfactorily. Some candidates attempted elaborate solutions involving bevel gears and the like. Candidates should be encouraged to keep their design solutions as simple as possible.

A sketch of the headstock support bracket assembled to the machine base with stud bolts, nuts and washers was required for Part (g). Some candidates who attempted this section of the question did not seem to know the difference between a regular bolt and a stud bolt fitted with nuts.

In Part (h), a sketch of the abrasive wheel secured to the spindle with a hexagonal nut and washer was required. Most candidates who attempted this section were able to use the nut and washer to secure the wheel on the shaft.

## **Section B**

Candidates were required to answer any three questions of four from this section. Each question was worth 20 marks.

### Question 2

The objective of this question was to test candidates' knowledge of

- steps in the procedure for producing a component on the centre lathe to the desired specification
- tools to be used in the process

- the procedure for knurling a component
- problems that could occur during a turning operation and a description of a remedy that could be used to address the problem named

This was a fairly popular question as it was attempted by over 70 per cent of the candidates.

Aspects of the question that were well done included listing the tools to be used to produce the punch.

Aspects of the question that were not well done included the following:

- Steps in the procedure required to produce the solid punch
- Procedure for knurling the component
- Causes and remedies for problems listed during the operation
- Tool rubbing and not cutting
- Work climbing over tool
- Tool chattering
- Tool becoming dull frequently

### Question 3

The objective of this question was to test candidates' knowledge of

- the process of cutting an M10 x 1.50 thread
- cutting a slot on the milling machine
- the meaning of M10 x 1.50
- the different types of cutters used on the milling machine
- the advantages and disadvantages of using conventional (up milling) on the milling machine
- safety precautions that should be observed while using the milling machine

This question was fairly popular, with about 40 per cent of the candidates responding. Candidates' general performance was below average.

Aspects of the question that were well done included the following:

- Naming two types of milling cutters
- Safety precautions to be observed when using the milling machine

Aspects of the question that were not well done included the following:

- The calculation of the tap drill size
- Definition of the term pitch with reference to Part (b) M10 x 1.5
- Disadvantages of conventional milling

#### Question 4

The objective of this question was to test the candidates' knowledge of

- steps in the procedure for marking out a sheet metal template
- the tools to be used for marking out the template
- the correct sequence of operations to be performed at the bench in cutting out a slot in the template by chain drilling
- the tools to be used for cutting out the slot
- precautions that should be observed while scribing arcs on sheet metal to ensure precision
- safety precautions that should be observed while working with sheet metal

This was a very popular question as it was attempted by over 76 per cent of the candidates.

Aspects of the question that were well done included the following:

- Identifying tools to be used for marking out
- Safety precautions to be observed while working with sheet metal

Aspects of the question that were not well done included the following:

- Listing steps in the procedure for marking out
- Listing the correct sequence of operations for cutting out the slot

#### Question 5

The objective of this question was to test candidates' knowledge of

- how to sketch and label a sheet metal pattern indicating bend lines and dimensions
- steps in the procedure for making the folds
- different types of sheet metal that could be used to make a sheet metal duct
- properties that named materials would be expected to have
- how several lengths of sheet metal ducts could be joined together to minimize heat loss
- safety precautions that should be observed when working with sheet metal

This was a fairly popular question as it was attempted by over 46 per cent of the candidates.

Aspects of the question that were well done included the following:

- Types of sheet metal that could be used to make the duct
- Safety precautions that should be observed while working with sheet metal

Aspects of the question that were not well done included the following:

- Sketch of layout indicating bend lines and dimensions
- Steps in the procedure for making the folds
- Method of joining several lengths of duct to minimize heat loss

#### Question 6

The objective of this question was to test candidates' knowledge of

- methods other than riveting that could be used to fasten the stock to the blade of a try square
- using sketches to assist with listing the sequence of operations for using countersunk rivets to assemble components
- how to calculate the material needed to form the head of a countersunk rivet given the diameter of the rivet and the thickness of the material to be riveted
- using sketches to assist in explaining the procedure for draw-filing a component smooth and flat
- the cuts of files commonly used in the workshop
- safety precautions that should be observed while using files

This was a fairly popular question as it was attempted by over 45 per cent of the candidates.

Aspects of the question that were well done included the following safety precautions to be observed while using files.

Aspects of the question that were not well done included the following:

- Methods other than riveting that could be used to fasten the stock to the blade
- Calculating the length of rivet required to assemble the component
- Procedure for draw-filing a surface smooth and flat
- Differentiating between cuts of files and types of files

### **Section C**

Candidates were required to answer one question from this section. Each question was worth 20 marks.

#### Question 7

The objective of this question was to test candidates' knowledge of

- the steps in the procedure for welding end to end two pieces of steel pipe, ensuring strength and dimensional accuracy of the finished product
- the reasons for using coated electrodes in electric arc welding



- how to avoid the sticking of the electrode when striking an arc in electric arc welding
- the process of lighting and adjusting the oxy-acetylene torch to produce an oxidizing flame
- factors that contribute to proper penetration in the arc welding process
- safety precautions to be observed when doing electric arc welding

This was a fairly popular question in this section as it was attempted by about 55 per cent of the candidates.

Aspects of the question that were well done included the following:

- Safety precautions to be observed when doing electric arc welding
- Lighting and adjusting the flame
- How to avoid sticking of the electrodes

Aspects of the question that were not well done included the following:

- Listing steps in the procedure to be followed to weld pipes together, ensuring strength and dimensional accuracy
- Differentiating between gas welding and arc welding
- Factors that contribute to proper penetration
- Reasons for using coated electrodes

### Question 8

The objective of this question was to test candidates' knowledge of

- the physical property that is imparted to steel when subjected to various heat treatment processes
- physical properties necessary for a punch to function properly
- heat treatment processes that could be used to harden a mild steel punch having 0.3 per cent carbon
- how the procedure for hardening the punch could be carried out in the workshop
- the working property of various materials listed in a table
- the engineering application of the materials listed in the table

This was the most unpopular question as it was attempted by only nine per cent of the candidates.

Performance was poor in all areas of the question. The results indicated that this area of the syllabus was not popular in schools. Candidates therefore did not know enough about heat treatment terms to answer questions satisfactorily, so most of them did not attempt the question. Teachers are encouraged to give more attention to this section of the syllabus.

### Question 9

The objective of this question was to test candidates' knowledge of

- steps in the procedure for flattening the end of a rod by forging
- tools used in the forging process
- the process to be used to treat a work hardened component to make it suitable for further working
- methods that could be used to secure a steel bar in a tube
- safety precautions to be observed while flattening a rod by forging
- how to make neat sketches to show different types of anti-friction bearings
- the use of different types of bearings

This was not a popular question as it was attempted by only 14 per cent of the candidates.

Aspects of the question that were well done included the following:

- Methods that could be used to secure the bar in the tube
- Safety precautions that should be observed while flattening the rod

Aspects of the question that were not well done included the following:

- Steps in the procedure for flattening the rod
- Tools to be used in the process of flattening the rod
- Sketches showing different types of bearings
- Use of bearings
- Procedures for extending the life of a bearing

### **RECOMMENDATIONS TO TEACHERS**

Unit B8 of the syllabus which focuses on the compulsory design question continues to be a problem for most students who attempt the question. However, there was an improvement in the performance of students in the 2011 examinations. Many more students attempted the question and the marks awarded showed a vast improvement over previous years. This improved performance could indicate that more attention is being given to this section of the syllabus by teachers in the various institutions as requested in the various yearly subject reports. Since this is a compulsory question and it is worth so many marks students who do not attempt the question are at a disadvantage. Teachers therefore need to spend more time on this unit of the syllabus and try to address the major issues that prove problematic for students. This could be achieved by addressing the following suggestions:

- Teachers must deliver the syllabus fully and not only pay attention to areas of the syllabus with which they feel comfortable.

- Teachers should try to provide the engineering drawing experiences needed by students to interpret and understand the various scenarios involving drawing and sketching on the examination.
- Teachers who may have weaknesses in this area of the syllabus should attend workshops to correct same.
- Students should be given exercises in designing which involve sketching and making models.
- Students can be taken on field trips to various industries where aspects of mechanical devices/mechanisms not seen in the school workshop can be observed.
- There are video clips available with some of these mechanisms. These could be shown to students in computer labs in the various schools.
- Students could be pointed to websites that have information on the various mechanical components/mechanisms used in industry in order to interact and familiarize themselves with them.
- Teachers should assist students in examining and reporting on mechanisms relating to machines in the school's workshop. This process might involve the taking down of machine guards and so on. It is important to remember however that machines should be shut down before these operations are carried out.
- Where schools do not have the machines required for the programme, students can be taken to centres where these are available and have suitable persons give demonstrations on the uses of these machines.
- Students should be encouraged to provide sketches to assist with their explanations in answering the various questions.
- Students seem to have difficulty explaining their responses to the various questions, even if they may have the correct ideas about aspects of the questions. Teachers therefore need to spend some time explaining to students how they should approach questions and should suggest ways in which answers may be presented.

**C A R I B B E A N      E X A M I N A T I O N S      C O U N C I L**

**REPORT ON CANDIDATES' WORK IN THE  
CARIBBEAN SECONDARY EDUCATION CERTIFICATE<sup>®</sup> EXAMINATION**

**MAY/JUNE 2014**

**MECHANICAL ENGINEERING TECHNOLOGY  
TECHNICAL PROFICIENCY EXAMINATION**

**Copyright © 2014 Caribbean Examinations Council  
St Michael, Barbados  
All rights reserved.**

## GENERAL COMMENTS

The number of candidate entries has been consistent over the last 2 year with 2054 entered. The performance of candidates in this year's examination was consistent with that of last year with a very slight improvement in the number of candidates achieving acceptable grades from 70.79% in 2013 to 71.72% in 2014. Candidates continue to show difficulty in responding to questions requiring experience and knowledge gained from working with specialized equipment.

## DETAILED COMMENTS

### Paper 01 – Multiple Choice

This paper consisted of 60 multiple-choice questions, testing the profile dimensions of Knowledge (Profile 1), and Application (Profile 2). The mean score of 33.05 showed some improvement in candidates' performance on the paper over the previous 2 years.

## DETAILED COMMENTS

### Paper 02 – Essay/Structured Response Questions

#### Section A – Compulsory Question

##### Question 1

Candidates were given a figure showed a conceptual design for a low-cost treadmill. This design would use the angle of elevation of the platform to increase the load experienced by the user.

The given figure consisted of the following parts: a base, platform, and a handle.

The Specifications given were that:

- Part 1: The base, fabricated from steel, upon which the entire treadmill rests, is 3 m long and 2 m wide.
- Part 2: The platform, consists of two (2) drums, C and D, and a leather belt which rotates as the user walks/jogs on the treadmill at variable speeds. The platform is 2 m long and 1 m wide.
- Part 3: The handle is made from a 5 cm diameter pipe which is padded with sponge

As part of the low-cost feature it is required that all adjustments are to be made manually, that is by hand. In Part (a), candidates were required to produce a presentation that was neat, proportional and indicated clear details on sketches. Some candidates produced fairly neat sketches while others presented some that were difficult to understand. Candidates should try to present at least two views of the details they are trying to present. Candidates could also use notes to further explain how their design could work.

In Part (a), candidates were required to complete a design of the design for a low-cost treadmill, to meet the specifications given, using sketches to show the following:

- (i) A method of attaching the base to support the platform at Point A and Point B.
- (ii) A method which will allow the drum, C, to rotate about A so that the platform can be inclined up to a maximum of  $30^{\circ}$  along the axis X–X.
- (iii) The handle attached to the support at Point B.
- (iv) A method which will allow the platform to be inclined in  $10^{\circ}$  increments.
- (v) A method which will allow the handle to be adjusted about Point B and always remains vertical at any angle of inclination of the platform.

There were 2026 responses or 97 per cent of the candidates answered this question.

In general, candidates produced fairly accurate designs with neat sketches containing details which match the given specifications. Candidates presented very good responses to (b) (i) attaching the base to support the platform and (ii) method which will allow the drum, C, to rotate about A.

However, some candidates presented drawings which were untidy, lack detail information and which did not reflect the given specifications. Some designs were often difficult to understand.

Teachers are reminded to guide students to present at least two views of the details they are presenting. Students should also be encouraged to make use of notes to explain their designs.

### **Section B**

Candidates were required to answer any three questions of five from this section. Each question was worth 20 marks.

#### **Question 2**

The question shows a figure of a test plug to be knurled and tapered on the centre lathe.

The objective of this question was to test candidates' knowledge of:

- types of tools to be used in the production of the test plug
- steps of procedure, for producing the knurled surface
- precautions that should be taken to ensure the best knurl was produced
- using a sketch to show the work and cutting tool set-up to produce the taper
- methods of producing the taper
- safety precautions that should be observed while working on the centre lathe

This was a fairly popular question as it was attempted by a large number of the candidates. There were 1504 responses or 72 per cent of the candidates answered this question.

In many cases, candidates were unable to name the types of tools to be used in the production of the test plug or to list the steps of procedure to produce the knurled surface.

Candidates had difficulty in using a sketch to show the work and cutting tool set-up to produce the taper. There were no accompanying notes to indicate the different parts of the sketch.

#### **Question 3**

The question shows a figure of a component with a T-slot, similar to that on the milling machine table, which is to be produced on the milling machine.

The objective of this question was to test candidates' knowledge of:

- The cutting tools that could be used to produce the T-slot
- Steps of procedure, for producing the T-slot
- The factors that could negatively affect the life of a cutting tool
- The primary purpose of the dividing head that is used in gear-cutting operations on the milling machine
- Calculating simple indexing using the Browne and Sharpe plates
- Safety precautions that should be observed when operating the milling machine.

This question was fairly popular. There were 736 responses or 35 per cent of the candidates answered this question.

In many cases, candidates were unable to name the types of tools to be used in the production of the T-slot, or to list steps of procedure to produce the T-slot, in many instances, the tools given were ordinary bench

tools. Similarly, the use of bench tools, files, hacksaws, was indicated in the steps of procedure to produce the T-slot.

Although the safety precautions required were to be related to the operating the milling machine many of the responses given were general safety precautions such as, the use of gloves or wearing of safety goggles.

#### Question 4

The question showing a figure of the hub of a wheel puller which is to be produced from a 20 mm thick disc, cut off from a 100 mm cylindrical bar.

The objective of this question was to test the candidates' knowledge of:

- The steps of procedure required for marking out the hub.
- Tools to be used to complete marking out of the mechanism.
- The precautions that should be observed while marking out the wheel puller.
- The steps of procedure, in sequence, to be used for cutting out and finishing the slots by chain drilling.
- Tools to be used for the cutting out and finishing the slots.
- Safety precautions that should be observed when cutting out the slots.

This was a popular question. There were 1121 responses or 54 per cent of the candidates answered this question.

The candidate's responses to the steps of procedure required for marking out the hub were very general and unclear.

In many cases, candidates were unable to outline the steps of procedure for cutting and finishing the slots by chain drilling of the wheel puller. Although the steps outlined were correct, in some cases, they were not in the correct order.

#### Question 5

The question presented a figure showing a pictorial view of an oil pan, 50 mm deep  $\times$  200 mm wide  $\times$  300 mm long. The oil pan is to be made from 24-gauge galvanized sheet in the work shop. An additional 10 mm must be included for making the edges safe.

The objective of this question was to test candidates' knowledge of:

- Calculating the minimum length and width of material required for making the oil pan.
- Methods of making the corners of the oil pan.
- The steps of procedure for making the oil pan.
- The steps of procedure for making safe edges.
- Methods of making the safe edge for the oil pan.
- Tools that will be necessary for completing the oil pan.
- Safety precautions that should be observed when working with sheet metal.

This was a popular question as it was attempted by a large number of the candidates. There were 1232 responses or 59 per cent of the candidates answered this question.

Candidates had difficulty in calculating the minimum length and width of material required for making the oil pan, in many cases, the finished dimensions on the figure were given.

In many cases, candidates were unable to outline the steps of procedure for making the oil pan and for making safe edges.

Many candidates also confused 'methods' of making the safe edge with 'procedures' for making the safe edges.

### Question 6

The question presented a figure showing two 50 mm diameter lengths of pipe that are to be joined together using bolts, nuts and washers, to extend the length of the pipes to form a flag pole.

The objective of this question was to test candidates' knowledge of:

- The steps of procedure for marking out and drilling the pipes.
- Types of bolts that could be used for fastening the pipes.
- Showing, with the aid of a sketch, how the pipe can be held in position for drilling.
- Showing, with the aid of a sketches, show the differences in shape of the cutting edges of different types of cold chisels.
- The steps of procedure for grinding the point of a flat cold chisel.
- Safety precautions that should be observed when drilling the pipes.

This was another popular question as it was attempted by a large number of the candidates. There were 1256 responses or 60 per cent of the candidates answered this question.

Candidates had difficulties in using a sketch to show how the pipe can be held in position for drilling. They also had difficulties in showing differences in shape of the cutting edges of different types of cold chisels. There were no accompanying notes to indicate the different parts of the sketch.

### **Section C**

Candidates were required to answer one question from this section. Each question was worth 20 marks.

### Question 7

The question presented a figure showing two pieces of mild steel plates that are to be welded together to form a 'T' component; using either the oxy-acetylene or arc welding process.

The objective of this question was to test candidates' knowledge of:

- Pieces of equipment necessary to carry out the process chosen.
- The steps of procedure that is necessary to carry out the operation.
- Protective clothing that must be used to carry out the operation.
- With the aid of a sketch, show the sequence of the weld bead on both sides of the 'T' using three passes of the weld bead to ensure a strong weld.
- Safety precautions that should be taken while carrying out the welding process.
- Defects that may occur as a result of improper welding.

This was a fairly popular question as it was attempted by a large number of the candidates. There were 1298 responses or 62 per cent of the candidates answered this question.

In general, the candidates were able to list the equipment necessary to carry out the process for either the oxy-acetylene or arc welding process.

Candidates had difficulties in using sketches to show the sequence of the weld bead on both sides of the 'T' using three passes of the weld bead to ensure a strong weld.



### Question 8

The question presented a figure showing a length of mild steel bar which is to be flattened and drilled at one end in order to attach it to a bolt.

The objective of this question was to test candidates' knowledge of:

- The process to be used for flattening the rod.
- The steps of procedure, in sequence, with the aid of sketches, required for flattening the rod so that the required size of hole can be drilled.
- Tools to be used in the process.
- Safety precautions that should be observed during the process.
- Situations observed during foundry work, to indicate the result of each situation and a remedy for each of the situation.

This was not a popular question. There were 91 responses or 4.4 per cent of the candidates answered this question.

Candidate's responses indicated 'procedure' rather than 'process.'

Again, candidates encountered difficulties in listing the steps of procedures and using clearly labelled and well-presented sketches in their responses.

### Question 9

The question presented a table showing the design of a maintenance chart for machines in the workshop, mechanisms for transferring motion; types of lubrication for any of the mechanisms shown; form in which types of plastic listed are produced and indicate an example of an article which is made from the plastic.

The objective of this question was to test candidates' knowledge of:

- Making an entry to demonstrate understanding how the table is used.
- Different mechanisms for transferring motion, with the aid of sketches.
- Types of lubrication which are necessary for any of the mechanisms shown
- Safety precautions that should be observed when servicing a machine in the workshop.
- Identifying the form in which types of plastic are produced and indicate an example of an article which is made from the plastic.

This was not a popular question. There were 199 responses or 9.5 per cent of the candidates answered this question.

Many of the candidates were able to demonstrate understanding how the table is used. Candidates were also able to identify the form in which types of plastic are produced and provided an example of an article which is made from the plastic.

However, candidates had difficulties in using clear and well-presented sketches in their responses to indicate the different mechanisms for transferring motion.

### Recommendations to Teachers

The following suggestions are offered to teachers in the effort to assist the students to improve their performance in the examination.

- Teachers should guide students to make use of additional notes to support the explanation in regard to how their designs can work.

- Teachers should guide students to list steps of procedures in sequential order. This could be done by requiring students to write the steps of procedures in sequential order before they begin to carry out the actual procedure.
- Teachers should guide students in regard to correct safety precautions. Many of the responses in regard to safety precautions are generally given as using gloves, wearing goggles, although the question require application to specific situations, operations or machines.
- Teachers are encouraged to develop a time plan for the teaching of the content of the syllabus which they can then use as a guide to assist them in ensuring that students' successfully complete the syllabus in preparation for the examination. Teacher's time plan may reflect, in their unit and lesson plans, the breakdown in terms of the area(s) of the syllabus that is to be covered within a week, month, term or year.
- Teacher should emphasize to students the value of neatness in the presentation of their work as this is that is likely to improved accuracy in the students' work.
- Teachers can work in combination with the Information Communication facility and teachers at their school or community level to assist students to make use of the Internet to find and use simulations and animations.
- Students' should be presented with continuous and regular activities that will provide them with opportunities to interpret engineering drawings and sketches to assist their capability and enhance learning.
- Students' should be provided with different of opportunities to create design drawings that are likely to help them recognize their strengths, and identify and work through their weakness. These exercises may be done as individual tasks or as small group engagements where students can benefit from the critique and suggestions of their peers.
- Students should be presented with opportunities to visit workshops/workplaces where mechanical engineering skills are practised. In this way students could get first hand experiences of how what they are learning in the classroom can be put to work in reality. Also, this kind of activity would give students an opportunity to interface with expertise in the field, which can serve as additional motivation for them.
- In cases where, the institution does not have the necessary equipment and facilities to effectively deliver the programme as outlined in the syllabus, teachers might find it useful to explore the possibility of having students visit other schools/centers as a way of helping them to become familiar with the operations of these equipment.
- Also, many manufacturers' websites have simulations, animations and other resource material that can enhance students learning experiences. These resource material and learning experiences will require careful selection, monitoring and supervision, since not all items placed on the Internet are factual. Encourage use of mobile devices and tablets to access these sites.